

Toward Multimodal Analytics in Ubiquitous Learning Environments

Juan A. Muñoz-Cristóbal¹, M. J. Rodríguez-Triana^{2,3}, Miguel L. Bote-Lorenzo¹, Sara L. Villagrà-Sobrino¹, Juan I. Asensio-Pérez¹, Alejandra Martínez-Monés¹

¹GSIC/EMIC, Universidad de Valladolid, Spain, ²École Polytechnique Fédérale de Lausanne, Switzerland, ³Tallinn University, Estonia

juanmunoz@gsic.uva.es, maria.rodrigueztriana@epfl.ch,
migbot@tel.uva.es, sarena@pdg.uva.es, juaase@tel.uva.es,
amartine@infor.uva.es

Abstract. While Ubiquitous Learning Environments (ULEs) have shown several benefits for learning, they pose challenges for orchestration. Teachers need to be aware of the learning process, which is difficult to achieve when it occurs across a heterogeneous set of spaces, resources and devices. In addition, ULEs can benefit from multimodal analyses due to the heterogeneity of the data sources available (e.g., logs, geolocation, sensor information, learning artifacts). In previous works, we proposed an orchestration system with some analytics features that can gather multimodal datasets during the learning process. Based on this experience, in this paper we describe the technological support provided by the system to collect data from multiple spaces and sources as well as the structure of the generated dataset. We also reflect about the challenges of multimodal learning analytics (MMLA) in ULEs, and we pose some ideas about how the system could better support MMLA in the future to mitigate those challenges.

Keywords: Multimodal learning analytics; ubiquitous learning; augmented reality; virtual world; virtual learning environment

1 Introduction

Learning can occur beyond the walls of the classroom, across different physical and virtual learning spaces such as museums, streets, the natural environment, a Virtual Learning Environment (VLE, e.g., Moodle), a website, or even a 3D Virtual World (3DVW) [3]. The advance of technologies, such as augmented reality (AR), mobile phones and tablets, is helping combine the different spaces in unique entities, named Ubiquitous Learning Environments (ULEs), in which a continuous learning experience is possible [5]. Such seamless learning across spaces largely depends on

context-aware features implemented by many of the tools and devices used in ULEs including, for instance, those provided by the multiple sensors embedded in current mobile devices (GPS, video camera, accelerometer, etc.) [6]. ULEs have shown many affordances for learning, such as the capability to provide a more contextual and active learning [4; 6].

Learning situations conducted in ULEs usually happen across multiple contexts between people, devices and resources (physical and digital). As a consequence, ULEs require the gathering of pieces of evidence (i.e., data) from the different spaces in order to achieve a global view of the learning process [1]. However, ULEs pose severe difficulties for collecting and centralizing all the pieces of evidence from the multiple spaces, devices and resources. Data to be collected may include not only events registered by learning platforms, but also sensor information (e.g., geolocation, orientation) or even learning products generated across spaces by participants [1]. The heterogeneity of such pieces of evidence may require a multimodal analysis due to their diverse nature (e.g., logs analysis, location analysis, content analysis). Participants in learning situations conducted in ULEs could benefit from these multimodal learning analytics (MMLA), e.g., by receiving a global vision of the learning process, warnings about existing and potential problems, or predictions about future behaviors and results [2].

In order to help teachers orchestrate learning situations conducted in ULEs involving web, augmented-physical and 3DVW spaces, we proposed a system, which includes some analytics features that were not conceived with multimodal analytics in mind [9]. In this paper we describe the architecture of the system, focusing on its technological support for evidence-gathering in ULEs. We also describe the characteristics of the generated dataset. We aim to find out to what extent the system can support multimodal analytics, how we can improve such support, and to reflect about the challenges of MMLA in ULEs that our work can illustrate.

The structure of the document is the following. In the next section, we describe the mentioned architecture and dataset. In Section 3 we summarize an illustrative scenario in which we used the system. Section 4 presents different challenges for MMLA posed by ULEs. Finally, Section 5 outlines some open questions to be addressed in our future work.

2 Data Gathering and Dataset Structure in ULEs

In Muñoz-Cristóbal et al. (2016) we proposed an orchestration system of ULEs [9]. This system relies on a ubiquitous learning life-cycle in which: 1) teachers design the learning situations by means of authoring tools; 2) instantiation tools automatically set up supporting ULEs composed by web tools, mobile AR clients, and 3DVWs; 3) the students conduct the learning situations in such ULEs.

Fig. 1 shows the architecture and dataset of the system [9]. For the sake of

simplicity, Fig. 1 only includes the information that is relevant from a learning analytics perspective, leaving aside other orchestration features. The research question that guided the design of the system was: how can technology support the monitoring of ubiquitous learning situations with teacher orchestration purposes?




Fig. 1. Architecture and dataset structure

The orchestration system collects data (by means of different sets of adapters [9]), from the different tools involved. In the case of the tools shaping ULEs, data usually contains information provided by sensors, such as geolocation, orientation, or fiducial marker identifiers. The gathered data is analyzed and aggregated into a dataset, whose structure is also shown in Fig. 1. Data contained in the dataset includes:

- Learning designs: Generated by teachers at design time by means of authoring tools, including learning activities, learning resources, collaborative patterns and grouping strategies. These designs are not bound to a specific ULE yet. As part of the design process, the teacher can configure the monitoring process. The monitoring design configuration includes the aspects to be monitored (what - e.g., number of accesses to learning resources), the dates (when), the relevant data sources -among those available- and indicators identified by the teacher for each constraint, and the expected value of each indicator (how – e.g., at least one access per group of students).
- Instantiated learning designs: Learning designs to be enacted in a concrete ULE. They also include information about participants, groups and tools to use.
- Generated artifacts: Initial resources created by teachers and learning products

generated by students. The system stores the “raw” artifacts (or links to them).

- User-context interaction: Periodic information about the location and orientation of the users.
- User-tool-context interaction: Basic information about the actions performed by the users in the tools, including space information if available (e.g., location): login, logout, access, creation/update/deletion of artifacts.
- User-artifact-context interaction: Similar information, in this case regarding users’ actions with artifacts (e.g., access, creation, deletion, update of artifacts).

The system includes some visualization features: At runtime, the visualization is currently limited to the location of users and artifacts. In addition, the system generates monitoring reports according to the teacher’s monitoring designs. These reports provide an overview of the aspects identified by the teacher, showing whether the gathered evidence satisfies teacher’s expectations, and alerting the teacher in case of potential problems (e.g., none of the students of a group accessed a specific resource they had to access). It should be noticed that, despite storing the generated artifacts, current analyses have not been applied yet to their content.

3 Illustrative Study

This section describes a study that illustrates the use of the architecture and dataset structure explained in Section 2. The case consisted in the creation and enactment of a learning situation, called City-Ads, which was carried out in a course on ICT in Education for pre-service teachers in a Spanish university [8]. The learning situation aimed to help students understand the learning effects of advertising in everyday life.

The teacher designed the learning situation using the WebCollage authoring tool [10], and she instantiated it using GLUEPS-AR [8]. The learning situation was then deployed in a ULE that included a wiki-based VLE and other web tools (e.g., Google Docs¹, Bucket-Server [7]), mobile AR browsers (Layar² and Junaio³), and Virtual Globes (VGs) used as 3DVW (the 3D views of Google Earth⁴ and Google Street View⁵).

City Ads included six activities that were carried out across different physical and virtual spaces. The first activity was a lecture in the classroom about the different types of ads. In the second activity, each student had to select and take a photo of ten advertisements in the streets of the city (the photos were automatically geolocated and integrated with the rest of tools: wiki, AR browsers and VGs). During the third activity, the students used the VGs in the classroom to explore the virtual view of the

¹ <https://www.google.com/docs/about/>

² <https://www.layar.com/>

³ <https://en.wikipedia.org/wiki/Junaio>

⁴ <https://www.google.com/earth/>

⁵ <https://www.google.com/streetview/>

city, to access the photos of the ads, and to write reports of critical analyses of the ads (using Google Docs that they created inside the VGs in the location of the analyzed ads). In the fourth activity, the students had to create a counter-ad campaign about one of the ads of their mates, and place the resulting document in the location of the corresponding ad in Google Earth. During the fifth activity the students had to access the different artifacts created (photos, reports, counter-ad campaign) at the physical location of the ads in the streets, using AR. Finally, in the sixth activity, the students created a report about the possible use in education of the different technologies utilized.

The dataset resulting from the City Ads study follows the structure described in Section 2. Concretely, the dataset was made up of: the learning design generated by WebCollage; the instantiated learning design generated by GLUEPS-AR; the learning artifacts generated by teachers and students (learning resources, pictures and reports); the path (geolocation and 360° orientation) followed by the students both when using an AR client and when using a VG (in the latter, what is stored is the path followed inside the VG); the access to the different tools and artifacts, and operations performed over artifacts (create, delete, update), including the geolocation of the actions if available.

City Ads is also useful to illustrate some of the advantages and limitations of the orchestration system for MMLA. The main advantage is that it did not require the ad-hoc embedding of additional instruments or data sources beyond those already employed by the teacher and the students in previous editions of the situation. Other MMLA approaches tend to require artificial settings, with many sensors, video-cameras, beacons, etc., in order to capture different types of pieces of evidence about what it is happening. On the contrary, in City Ads, all the information was gathered from the very same tools and devices that the participants were naturally using in the learning situation (VLE, mobile phones, etc.). Moreover, most of the tools were existing tools, many of them already known by the participants (e.g., their usual VLE, Web 2.0 tools, etc.).

However, the main limitation of the orchestration system is that the current data analysis does not fully exploit all the potential advantages of the available dataset. A better MMLA support could have provided the participants with, e.g., runtime and post-hoc indicators regarding performance, location, completion of activities, problems, technical failures, and also prediction of potential issues. This information would have helped detect problems that occurred, such as the work-overload of the students, who were not able to complete some activities; failures in the geolocation of some artifacts; a breakdown of the system during a whole weekend; or the lack of understanding by the students of some of the topics covered in the activity (which was detected in the final report).

4 Challenges of ULEs for MMLA

During our research on orchestration of ULEs, we identified some issues for MMLA. Table 1 describes different problems that we addressed, and that we consider can be useful to illustrate the challenges that ULEs pose to MMLA.

Data gathering for MMLA is especially complex in ULEs given the need to gather data from multiple different spaces. These include physical spaces outdoors that impose technological constraints such as the need for using battery-operated devices and that sometimes show unpredictable conditions regarding aspects like available bandwidth, GPS coverage that hinder data gathering. The integration of data for later analysis can also be considered more difficult in the case of ULEs, given the need for integrating pieces of evidence coming from different spaces that might have been generated by a same event. Concerning the analysis, we have found some difficulties to gather the amounts of data required to use some learning analytics techniques such as machine learning algorithms. Furthermore, we believe that different spaces in ULEs demand distinct visualizations that should be researched taking into account the specific characteristics of each type of space and the activities that can be carried out in them.

5 Conclusions and Future Work

This paper reflects on the multimodal features of a monitoring system for ULEs proposed in our previous work. Concretely, we have described the technological support provided by the system to collect data from multiple spaces and sources as well as the structure of the generated dataset. Finally, based on our experience monitoring ULEs and the lessons learnt during the workshop, we have extracted a list of challenges to be addressed by the MMLA community. These challenges affect the different phases of the LA processes, going from the data gathering and integration, to the analyses and visualization.

In our future work, we expect to extend our system to better exploit the MMLA affordances. More concretely, we are considering to: enrich the dataset (e.g., including adaptors for wearable devices); introduce complementary analyses that contribute to a more holistic view of the learning process (e.g., focusing not only on the user activity but also on the user products); increasing the accuracy of the analysis triangulating multiple data source; and, involving final users in the monitoring process so that they can provide evidence or amend the results.

Table 1. Challenges found for multi-modal analytics in ULEs

Phases	Challenges	Examples in City Ads
Data gathering	<ul style="list-style-type: none">• Data needs to be gathered from different spaces, devices and	The evidence gathered from each space was not homogenous. In addition the

	<p>resources, all of them with different technological constraints (e.g., internet coverage, bandwidth, battery, etc.).</p> <ul style="list-style-type: none"> ● Physical spaces have very dynamic and sometimes unpredictable conditions (related to weather, light, location, coverage ...). 	<p>granularity and the frequency of the data gathering varied for each data source.</p> <p>There were places where the GPS signal was not available and the geolocation of the artifacts generated by the students was incorrect.</p>
Integration	<ul style="list-style-type: none"> ● A same event or action can generate multiple pieces of evidence in different spaces, resources or devices, requiring identifying duplicates and complementary information. ● Need for integration of evidence from different spaces to have a complete view of the learning scenario. ● Synchronization of different pieces of evidence. ● Integration of pedagogical intents with learning analytics involving multiple spaces. 	<p>The operation over a student artifact (e.g., creation, access) was registered by different elements of the architecture, but the geolocation was not registered by some of them.</p> <p>The same artifact generated in a space (e.g., a picture in a street) was subsequently accessed from a different space (e.g., Google Earth).</p> <p>In some activities, the students worked simultaneously in different spaces, and their actions were registered by different adaptors, which were not synchronized.</p> <p>When designing the monitoring process, teachers realized that not every space offered automatically retrievable evidence. Therefore, manual data gathering alternatives (such as observations) had to be included to cover this gap.</p>
Analysis	<ul style="list-style-type: none"> ● The amount of data collected in many cases is not enough to apply many learning analytics techniques. ● Since the location of the activities can be dynamic and emergent, the analysis may require contextualization. 	<p>In some cases the evidence gathered was simply the accesses to the resources, allowing the inference of very modest indicators.</p> <p>For certain activities it was crucial to know whether the students had accessed/created the resources in a specific location.</p>
Visualization	<ul style="list-style-type: none"> ● Different spaces may demand different indicators. ● Different spaces may demand different visualizations. 	<p>Geolocation was required in actions conducted outdoors and with VGs, but it was irrelevant in actions conducted in web spaces indoor.</p> <p>Activities in the classroom were overwhelming for the teacher, who tended to lack of available time to consult dashboard. Also, she needed visualization solutions for those cases when she lost visibility of the students (e.g., outdoors activities).</p>

Acknowledgments. This research has been partially supported by the Spanish projects TIN2014-53199-C3-2-R and VA082U16, and the European projects 731685 (H2020-ICT-2016-1) and 669074 (H2020-WIDESPREAD-2014-2). The authors also thank the Spanish network of excellence SNOLA (TIN2015-71669-REDT).

References

1. Aljohani, N.R. and Davis, H.C., 2012. Significance of Learning Analytics in Enhancing the Mobile and Pervasive Learning Environments. In *6th International Conference on Next Generation Mobile Applications, Services and Technologies (NGMAST 2012)*, Paris, France, 70-74.
2. Blikstein, P., 2013. Multimodal Learning Analytics. In *Third International Conference on Learning Analytics and Knowledge (LAK 2013)*, Leuven, Belgium, 102-106.
3. Delgado Kloos, C., Hernández-Leo, D., and Asensio-Pérez, J.I., 2012. Technology for Learning across Physical and Virtual Spaces. *Journal of Universal Computer Science* 18, 15, 2093-2096.
4. Dyson, L.E., Litchfield, A., Lawrence, E., Raban, R., and Leijdekkers, P., 2009. Advancing the m-learning research agenda for active, experiential learning: Four case studies. *Australasian Journal of Educational Technology* 25, 2, 250-267.
5. Li, L., Zheng, Y., Ogata, H., and Yano, Y., 2004. A framework of ubiquitous learning environment. In *4th International Conference on Computer and Information Technology (CIT 2004)*, Wuhan, China, 345-350.
6. Milrad, M., Wong, L.-H., Sharples, M., Hwang, G.-J., Looi, C.-K., and Ogata, H., 2013. Seamless learning: an international perspective on next-generation technology-enhanced learning. In *Handbook of Mobile Learning*, Z.L. Berge and L.Y. Muilenburg Eds. Routledge, Abingdon, 95-108.
7. Muñoz-Cristóbal, J.A., Asensio-Pérez, J.I., Martínez-Monés, A., Prieto, L.P., Jorrín-Abellán, I.M., and Dimitriadis, Y., 2015. Bucket-Server: A system for including teacher-controlled flexibility in the management of learning artifacts in across-spaces learning situations. In *Tenth European Conference on Technology Enhanced Learning (EC-TEL 2015)*, Toledo, Spain.
8. Muñoz-Cristóbal, J.A., Martínez-Monés, A., Asensio-Pérez, J.I., Villagrà-Sobrino, S.L., Hoyos-Torío, J.E., and Dimitriadis, Y., 2014. City Ads: Embedding Virtual Worlds and Augmented Reality in Everyday Educational Practice. *Journal of Universal Computer Science* 20, 12, 1670-1689.
9. Muñoz-Cristóbal, J.A., Rodríguez-Triana, M.J., Gallego-Lema, V., Arribas-Cubero, H.F., Martínez-Monés, A., and Asensio-Pérez, J.I., 2016. Toward the integration of monitoring in the orchestration of across-spaces learning situations. In *Cross-LAK Workshop on Learning Analytics Across Physical and Digital Spaces, 6th International Learning Analytics and Knowledge Conference (LAK 2016)*, Edinburgh, UK.
10. Villasclaras-Fernández, E.D., Hernández-Leo, D., Asensio-Pérez, J.I., and Dimitriadis, Y., 2013. Web Collage: An implementation of support for assessment design in CSCL macro-scripts. *Computers & Education* 67, 79-97.