
MaDrone: Using Drones to Facilitate Connectedness Across Geographic Boundaries

Mikołaj P. Woźniak¹, Sebastian Feger², Matthias Hoppe²,
Thomas Kosch², Stephanie Van de Sandt³, Jakob Karolus²,
Luke Haliburton², Paweł W. Woźniak⁴, Jasmin Niess⁵

¹ Lodz University of Technology, Lodz, Poland
mpwozniak@ubicomp.pl

² LMU Munich, Munich, Germany
sebastian.stefan.feger@cern.ch, name.surname@um.ifi.lmu.de

³ CERN, Geneva, Switzerland
stephanie.van.de.sandt@cern.ch

⁴ Utrecht University, Utrecht, The Netherlands
p.w.wozniak@uu.nl

⁵ University of Luxembourg, Esch-sur-Alzette, Luxembourg
jasmin.niess@uni.lu

Abstract

The emergence of affordable consumer drones promises new perspectives for interacting with the physical world around us. Affordable, accessible, and easy to operate drones have the potential to overcome geographic boundaries between users living in different locations and subsequently foster connectedness. Yet, the design space of using drones to facilitate social interactions beyond geographic boundaries is still underexplored. In this position paper, we envision principles derived from the concept of lucid engagement and the psychological need for connectedness to explore how drones can mediate social interactions. We introduce our design concept and discuss it based on a specific application scenario. We discuss the opportunities and challenges related to our interaction concept. Finally, we outline next steps for future research.

Author Keywords

Human-drone interaction; social connectedness; ludic engagement; drone

Introduction and Background

In recent years drones have become affordable for the average consumer. Simultaneously, the field of Human-Computer Interaction (HCI) started to explore the design space of Human-Drone Interaction.

This paper is published under the Creative Commons Attribution 4.0 International (CC-BY 4.0) license. Authors reserve their rights to disseminate the work on their personal and corporate Web sites with the appropriate attribution.
Interdisciplinary Workshop on Human-Drone Interaction (IHDI 2020)
CHI '20 Extended Abstracts, 26 April 2020, Honolulu, HI, US
© Creative Commons CC-BY 4.0 License.

Broader selections of different drone models and sizes and the availability of automation frameworks [8] foster the creation of new concepts and prototyping of novel drone based user interfaces.

Studies have shown that ‘flying user interfaces’ [6] can be used, among other things, to interact with the world around us, such as to provide assistance [2, 3] and as a means to interact with other people [19, 18]. Consequently, drones have the potential to significantly shape our communication landscape [5]. However, drones have mainly been used to foster utilitarian activities. There has been little exploration of their potential for more ephemeral interaction qualities going beyond facilitating communication, such as fostering connectedness between humans. A sense of social connectedness includes feeling connected to the world around you, being part of the society, and feeling close to other people [15].

Drones also have inherent characteristics which make them particularly suitable for supporting playful, ludic interactions. They are transportable, easy to operate, and they also address human fascination with flying objects. Ludic activities describe playful activities driven by curiosity, such as geographic exploration [7]. However, even though drones have been used as toys (e.g. [10]), as hovering touchable objects [12] (e.g. for VR [9, 1]), and to support communication [19], the design space of drones to facilitate social interaction, exploration, and ludic engagement is still underexplored. Hence, one of the aims of this position paper is to envision the potential of drones to support social connectedness through geographic exploration of spatially separated users.

In contrast to previous work that explored drones as digital companions (e.g. to accompany the user on their way home) [11, 13, 14], we envision integrating the digital companion qualities of the drone with the human companion

qualities to facilitate connectedness through shared geographic exploration.

MaDrone: Facilitating Connectedness

With MaDrone, we have identified opportunities for connectedness that go beyond face-to-face video communication, as detailed below.

Connecting people MaDrone allows people, e.g. friends and family, to connect remotely, i.e. across geographic borders. The possibility to share visual content over long distances supports social connectedness among users, especially when they live in different geographic regions.

Providing a Bird’s Eye View Contrary to prevalent video communication, drones can provide a feeling of exploring through the bird’s eye view, allowing for ludic engagement [7]. Through directly influencing the visual content that is created, we create a feeling of agency for the user [16]. Increased immersion can also be obtained through interactive arrangement simulating the natural way of conduct. Enabling the remote participant to perceive both the presence of the other person and their surroundings may enhance the social benefits of telepresence experience.

Negotiation of Control MaDrone allows users to negotiate and share control (cf. Fig. 1) over the video content. Previous work has already showed that shared interactive systems (e.g. tabletops) that facilitate interaction between co-located users can potentially lead to new communication mechanisms [17]. Here, we aim to explore how novel interactive systems (i.e. drones) can be used for geographically distributed users.

Connectedness beyond Social Bonds By building an understanding of the living environment of another and

sharing the experience of exploring an area, MaDrone creates a feeling of social connectedness. In addition, actively exploring remote geographic areas supports building an understanding of other living contexts and subsequently fosters connectedness that goes beyond social bonds. It allows connectedness to nature and society, and creates a feeling of 'being there'.

Scenario

Figure 1 illustrates the concept of MaDrone in the form of a storyboard. The storyboard describes communication and negotiation between Lisa and Max, as well as the interaction with a drone located with Max.

Initially, Max invites Lisa to explore the city with him. Lisa is excited about this opportunity. When she accepts the invitation, Max decides to guide Lisa through a nearby park. He instructs the drone to follow him.

Lisa enjoys exploring the park with Max. She follows his tour on her computer screen. Later, she requests to take control over the drone. Max receives her request and accepts it.

Lisa can now steer the drone herself and even focus the camera on scenery that she wants to explore. She could control the drone with her keyboard and mouse, but decides to connect a joystick that she owns. Finally, when Max decides to return home, he instructs MaDrone to return.

Discussion and Next Steps

Adding more users to a shared drone experience produces challenges and opportunities. Future interfaces where multiple users control a drone will need to include the means to negotiate navigation. While past work explored different navigation modes, such as gestural interaction with flying drones and cultural influences on human-drone interaction

techniques [4], these traditionally assume that the drone has a single pilot. In contrast, one of the main challenges that arise from our vision is facilitating a positive experience of the navigation negotiation in a dyad or a group of more than two people.

Another interaction design challenge stemming from our vision is designing for the domestication of drones so that they can become everyday objects, possibly fostering ludic engagement. As users are often overwhelmed with the initial perceived complexity of operating a drone or simply scared of being hit, future designs should enable simplified control so that a variety of audiences can have access to the drone's social features.

Conclusion

In this position paper, we shared our vision of how drones can be used to facilitate social interaction through enabling exploring geographical location together. We showed how shared drone interaction can foster social connectedness between remote users and thus cater to their social needs. We illustrated our vision with a scenario and a storyboard. The concept presented here illustrates a key challenge to Human-Computer Interaction: designing interfaces that enable multiple users to collaboratively use drones for social exploration. Further, our work suggests that drones can become a medium for ludic interaction.




Figure 1: The storyboard illustrates a scenario of how MaDrone can facilitate connectedness across geographic boundaries.

REFERENCES

- [1] Parastoo Abtahi, Benoit Landry, Jackie Yang, Marco Pavone, Sean Follmer, and James A Landay. 2019. Beyond The Force: Using Quadcopters to Appropriately Object and the Environment for Haptics in Virtual Reality. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*. 1–13.
- [2] Mauro Avila Soto and Markus Funk. 2018. Look, a Guidance Drone! Assessing the Social Acceptability of Companion Drones for Blind Travelers in Public Spaces. In *Proceedings of the 20th International ACM SIGACCESS Conference on Computers and Accessibility (ASSETS '18)*. Association for Computing Machinery, New York, NY, USA, 417–419. DOI : <http://dx.doi.org/10.1145/3234695.3241019>
- [3] Mauro Avila Soto, Markus Funk, Matthias Hoppe, Robin Boldt, Katrin Wolf, and Niels Henze. 2017. Dronenavigator: Using leashed and free-floating quadcopters to navigate visually impaired travelers. In *Proceedings of the 19th International ACM SIGACCESS Conference on Computers and Accessibility*. 300–304.
- [4] Jane L. E, Ilene L. E, James A. Landay, and Jessica R. Cauchard. 2017. Drone & Wo: Cultural Influences on Human-Drone Interaction Techniques. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI '17)*. Association for Computing Machinery, New York, NY, USA, 6794–6799. DOI : <http://dx.doi.org/10.1145/3025453.3025755>
- [5] Dario Floreano and Robert J Wood. 2015. Science, technology and the future of small autonomous drones. *Nature* 521, 7553 (2015), 460–466.
- [6] Markus Funk. 2018. Human-Drone Interaction: Let's Get Ready for Flying User Interfaces! *Interactions* (April 2018), 78–81. DOI : <http://dx.doi.org/10.1145/3194317>
- [7] William W. Gaver, John Bowers, Andrew Boucher, Hans Gellerson, Sarah Pennington, Albrecht Schmidt, Anthony Steed, Nicholas Villars, and Brendan Walker. 2004. The Drift Table: Designing for Ludic Engagement. In *CHI '04 Extended Abstracts on Human Factors in Computing Systems (CHI EA '04)*. Association for Computing Machinery, New York, NY, USA, 885–900. DOI : <http://dx.doi.org/10.1145/985921.985947>
- [8] Matthias Hoppe, Marinus Burger, Albrecht Schmidt, and Thomas Kosch. 2019. DronOS: a flexible open-source prototyping framework for interactive drone routines. In *Proceedings of the 18th International Conference on Mobile and Ubiquitous Multimedia*. 1–7.
- [9] Matthias Hoppe, Pascal Knierim, Thomas Kosch, Markus Funk, Lauren Futami, Stefan Schneegass, Niels Henze, Albrecht Schmidt, and Tonja Machulla. 2018. VRHapticDrones: providing haptics in virtual reality through quadcopters. In *Proceedings of the 17th International Conference on Mobile and Ubiquitous Multimedia*. 7–18.
- [10] Matthias Hoppe, Thomas Kosch, Pascal Knierim, Markus Funk, and Albrecht Schmidt. 2019. Are Drones Ready for Takeoff? Reflecting on Challenges and Opportunities in Human-Drone Interfaces.

- [11] Bomyeong Kim, Hyun Young Kim, and Jinwoo Kim. 2016. Getting Home Safely with Drone. In *Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing: Adjunct (UbiComp '16)*. Association for Computing Machinery, New York, NY, USA, 117–120. DOI : <http://dx.doi.org/10.1145/2968219.2971426>
- [12] Pascal Knierim, Thomas Kosch, Alexander Achberger, and Markus Funk. 2018a. Flyables: Exploring 3D Interaction Spaces for Levitating Tangibles. In *Proceedings of the Twelfth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '18)*. Association for Computing Machinery, New York, NY, USA, 329–336. DOI : <http://dx.doi.org/10.1145/3173225.3173273>
- [13] Pascal Knierim, Steffen Maurer, Katrin Wolf, and Markus Funk. 2018b. Quadcopter-projected in-situ navigation cues for improved location awareness. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*. 1–6.
- [14] Joseph La Delfa, Mehmet Aydin Baytas, Olivia Wichtowski, Rohit Ashok Khot, and Florian Floyd Mueller. 2019. Are Drones Meditative?. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems*. 1–4.
- [15] Richard M Lee and Steven B Robbins. 1995. Measuring belongingness: The social connectedness and the social assurance scales. *Journal of counseling psychology* 42, 2 (1995), 232.
- [16] James W. Moore. 2016. What Is the Sense of Agency and Why Does it Matter? *Frontiers in Psychology* 7 (Aug. 2016). DOI : <http://dx.doi.org/10.3389/fpsyg.2016.01272>
- [17] Yvonne Rogers, William Hazlewood, Eli Blevins, and Youn-Kyung Lim. 2004. Finger Talk: Collaborative Decision-Making Using Talk and Fingertip Interaction around a Tabletop Display. In *CHI '04 Extended Abstracts on Human Factors in Computing Systems (CHI EA '04)*. Association for Computing Machinery, New York, NY, USA, 1271–1274. DOI : <http://dx.doi.org/10.1145/985921.986041>
- [18] Andrzej Romanowski, Sven Mayer, Lars Lischke, Krzysztof Grudzieundefined, Tomasz Jaworski, Izabela Perenc, Przemysław Kucharski, Mohammad Obaid, Tomasz Kosizski, and Paweł W. Wozniak. 2017. Towards Supporting Remote Cheering during Running Races with Drone Technology. In *Proceedings of the 2017 CHI Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '17)*. Association for Computing Machinery, New York, NY, USA, 2867–2874. DOI : <http://dx.doi.org/10.1145/3027063.3053218>
- [19] Xujing Zhang, Sean Braley, Calvin Rubens, Timothy Merritt, and Roel Vertegaal. 2019. LightBee: A Self-Levitating Light Field Display for Hologrammatic Telepresence. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. Association for Computing Machinery, New York, NY, USA, Article Paper 12, 10 pages. DOI : <http://dx.doi.org/10.1145/3290605.3300242>