

# Visualizing H. L. Hunley: Understanding the Past through Novel Facial Approximation of the Crew of a Civil War Submarine

Michael P. Scafuri<sup>1</sup>, Eric Patterson<sup>2</sup> and Nicholas DeLong<sup>1</sup>

<sup>1</sup>Warren Lasch Conservation Center, Clemson University, 1250 Supply St., N. Charleston, SC 29405, United States

<sup>2</sup>Zucker Family Graduate Education Center, Clemson University, 1240 Supply St., N. Charleston, SC 29405, United States

## Abstract

The crew of the *H.L. Hunley* submarine all perished following the successful attack and sinking of the blockading ship USS *Housatonic* off the coast of Charleston, South Carolina in 1864. Through archaeological and historical research, much has been learned about this event. However, because of the paucity of historical records, the identities of the crew have not been well understood. This project seeks to expand our understanding of the crew of *H.L. Hunley* through development of innovative digital techniques in the reconstruction of facial features from 3D models of their skeletal remains. Traditional methods of facial approximation have significant limitations in terms of flexibility and future applicability. This project tests the use of cutting-edge production methods in an innovative workflow to build more interactive and lifelike representations that exceed simple facial approximations. Using 3D scan data from individuals from the crew of *H.L. Hunley*, digital likenesses are being constructed that work within the flexible Epic Games MetaHuman framework to create interactive, photorealistic likenesses that can make realistic expressions, perform to match speech, and be animated for any digital applications. By developing multiple reconstructions for each individual, archaeological research can be enhanced using facial recognition to search currently available photo archives. We plan to test this with specific individual facial approximations in consultation with the team of Civil War Photo Sleuth (<https://www.civilwarphotosleuth.com/>) to attempt to find unidentified photographic records and potential background histories for the crewmen of *H.L. Hunley*.

## Keywords

Facial Approximation, Digital Humans, Archaeology, Digital Cultural Preservation

## 1. Introduction

On the night of February 17, 1864, the submarine *H.L. Hunley* attacked and sank the blockading sloop-of-war USS *Housatonic* off the coast of Charleston, South Carolina, marking the first time in naval history that a submersible sank an enemy ship in combat. However, the submarine never returned to shore that night. Rediscovered some 1000 feet from the wreck of USS *Housatonic* in 1995, *H.L. Hunley* was raised in 2000 and transported to the Warren Lasch Conservation Center

---

Joint Proceedings of the ACM IUI Workshops 2024, March 18-21, 2024, Greenville, South Carolina, USA

✉ [scafuri@clemson.edu](mailto:scafuri@clemson.edu) (M. P. Scafuri); [ekp@clemson.edu](mailto:ekp@clemson.edu) (E. Patterson); [nelsond@clemson.edu](mailto:nelsond@clemson.edu) (N. DeLong)

🌐 [https://www.clemson.edu/centers-institutes/conservation/people/bio\\_scafuri.html](https://www.clemson.edu/centers-institutes/conservation/people/bio_scafuri.html) (M. P. Scafuri);

<https://people.computing.clemson.edu/~ekp/index.html> (E. Patterson);


[https://www.clemson.edu/centers-institutes/conservation/people/bio\\_delong.html](https://www.clemson.edu/centers-institutes/conservation/people/bio_delong.html) (N. DeLong)

🆔 0009-0005-6953-032X (E. Patterson)



© 2024 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

 CEUR Workshop Proceedings (CEUR-WS.org)



**Figure 1:** Digital, facial-approximation workflow-progression sequence.

(WLCC) in North Charleston SC for conservation treatment and archaeological analysis[1]. In 2004, archaeologists at the WLCC began the process of documenting the entire skeletal assemblage of the eight-man crew of *H.L. Hunley* using 3D scanning technology[2]. This was partly to record the remains prior to burial, but also to create a permanent record of the bones that could be applied to future research. This resulted in the development of accurate 3D models of the skeletal remains, including the crania. This work forms the foundation of the current digital likeness project. Facial reconstruction and the virtual recreation of people from the past is a developing discipline that has the potential to bring the past alive like never before[3]. Through a collaborative effort, the WLCC and Clemson's Digital Production Arts program (DPA) hope to bring the story and history of the crew and their accomplishments to the public through these interactive tools and produce a more accessible understanding of this significant event in history.

## 2. Facial Approximation

Traditionally, facial reconstruction for archaeological purposes has involved established sculpting methods guided by anthropological and historical knowledge[4]. The cranium and possibly other skeletal remains are used to inform the likeness which is sculpted in a multi-step process on a cast of the cranial remains. Form construction is guided using tissue-depth markers, based on established statistical tables, to predict the thickness of facial tissues over the skull at key locations[5, 6]. The rest of the tissue and musculature structure is built on top with a final sculpt of facial details and addition of teeth, hair, and eyes to finish the singular outcome[7, 8]. The context in which skeletal remains are found, including artifacts and burial practices, as well as other knowledge of the person's life provide insight that might feed into the sculpting process. Facial approximations created in this way have not usually reached a particularly lifelike appearance, nor have they been flexible – one notable limitation that multiple hypothetical appearances may not be created without manually repeating the time- and skill-intensive process.

Application of digital methods has allowed for more rapid development and iteration. Remains can be scanned for 3D geometric information without having to craft molds, and more accurate measurements can often be made across each step of a face reconstruction, replicating the sculpting process but in more flexible representations. Automated techniques may also be used to create reconstructions[9, 10]. These methods all still primarily drive output of still images



**Figure 2:** MetaHuman rig and tools enable expression animation with reconstructed likeness.

rather than lifelike, animatable, performance-driven digital likenesses where hair and other features may also be easily iterated or updated when new information becomes available.


### 3. Methodology Development

We suggest that in many ways digital reconstructions have still been limited to "single use" through manual reconstruction by an individual and the approach taken in modeling software. In contrast, population facial models in computer studies typically use a common, registered topology; however, they fall short in detail and photorealism, and are not rigged for animation[11]. Feature-film visual-effects work produces photorealistic digital likenesses that perform and are cut together convincingly with video of the actual individuals but requires significant skilled work to produce the animatable, rigged asset[12]. Video game technology in recent years also approaches this level of fidelity but also requires skill and time[13]. The recent introduction of the freely available and rapidly adopted Epic Games' Unreal Engine MetaHuman system, though, has significantly facilitated building a digital-human likeness[14]. The tools are primarily focused on fictional character creation for the game industry, but the same technology may be driven by facial scans or by archaeologically based reconstructions as we propose. Using the Mesh-to-MetaHuman plugin, we can transfer the geometric topology and facial rigging from scientifically based facial reconstructions to the MetaHuman framework[15]. This novel workflow for archaeological face reconstructions allows for the creation of dynamic, lifelike approximations that are not just static images but can be animated, used interactively, and rendered in various lighting and environments. The common geometric format allows a variety of flexible applications, uses in facial studies based on statistics, and easier modification of facial hair and other features. Performance may also be driven by video or an iPhone and could be controlled by actor or even generated by machine-learning if desired for hypothetical interactions with an individual that could be guided by historical research.

Included here is work in progress regarding one of the Hunley crewmen, built using digital facial approximation with a novel workflow we introduce here. We present the workflow followed by brief discussion considering aspects and limitations of the process. See Figure 1 to see the sequence progression of the process, from left to right. The proposed workflow that we are testing is the following, where steps 1-5 are digital versions of traditional methods, and steps 6 onward introduce new technique:

1. Scan and clean geometric data from cranial remains.
2. Scale cranial model correctly in 3D software such as Autodesk Maya.

3. Use any known information about individual to assist choosing facial-tissue depths from anthropological tables.
4. Carefully mark fiducial points on cranial model to indicate tissue depths as in traditional methods.
5. Overlay nose estimate and approximate facial musculature and fatty tissue, also in a similar manner to traditional methods.
6. Use a parametric face model with a template mesh to conform roughly to geometry constructed so far; as the parametric model can be guided by facial statistics, a base "skin" mesh may be chosen somewhat similar to the demographic of the individual being reconstructed. (Our model is built on scans from 3D Scan Store using Principal Components Analysis (PCA), in a method similar to the 3D Morphable Model[16]).
7. After rough alignment of the base-skin mesh, iterate through broader to finer passes of digital sculpting to have the mesh best match the underlying structures while also matching overall facial structures and any known information about the individual.



**Figure 3:** Adapting reconstructed mesh with Mesh-to-MetaHuman tool using detected landmarks.

8. At this point, individual texture maps might normally be created to use with lighting and rendering; however, we use the Mesh-to-MetaHuman tool, as shown in Figure 3, to generate a version of the geometry (along with rig, etc.) that match the MetaHuman format. (This is essentially an automated re-topology tool, where we comment further below). The procedural parameters of the tool are guided to best match known traits of the individual, relating in a near-realistic digital version (see the final image on the right in Figure 1 or posed faces in Figure 2).
9. Once the MetaHuman mesh is brought back into Unreal Engine (or Maya or other software), it can additionally be improved by adopting a photo-based texture map and normal map that match known aspects of the individual. These could also include specular albedo or other maps used to improve photo-realistic rendering and can be derived from scan data [17] or from a system such as VarIS[18] or a Light Stage[19]. These need to be transformed to match the texture layout (UV-coordinates) of the MetaHuman mesh. This can be performed using software such as Wrap[20] or custom software[21]. See Figure 5 for a sample of detail possible with this method.



**Figure 4:** Example of poses enabled by template rig.

## 4. Discussion

The method proposed here offers many benefits such as more rapid completion of realistic versions of a facial approximation as well as generation of a template rig that can be used for animation. As there are already several tools for working with the MetaHuman format, performances may be used fairly easily to drive the facial animation and body animation of the digital likeness. See Figure 3 for sample face poses as well as Figure 4 for sample body poses (both made using the basic MetaHuman face representation from step 8 before photo-scan texture detail had been added, per step 9, and shown in Figure 5). There are some limitations we note. As the Mesh-to-Metahuman tool performs an automated retopology based on landmarks, as shown in Figure 3, it tends to make mistakes on a generic mesh with no facial texture which need to be corrected manually. (One way to aid this in the future would be to apply an average face texture to the base skin mesh before using the tool). Another consideration is the accuracy of the topological conversion; we have not yet tested how close the mesh is to the original, but we plan to do this in the future. It is visually similar, but it would be useful to quantify if there are any areas of significant topological change going through the process that could affect the facial approximation. Lastly, the current hair (and facial hair) grooms of the MetaHuman system are limited and primarily contemporary in nature; many of them also only work in the highest level-of-detail (LOD 0) within the game engine. Custom grooms may be created in Maya or other software, though, per character-effects production methods and brought into Unreal Engine for use in interactive applications; these, however, can take a fairly significant additional effort. We hope to develop a parametric system in the future for matching a variety of hair grooms to facial models of the same common topology for further flexibility and speed.

The tangible outcomes of the project will be the creation of photorealistic digital likeness of the members of the crew of the *H.L. Hunley* submarine. These likenesses will be fully rigged 3D-character assets and can be used in museums and educational settings, offering interactive experiences. This will also make them fully animatable, potentially providing engaging storytelling and enhanced learning opportunities. The quality and flexibility of reconstructions may also aid in identifying historical photographs through collaboration, such as

with the team of Civil War Photo Sleuth[22]. These may relate to the lives of the individuals and tie more details together for particular studies.[23, 24]. Additionally, the updated and improved facial reconstructions and interactive applications of this proposed project are envisioned to have a prominent place the creation of a digital presentation and display for the Friends of the Hunley website ([www.hunley.org](http://www.hunley.org)), as well as for the proposed Maritime Museum currently in development in the Charleston, South Carolina area. In the future, this will enable all public visitors to experience the educational content and story.



**Figure 5:** Render of approximated likeness with final application of photo-realistic texture maps.

## References

- [1] R. S. Neyland, H. Brown, H. L. Hunley Recovery Operations, Naval History and Heritage Command, Washington D.C., 2016. URL: <https://www.history.navy.mil/research/underwater-archaeology/sites-and-projects/ship-wrecksites/hl-hunley/recovery-report.html>.
- [2] M. P. Scafuri, B. Rennison, Scanning the H.L. Hunley: Employing a structured-light scanning system in the archaeological documentation of a unique maritime artifact, *Journal of Archaeological Science: Reports* 6 (2016) 302–309. URL: <https://www.sciencedirect.com/science/article/pii/S2352409X1630058X>. doi:<https://doi.org/10.1016/j.jasrep.2016.02.023>.
- [3] K. Ellenberger, Virtual and augmented reality in public archaeology teaching, *Advances in Archaeological Practice* 5 (2017) 305–309. doi:[10.1017/aap.2017.20](https://doi.org/10.1017/aap.2017.20).
- [4] J. Prag, R. Neave, *Making Faces: Using Forensic and Archaeological Evidence*, Texas AM University Press, 1997.
- [5] K. T. Taylor, *Forensic Art and Illustration*, CRC Press, 2001.
- [6] C. Wilkinson, *Forensic Facial Reconstruction*, Cambridge University Press, 2004.
- [7] S. Hayes, R. Taylor, A. Paterson, Forensic facial approximation: An overview of current methods used at the victorian institute of forensic medicine/victoria police criminal identification squad, *The Journal of Forensic Odonto-Stomatology* 23 (2005).
- [8] S. Hayes, *3D Facial Approximation Lab Manual*, 2017.
- [9] S. D. Greef, G. Willems, Three dimensional cranio-facial reconstruction in forensic identification: latest progress and new tendencies in the 21st century, *Journal of Forensic Sciences* 50 (2005). URL: [www.astm.org](http://www.astm.org).
- [10] P. Navic, et al., Facial reconstruction using 3-d computerized method: A scoping review of methods, current status, and future developments, *Legal Medicine* 62 (2023) 102239. doi:[10.1016/j.legalmed.2023.102239](https://doi.org/10.1016/j.legalmed.2023.102239).
- [11] B. Egger, W. A. P. Smith, A. Tewari, S. Wuhner, M. Zollhoefer, T. Beeler, F. Bernard, T. Bolkart, A. Kortylewski, S. Romdhani, C. Theobalt, V. Blanz, T. Vetter, 3d morphable face models—past, present, and future, *ACM Trans. Graph.* 39 (2020). URL: <https://doi.org/10.1145/3395208>. doi:[10.1145/3395208](https://doi.org/10.1145/3395208).
- [12] W.-D. K. Ma, M. Ghifary, J. Lewis, B. Choi, H. Eom, Fdls: A deep learning approach to production quality, controllable, and retargetable facial performances., in: *The Digital Production Symposium, DigiPro '22*, Association for Computing Machinery, New York, NY, USA, 2022. URL: <https://doi.org/10.1145/3543664.3543672>. doi:[10.1145/3543664.3543672](https://doi.org/10.1145/3543664.3543672).
- [13] C. Murphy, S. Mudur, D. Holden, M.-A. Carbonneau, D. Ghafourzadeh, A. Beauchamp, Appearance controlled face texture generation for video game characters, in: *Proceedings of the 13th ACM SIGGRAPH Conference on Motion, Interaction and Games, MIG '20*, Association for Computing Machinery, New York, NY, USA, 2020. URL: <https://doi.org/10.1145/3424636.3426898>. doi:[10.1145/3424636.3426898](https://doi.org/10.1145/3424636.3426898).
- [14] Epic Games, *MetaHuman Creator*, Epic Games, Inc., 2021.
- [15] Epic Games, *Mesh to MetaHuman*, Epic Games, Inc., 2022.
- [16] V. Blanz, T. Vetter, *A Morphable Model For The Synthesis Of 3D Faces*, 1 ed., Association for Computing Machinery, New York, NY, USA, 2023. URL: <https://doi.org/10.1145/3596711>.

3596730.

- [17] 3d scan store, <https://www.3dscanstore.com>, 2024. Accessed: February 2024.
- [18] J. Baron, X. Li, P. Joshi, N. Itty, S. Greene, D. S. J. Dhillon, E. Patterson, VarIS: Variable Illumination Sphere for Facial Capture, Model Scanning, and Spatially Varying Appearance Acquisition, in: F. Banterle, G. Caggianese, N. Capece, U. Erra, K. Lupinetti, G. Manfredi (Eds.), Smart Tools and Applications in Graphics - Eurographics Italian Chapter Conference, The Eurographics Association, 2023. doi:10.2312/stag.20231292.
- [19] P. E. Debevec, The light stages and their applications to photoreal digital actors, in: International Conference on Computer Graphics and Interactive Techniques, 2012. URL: <https://api.semanticscholar.org/CorpusID:6088120>.
- [20] Wrap, <https://faceform.com>, 2023. Accessed: February 2024.
- [21] E. Patterson, J. R. Baron, D. Simpson, Landmark-based re-topology of stereo-pair acquired face meshes, in: International Conference on Computer Vision and Graphics, 2018. URL: <https://api.semanticscholar.org/CorpusID:52276389>.
- [22] Civil war photo sleuth, <https://www.civilwarphotosleuth.com/>, 2024.
- [23] V. Mohanty, D. Thames, S. Mehta, K. Luther, Photo sleuth: combining human expertise and face recognition to identify historical portraits, in: Proceedings of the 24th International Conference on Intelligent User Interfaces, IUI '19, Association for Computing Machinery, New York, NY, USA, 2019, p. 547–557. URL: <https://doi.org/10.1145/3301275.3302301>. doi:10.1145/3301275.3302301.
- [24] Civil war photos: New technologies bring to life faces from the past, <https://time.com/5749059/civil-war-photos/>, 2019.