The GoodRelations Ontology for E-Commerce
Language Overview - UML Class Diagram

http://purl.org/goodrelations/

Version 1, Release 2011-10-01

Martin Hepp. mhepp@computer.org



Notes:

1. The following GoodRelations elements are only shortcuts for simpler annotation or querying. See the documentation at http://purl.org/goodrelations/ for details:
   gr:hasValue (shortcut for setting both hasMinValue and hasMaxValue properties to the same value in one turn)
   gr:hasValueFloat (shortcut for setting both hasMinValueFloat and hasMaxValueFloat properties to the same value in one turn)
   gr:hasValueInteger (shortcut for setting both hasMinValueInteger and hasMaxValueInteger properties to the same value in one turn)
2. The following elements are now deprecated, but you can still use them, e.g. for staying compatible with older data consumers (e.g. Yahoo SearchMonkey):
   gr:ActualProductOrServiceInstance (now gr:Individual)
   gr:ProductOrServicesSomeInstancesPlaceholder (now gr:SomeItems)
   gr:LocationOfSalesOrServiceProvisioning (now gr:Location
3. For the recommended cardinality of attributes, see the GoodRelations Language Reference at http://purl.org/goodrelations/ v1.html.
4. gr:valueReference links can also exist between a gr:QualitativeValue and a gr:QuantitativeValue and vice versa, but this rare case is not shown for readability.
5. gr:name and gr:description can now be attached to any GoodRelations type, but this is not shown here for readability.

Red highlighting indicates elements added or changed in this release.

GoodRelations
The Web Vocabulary for E-Commerce
http://purl.org/goodrelations/