

Table of Contents

Volume 13 Number 3

March 2023

Cementless Semi-Constrained Rotating Platform Total Knee Replacement: A Concise Follow-Up of a Previous Report at a Minimum of Twenty Years	
F. F. Buechel Sr., F. F. Buechel Jr., T. E. Helbig.....	71
Radiation Exposure during Dynamic Hip Screw Fixation: A Comparative Study	
I. Sarhan, R. Shehata, N. Ashwood.....	78
The Radiological Outcome of Surgical Correction of Hallux Valgus with Combined Scarf and Akin Osteotomies	
S. Nogdallah, M. A. Osman, M. Fatooh, A. M. M. Khairy, H. M. A. Abd-Elmaged, O. G. Nubi.....	84
Fracture of Limbs Bones in a Rural and Post Conflict Health Zone	
G. T. Kuyigwa, C. Musho, L. M. Mubenga, F. G. Cikomola, P. M. A. Budema, G. B. Murhula, L. O. Ahuka.....	97
Exclusive Fibula Osteosynthesis for Treating Open Fractures Gustillo I-III B of the Distal Half of the Leg Bones in a Resources-Limited Setting	
G. K. Toha, P. M. Budema, O. L. Ahuka, A. B. Uwonda, J. M. V. K. Tshimbila.....	108