



## ***Corrigendum to*** **“Synergistic radar and sub-millimeter radiometer retrievals of ice hydrometeors in mid-latitude frontal cloud systems” published in Atmos. Meas. Tech., 15, 677–699, 2022**

**Simon Pfreunds Schuh<sup>1</sup>, Stuart Fox<sup>2</sup>, Patrick Eriksson<sup>1</sup>, David Duncan<sup>3</sup>, Stefan A. Buehler<sup>4</sup>, Manfred Brath<sup>4</sup>, Richard Cotton<sup>2</sup>, and Florian Ewald<sup>5</sup>**

<sup>1</sup>Department of Space, Earth and Environment, Chalmers University of Technology, 41296 Gothenburg, Sweden

<sup>2</sup>Met Office, FitzRoy Road, Exeter, EX1 3PB, United Kingdom

<sup>3</sup>ECMWF, Shinfield Park, Reading, RG2 9AX, United Kingdom

<sup>4</sup>Meteorologisches Institut, Fachbereich Geowissenschaften, Centrum für Erdsystem und Nachhaltigkeitsforschung (CEN), Universität Hamburg, Bundesstraße 55, 20146 Hamburg, Germany


<sup>5</sup>Institut für Physik der Atmosphäre, Deutsches Zentrum für Luft- und Raumfahrt, Pfaffenhofen, Germany

**Correspondence:** Simon Pfreunds Schuh (simon.pfreunds Schuh@chalmers.se)

Published: 23 February 2022

During submission, an incorrect image file was included for Fig. 17, making it identical to Fig. 14. The actual Fig. 17 is shown below.

There was also an additional oversight in the captioning of Figs. 14 and 17. The mentioned random PSD samples in light grey were not included in the figures as they were found to not add any relevant information.



**Figure 17.** In situ-measured and retrieved PSDs for flight B984 retrieved using the combined (a) and the radar-only retrieval (b). Each row of panels shows the mean of the in situ-measured PSDs (black) for a given altitude bin of a height of 1 km. Colored lines on top show the corresponding mean retrieved PSD for different assumed particle shapes.