

Package ‘RSmartlyIO’

October 12, 2022

Type Package

Title Loading Facebook and Instagram Advertising Data from 'Smartly.io'

Description Aims at loading Facebook and Instagram advertising data from 'Smartly.io' into R. 'Smartly.io' is an online advertising service that enables advertisers to display commercial ads on social media networks (see <http://www.smartly.io/> for more information).
The package offers an interface to query the 'Smartly.io' API and loads data directly into R for further data processing and data analysis.

Version 0.1.3

Author Johannes Burkhardt <johannes.burkhardt@gmail.com>

Maintainer Johannes Burkhardt <johannes.burkhardt@gmail.com>

Depends R (>= 3.0.0)

Imports RCurl

License MIT + file LICENSE

URL <https://github.com/rstats-lab/RSmartlyIO>, <https://app.smartly.io>

BugReports <https://github.com/rstats-lab/RSmartlyIO/issues>

Date 2019-01-21

RoxygenNote 6.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2019-01-21 10:30:02 UTC

R topics documented:

| | |
|--------------------------|----------|
| getSmartlyData | 2 |
| RSmartlyIO | 3 |
| Index | 4 |

getSmartlyData

Get Smartly.io Data

Description

getSmartlyData posts the query and downloads the data. The data are retrieved from the API as a dataframe.

Usage

```
getSmartlyData(start, end, date = "date", accountID, accountInfo = F,
  campaignStructure = NULL, billing = NULL, targeting = NULL,
  creative = NULL, facebook = NULL, attribution = "28d", apiToken,
  metrics)
```

Arguments

| | |
|-------------------|--|
| start | Beginning of date range. Format: "2019-01-01" |
| end | End of date range. Format: "2019-01-10" |
| date | Date aggregation level. One out of date, year, month, weekofyear, weekday |
| accountID | Smartly.io Account ID. Input as character: "1234abcdefg5678" |
| accountInfo | Account Information. TRUE/FALSE |
| campaignStructure | Campaign Information Selection. Vector with multiple arguments out of: campaign_name, campaign_fb_id, adgroup_name, adgroup_fb_id, name, id, fb_objective, campaign_start_date |
| billing | Billing Information Selection. Vector with multiple arguments out of: bid.optimization_goal, bid.billing_event |
| targeting | Targeting Settings of Campaigns. Vector with multiple arguments out of: targeting.geo_locations.countries, targeting.geo_locations.cities, targeting.genders, targeting.age_min, targeting.age_max, targeting.interests, targeting.behaviors, targeting.custom_audiences, targeting.excluded_custom_audiences, targeting.connections, targeting.user_os, targeting.user_device, targeting.page_types |
| creative | Creative/Ad Characteristics. Vector with multiple arguments out of: creative_meta.call_to_action, creative_meta, creative_meta.type, creative_meta.post_type, creative_meta.name, creative_meta.picture, creative_meta.post_fb_id, creative_meta.post_fb_link, creative_meta.text, creative_meta.title, creative_meta.link, creative_meta.url_tags |
| facebook | Facebook Settings. One argument out of: age, country, gender, age_gender, placement, cross_device, region, hourly_stats_aggregated_by_advertiser_time_zone, hourly_stats_aggregated_by_audience_time_zone |
| attribution | Attribution Time Window, defaults to 28 days. One of: "1d", "7d" or "28d". |
| apiToken | API Token. Character. Usually the API token is provided within the Smartly.io web interface or by the account manager. |

metrics Metrics. Note: There are more metrics available. See the reporting section in the smartly.io interface. Vector with multiple arguments out of: impressions, ctr, cpm, cpc, spent, conversions, inline_link_clicks, clicks, cpa, reach, frequency, roi, revenue, social_impressions, social_clicks, website_clicks, newsfeed_clicks, deeplink_clicks, app_store_clicks, call_to_action_clicks, inline_post_engagement

Value

Dataframe

RSmartyIO

Loading Facebook and Instagram Advertising Data from Smartly.io

Description

Aims at loading **Facebook** and **Instagram** advertising data from **Smartly.io** into R. Smartly.io is an online advertising service that enables advertisers to display commercial ads on social media networks. The package offers an interface to query the Smartly.io API and loads data directly into R for further data processing and data analysis.

Author(s)

Johannes Burkhardt <johannes.burkhardt@gmail.com> <https://github.com/rstats-lab/RSmartyIO>

Examples

```
## Not run:
data <- getSmartyData(start = "2016-03-01",
                      end = "2016-03-02",
                      date = "date",
                      accountID="*****",
                      accountInfo = F,
                      campaignStructure = c("campaign_name", "campaign_fb_id"),
                      billing = c("bid.optimization_goal", "bid.billing_event"),
                      targeting = c("targeting.geo_locations.countries"),
                      creative = c("creative_meta.call_to_action"),
                      #facebook = "age",
                      apiToken="*****",
                      metrics = c("impressions","clicks"))

## End(Not run)
```

Index

- * **~Facebook**
RSmartlyIO, 3
 - * **~Instagram**
RSmartlyIO, 3
 - * **~Smartly.io**
RSmartlyIO, 3
- getSmartlyData, 2
- RSmartlyIO, 3