# COMMISSION REGULATION (EC) No 600/2005

## of 18 April 2005

concerning a new authorisation for 10 years of a coccidiostat as an additive in feedingstuffs, the provisional authorisation of an additive and the permanent authorisation of certain additives in feedingstuffs

(Text with EEA relevance)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Directive 70/524/EEC of 23 November 1970 concerning additives in feedingstuffs (¹), and in particular Articles 3, 9d(1) and 9e(1) thereof,

Having regard to Regulation (EC) No 1831/2003 of the European Parliament and of the Council of 22 September 2003 on additives for use in animal nutrition (2) and in particular Article 25 thereof,

Whereas:

- (1) Regulation (EC) No 1831/2003 provides for the authorisation of additives for use in animal nutrition.
- (2) Article 25 of Regulation (EC) No 1831/2003 lays down transitional measures for applications for the authorisation of feed additives submitted in accordance with Directive 70/524/EEC before the date of application of Regulation (EC) No 1831/2003.
- (3) The applications for authorisation of the additives listed in the Annexes to this Regulation were submitted before the date of application of Regulation (EC) No 1831/2003.
- (4) Initial comments on those applications, as provided for in Article 4(4) of Directive 70/524/EEC, were forwarded to the Commission before the date of application of Regulation (EC) No 1831/2003. Those applications are therefore to continue to be treated in accordance with Article 4 of Directive 70/524/EEC.
- (1) OJ L 270, 14.12.1970, p. 1. Directive as last amended by Commission Regulation (EC) No 1800/2004 (OJ L 317, 16.10.2004, p. 37).
- (2) OJ L 268, 18.10.2003, p. 29. Regulation as amended by Commission Regulation (EC) No 378/2005 (OJ L 59, 5.3.2005, p. 8).

- (5) The person responsible for putting into circulation Salinomax 120G submitted an application for authorisation for 10 years, as a coccidiostat for chickens for fattening, according to Article 4 of that Directive. The European Food Safety Authority (EFSA) has delivered an opinion on the safety of the use of this preparation for humans, animals and the environment, under the conditions set out in Annex I to this Regulation. The assessment shows that the conditions laid down in Article 3a of Directive 70/524/EEC for such authorisation are satisfied. Accordingly, the use of this preparation, as specified in Annex I, should be authorised for 10 years.
- (6) Data were submitted in support of an application of the new additive *Lactobacillus acidophilus* DSM 13241 for dogs and cats. The EFSA delivered favourable opinions on 15 April 2004 and 27 October 2004 on the safety for the target animals, the user and the environment. The assessment shows that the conditions laid down in Article 9e(1) of Directive 70/524/EEC for such authorisation are satisfied. Accordingly, the use of that microorganism preparation, as specified in Annex II, should be provisionally authorised.
- (7) The use of the micro-organism preparation Enterococcus faecium ATCC 53519 and Enterococcus faecium ATCC 55593 was provisionally authorised, for the first time, for chickens for fattening by Commission Regulation (EC) No 1436/98 (³). New data were submitted in support of an application for authorisation without time limit of that micro-organism preparation. The assessment shows that the conditions laid down in Article 3a of Directive 70/524/EEC for such authorisation are satisfied. Accordingly, the use of that micro-organism preparation, as specified in Annex III, should be authorised without a time limit.
- The use of the micro-organism preparation *Bacillus licheniformis* DSM 5749 and *Bacillus subtilis* DSM 5750 was provisionally authorised, for the first time, for turkeys for fattening by Commission Regulation (EC) No 2437/2000 (4) and for calves by Commission Regulation (EC) No 418/2001 (5). New data were submitted in support of an application for authorisation without time limit of that micro-organism preparation. The assessment shows that the conditions laid down in Article 3a of Directive 70/524/EEC for such authorisation are satisfied. Accordingly, the use of that micro-organism preparation, as specified in Annex III, should be authorised without a time limit.

<sup>(3)</sup> OJ L 191, 7.7.1998, p. 15.

<sup>(4)</sup> OJ L 280, 4.11.2000, p. 28.

<sup>(5)</sup> OJ L 62, 2.3.2001, p. 3.

- (9) The use of the micro-organism preparation *Saccharomyces cerevisiae* NCYC Sc 47 was provisionally authorised, for the first time, for rabbits by the Regulation (EC) No 1436/98. New data were submitted in support of an application for authorisation without time limit of that micro-organism preparation. The assessment shows that the conditions laid down in Article 3a of Directive 70/524/EEC for such authorisation are satisfied. Accordingly, the use of that micro-organism preparation, as specified in Annex III, should be authorised without a time limit.
- (10) The assessment of this application shows that certain procedures should be required to protect workers from exposure to the additive set out in the Annex. Such protection should be assured by the application of Council Directive 89/391/EEC of 12 June 1989 on the introduction of measures to encourage improvements in the safety and health of workers at work (1).
- (11) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health,

HAS ADOPTED THIS REGULATION:

#### Article 1

The preparation belonging to the group 'Coccidiostats and other medicinal substances', as specified in Annex I, is authorised for use for 10 years as additive in animal nutrition under the conditions laid down in that Annex.

#### Article 2

The preparation belonging to the group 'Micro-organisms', as specified in Annex II, is authorised provisionally for four years as an additive in animal nutrition under the conditions laid down in that Annex.

### Article 3

The preparations belonging to the group 'Micro-organisms', as specified in Annex III, are authorised for use without a time limit as additives in animal nutrition under the conditions laid down in that Annex.

## Article 4

This Regulation shall enter into force on the third day following that of its publication in the Official Journal of the European Union.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 18 April 2005.

For the Commission Markos KYPRIANOU Member of the Commission

OJ L 183, 29.6.1989, p. 1. Directive as last amended by Regulation (EC) No 1882/2003 of the European Parliament and of the Council (OJ L 284, 31.10.2003, p. 1).

EN

•	End of period of authori- sation		22.4.2015'
	Other provisions		Use prohibited at least 5 days before slaughter. Indicate in the instructions for use: "Dangerous for equines and turkeys" "This feedingstuff contains an ionophore: simultaneous use with certain medicinal substances (e.g.tiamulin) can be contraindicated"
Maximum content	mg of active substance/kg of complete feedingstuff		20
Minimum content	mg of active of complete		20
	Maximum age		
	Species or category of animal		Chickens for fattening
	Composition, chemical formula, description		Additive composition: Salinomycin sodium 120 g/kg Calcium lignosulfonate: 40 g/kg Calcium sulphate dihydrate to 1 000 g/kg Active substance: Salinomycin sodium, C <sub>42</sub> H <sub>69</sub> O <sub>11</sub> Na, Sodium salt of a polyether monocarboxylic acid produced by fermentation of <i>Streptomycs</i> albus (ATCC 21838/US 9401-06), CAS No: 55 721-31-8 Related impurities: < 42 mg elaiophylin/kg salinomycin sodium. < 40 g 17-epi-20 desoxysalinomycin fkg salinomycin sodium
	Additive (trade name)	icinal substances	Salinomycin sodium 120 g/kg (Salinomax 120G)
Name and regis- tration number	of person responsible for putting the additive into circulation	Coccidiostats and other medicinal substances	Alpharma (Belgium) BVBA
Regis-	tration number of additive	Coccidiostat	E 766

EN

End of	penoa or authorisation		22.4.2009	22.4.2009'
Other monticions	OLIET PROVISIONS		In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting.  For use in dry feed with a water content at or below 2%.	In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting.  For use in dry feed with a water content at or below 2%.
Maximum content	CFU/kg of complete feedingstuff		2×10 <sup>10</sup>	$2 \times 10^{10}$
Minimum	CFU/kg of feedin		6 × 10 <sup>9</sup>	3×10 <sup>9</sup>
Maximum	age		I	l
Species or	category or animal		Dogs	Cats
Planting formal Acceleration	слеписат юпиша, цезстрион		Lactobacillus acidophilus containing a minimum of: $13241$ $1 \times 10^{11} \text{ CEU/g additive}$	
A 1.13:45.00	Additive	iisms	Lactobacillus acidophilus DSM 13241	
No	(or EC No)	Micro-organisms	,25	

EN

			Species or	Movimum	Minimum content	Maximum content		End
EC No	Additive	Chemical formula, description	category of animal	age	CFU/kg of complete feedingstuff	complete gstuff	Other provisions	of period of authorisation
Micro-organisms	usms							
E 1709	Enterococcus faecium ATCC 53519 Enterococcus faecium ATCC 55593 (In a 1/1 ratio)	Mixture of encapsulated $Enterococcus$ faecium and $Enterococcus$ faecium containing a minimum of $2 \times 10^8$ $CFU/g$ additive. (i.e. a minimum of $1 \times 10^8$ $CFU/g$ of each bacterium)	Chickens for fattening	1	1×10 <sup>8</sup>	1×10 <sup>8</sup>	In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting.  May be used in compounded feed containing coccidiostats: decoquinate, halofuginone, lasalocid sodium, maduramicin ammonium, monensin sodium, narasin, narasin/nicarbazin, and salinomycin sodium.	Without a time limit
Е 1700	Bacillus licheniformis DSM 5749 Bacillus subtilis DSM 5750 (In a 1/1 ratio)	Mixture of Bacillus licheniformis and Bacillus subtilis containing a minimum of 3,2 × 10 <sup>9</sup> CFU/g additive (1,6 × 10 <sup>9</sup> of each bacterium)	Turkeys for fattening	I	1,28×10 <sup>9</sup>	1,28×10 <sup>9</sup>	In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting.  May be used in compounded feed containing coccidiostats: diclazuril, halofuginone, monensin sodium and robenidine.	Without a time limit
			Calves	3 months	1,28×10 <sup>9</sup>	1,28×10 <sup>9</sup>	In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting.	Without a time limit
E 1702	Saccharomyces cerevisiae NCYC Sc 47	Preparation of Saccharomyces cerevisiae containing $5 \times 10^9$ CFU/g additive	Rabbits for fattening		2,5 × 10 <sup>9</sup>	7,5 × 10 <sup>9</sup>	In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting	Without a time limit'