

Supporting information for “Irrigation, damming, and streamflow fluctuation of the Yellow River”

Zun Yin^{1,2}, Catherine Ottlé¹, Philippe Ciais¹, Feng Zhou³, Xuhui Wang³, Jan Polcher², Patrice Dumas⁴, Shushi Peng³, Laurent Li², Xudong Zhou^{2,5,6}, and Shilong Piao³

¹Laboratoire des Sciences du Climat et de l’Environnement, CNRS-CEA-UVSQ, Gif-sur-Yvette, France

²Laboratoire de Météorologie Dynamique, UPMC/CNRS, IPSL, Paris 75005, France

³Sino-French Institute for Earth System Science, College of Urban and Environmental Sciences, Peking University, Beijing 100871, China

⁴Centre de Coopération Internationale en Recherche Agronomique pour le Développement, Avenue Agropolis, 34398 Montpellier CEDEX 5, France

⁵Institute of Industrial Science, The University of Tokyo, Tokyo, Japan

⁶State Key Laboratory of Hydrology-Water Resources and Hydraulic Engineering, Center for Global Change and Water Cycle, Hohai University, Nanjing 210098, China

Correspondence to: Z. Yin

(zun.yin@foxmail.com)

A Figures




Figure S1. Conceptual plot for the dam operation model. Solid line is multi-year averaged monthly discharge (Q_s , Eq. 1). Solid-dashed line is the targeted monthly discharge (Q_t , Eq. ??). Dashed line is multi-year mean monthly discharge. One year is divided into recharging and releasing season. Blue and red patterns indicate targeted water storage change ΔW_t during the recharging and releasing season, respectively.




Figure S2. (a)-(d): cross-correlations of observed Q from two neighbour gauging stations. x -axis is the time lag in month. Blue dashed lines are thresholds of significant correlations. (e): cross-correlations of observed Q between the first and the last gauging stations.




Figure S3. Effects of irrigation on soil moisture (SM) and discharge yield (Y_Q , sum of surface runoff and deep drainage) in each R_i . In the case of Y_Q , negative points are colored red. Purple bars are monthly irrigation based on IR simulation.




Figure S4. Top panel: changes of observed Q from 1982 to 2014. Red and green lines represent monthly Q at start and end of the diagnosing period based on linear regression. Gray bars indicate significant trends found based on Mann-Kendall test. Sub-figures correspond to specific sub-regions. Bottom panel: same as the top panel but for P from GSWP3 forcing.