

Supplement




Figure S1: Isotopic $\delta^{18}\text{O}$ composition of groundwater ($\delta^{18}\text{O}_G$) as a function of the isotopic $\delta^{18}\text{O}$ composition of xylem water ($\delta^{18}\text{O}_X$), based on a global meta-analysis. Error bars indicate the mean \pm standard error of the measurements. Shaded areas indicate the standard error of the model.




Figure S2: Isotopic $\delta^2\text{H}$ composition of groundwater ($\delta^2\text{H}_G$) as a function of the isotopic $\delta^2\text{H}$ composition of xylem water ($\delta^2\text{H}_X$), based on a global meta-analysis. Error bars indicate the mean \pm standard error of the measurements. Shaded areas indicate the standard error of the model.

References used in meta-analysis

- Anderegg L.D.L., Anderegg W.R.L., Abatzoglou J., Hausladen A.M. and Berry J.A. 2013.** Drought characteristics' role in widespread aspen forest mortality across Colorado, USA. *Global Change Biology* **19**: 1526-1537
- Berry Z.C., Hughes N.M. and Smith W.K. 2014.** Cloud immersion: an important water source for spruce and fir saplings in the southern Appalachian Mountains. *Oecologia* **174**
- Bertrand G., Masini J., Goldscheider N., Meeks J., Lavastre V., Celle-Jeanton H., Gobat J.-M. and Hunkeler D. 2014.** Determination of spatiotemporal variability of tree water uptake using stable isotopes ($\delta^{18}\text{O}$, $\delta^2\text{H}$) in an alluvial system supplied by a high-altitude watershed, Pfyn forest, Switzerland. *Ecohydrology* **7**: 319-333
- Beyer M., Koeniger P., Gaj M., Hamutoko J.T., Wanke H. and Himmelsbach T. 2016.** A deuterium-based labelling technique for the investigation of rooting depths, water uptake dynamics and unsaturated zone water transport in semiarid environments. *Journal of Hydrology* **533**: 627-643
- Beyer M., Hamutoko J.T., Wanke H., Gaj M. and Koeniger P. 2018.** Examination of deep root water uptake using anomalies of soil water stable isotopes, depth-controlled isotopic labelling and mixing models. *Journal of Hydrology* **566**: 122-136
- Bowling D.R., Schulze E.S. and Hall S.J. 2016.** Revisiting streamside trees that do not use stream water: can the two water worlds hypothesis and snowpack isotopic effects explain a missing water source? *Ecohydrology* **10**: e1771
- Brooks J.R., Barnard H.R., Coulombe R. and McDonnell J.J. 2009.** Ecohydrologic separation of water between trees and streams in a Mediterranean climate. *Nature Geoscience* **3**: 100-104

Clinton B.D., Vose J.M., Vroblesky D.A. and Harvey G.J. 2004. Determination of the relative uptake of ground vs. surface water by *Populus deltoids* during phytoremediation. *International Journal of Phytoremediation* **6**: 239-252

De Wispelaere L., Bodé S., Hervé-Fernández P., Hemp A., Verschuren D. and Boeckx P. 2017. Plant water resource partitioning and isotopic fractionation during transpiration in a seasonally dry tropical climate. *Biogeosciences* **14**: 73-88

Eggemeyer K.D., Awada T., Harvey F.E., Wedin D.A., Zhou X. and Zanner C.W. 2008. Seasonal changes in depth of water uptake for encroaching trees *Juniperus virginiana* and *Pinus ponderosa* and two dominant C₄ grasses in a semiarid grassland. *Tree Physiology* **29**: 157-169

Evaristo J., McDonnell J.J., Scholl M.A., Bruijnzeel L.A. and Chun K.P. 2016. Insights into plant water uptake from xylem-water isotope measurements in two tropical catchments with contrasting moisture conditions. *Hydrological Processes* **30**: 3210-3227

February E.C., Higgins S.I., Newton R. and West A.G. 2007. Tree distribution on a steep environmental gradient in an arid savanna. *Journal of Biogeography* **34**: 270-278

Goldsmit G.R., Muñoz-Villers L.E., Holwerda F., McDonnell J.J., Asbjornsen H. and Dawson T.E. 2012. Stable isotopes reveal linkages among ecohydrological processes in a seasonally dry tropical montane cloud forest. *Ecohydrology* **5**: 779-790

Hartsough P., Poulsen S.R., Biondi F. and Estrado I.G. 2008. Stable isotope characterization of the ecohydrological cycle at a tropical treeline site. *Artctic, Antarctic and Alpine Research* **40**: 343-354

Hervé-Fernández P., Oyarzún C., Brumtb C., Huygens D., Bodé S., Verhoest N.E.C. and Boeckx P. 2016. Assessing the ‘two water worlds’ hypothesis and water sources for native and exotic evergreen species in south-central Chile. *Hydrological Processes* **30**: 4227-4241

Holland K.L., Tyerman S.D., Mensforth L.J., Walker G.R. 2006. Tree water sources over shallow, saline groundwater in the lower River Murray, south-eastern Australia: implications for groundwater recharge mechanisms. *Australian Journal of Botany* **54**: 193-205

Kukowski K.R., Schwinning S. and Schwartz B.F. 2013. Hydraulic responses to extreme drought conditions in three co-dominant tree species in shallow soil over bedrock. *Oecologia* **171**: 819-830

Kurz-Besson C., Otieno D., do Vale R.L., Siegwolf R., Schmidt M., Herd A., Nogueira C., David T.S., David J.S., Tenhunen J., Pereira J.S. and Chaves M. 2006. Hydraulic lift in cork oak trees in a savannah-type Mediterranean ecosystem and its contribution to the local water balance. *Plant and Soil* **282**: 361-378

Liu A., Jia G., Yu X., Lu W. and Zhang J. 2018a. Water use by broadleaved tree species in response to changes in precipitation in a mountainous area of Beijing. *Agriculture, Ecosystems and Environment* **251**: 132-140

Liu Z., Yu X. and Jia G. 2018b. Water utilization characteristics of typical vegetation in the rocky mountain area of Beijing, China. *Ecological Indicators* **91**: 249-258

McCutcheon R.J., McNamara J.P., Kohn M.J. and Evans S.L. 2016. An evaluation of the ecohydrological separation hypothesis in a semiarid catchment. *Hydrological Processes* **31**: 783-799

McKeon C., Glenn E.P., Waugh W.J., Eastoe C., Jordan F. and Nelson S.G. 2006. Growth and water and nitrate uptake patterns of grazed and ungrazed desert shrubs growing over a nitrate contamination plume. *Journal of Arid Environments* **64**: 1-21

Mensforth L.J., Thorburn P.J., Tyerman S.D. and Walker G.R. 1994. Sources of water used by riparian *Eucalyptus camaldulensis* overlying highly saline groundwater. *Oecologia* **100**: 21-28

Nie Y.-p., Chen H.-s., Wang K.-l., Tan W., Deng P.-y. and Yang J. 2011. Seasonal water use patterns of woody species growing on the continuous dolostone outcrops and nearby thin soils in subtropical China. *Plant Soil* **341**: 399-412

Orter E.J. and Bowen G. 2016. In situ monitoring of H and O stable isotopes in soil water reveals ecohydrologic dynamics in managed soil types. *Ecohydrology* **10**: e1841

Penna D., Oliviero O., Assendelft R., Zuecco G., van Meerveld I.H.J., Anfodillo T., Carraro V., Borga M., Fontana G.D. 2013. Tracing the water sources of trees and streams: isotopic analysis in a small pre-alpine catchment. *Procedia Environmental Sciences* **19**: 106-112

Qian J., Zheng H., Wang P., Liao X., Wang C., Hou J., Ao Y., Shen M., Liu J. and Li K. 2017. Assessing the ecohydrological separation hypothesis and seasonal variations in water use by *Ginkgo biloba* L. in a subtropical riparian area. *Journal of Hydrology* **553**: 486-500

Qiu X., Zhang M., Wang S., Evaristo J., Argirou A.A., Guo R., Chen R., Meng H., Che C. and Qu D. 2019. The test of the ecohydrological separation hypothesis in a dry zone of the northeastern Tibetan Plateau. *Ecohydrology* **12**: e2077

Rong L., Chen X., Chen X., Wang S. and Du X. 2011. Isotopic analysis of water sources of mountainous plant uptake in a karst plateau of southwest China. *Hydrological Processes* **25**: 3666-3675

Rose K.L., Graham R.C. and Parker D.R. 2003. Water source utilization by *Pinus jeffreyi* and *Arctostaphylos patula* on thin soils over bedrock. *Oecologia* **134**: 46-54

Snyder K.A. and Williams D.G. 2000. Water sources used by riparian trees varies among stream types on the San Pedro River, Arizona. *Agricultural and Forest Meteorology* **105**: 227-240

Swaffer B.A., Holland K.L., Doody T.M., Li C. and Hutson J. 2014. Water use strategies of two co-occurring tree species in a semi-arid karst environment. *Hydrological Processes* **28**: 2003-2017

Wang P., Song X., Han D., Zhang Y. and Liu X. 2010. A study of root water uptake of crops indicated by hydrogen and oxygen stable isotopes: a case in Shanxi Province, China. *Agricultural Water Management* **97**: 475-482

Wei Y.F., Fang J., Liu S., Zhao X.Y. and Li S.G. 2013a. Stable isotopic observation of water use sources of *Pinus sylvestris* var. *mongolica* Horqin Sandy Land, China. *Trees* **27**: 1249-1260

Wei L., Lockington D.A., Poh S.-C., Gasparon M. and Lovelock C.E. 2013b. Water use patterns of estuarine vegetation in a tidal creek system. *Oecologia* **172**: 485-494

Williams D.G. and Ehleringer J.R. 2000. Intra- and interspecific variation for summer precipitation use in Pinyon-Juniper woodlands. *Ecological Monographs* **70**: 517-537

Zhao P., Tang X., Zhao P. and Tang J. 2018. Temporal partitioning of water between plants and hillslope flow in a subtropical climate. *Catena* **165**: 133-144

Zhou Y.-D, Chen S.-P., Song W.-M., Lu Q. and Lin G.-H. 2011. Water-use strategies of two desert plants along a precipitation gradient in northwestern China. *Chinese Journal of Plant Ecology* **35**: 789-800

Zhu L., Xing X. and Mao G.-L. 2012. Water sources of shrubs grown in the northern Ningxia Plain of China characterized by shallow groundwater table. *Chinese Journal of Plant Ecology* **36**: 618-628