

XAG129095

Report No. IAEA - R - 5785-F

TITLE

Establishment of Reference Man in Korea

FINAL REPORT FOR THE PERIOD

1 December 1989 - 30 November 1990

AUTHOR(S)

Yung Jin Kim

INSTITUTE

**Chungnam National University, Department of Biology
Chungnam, Republic of Korea**

INTERNATIONAL ATOMIC ENERGY AGENCY

DATE March 1991

Research Contract No. 5785/JN

Final Report

December 1989 - November 1990

Coordinated Research

on Establishment of Reference Man in Korea

Yung Jin Kim, Gook Hyun Chung,

Jong Soon Kim and Young Jin Chung

Chungnam National University Daejeon, Korea

1. Contract Number : 5785/JN
2. Title of Project : Establishment of Reference Man in Korea
3. Research Institute : Chungnam National University
4. Chief Scientific investigator : Yung Jin Kim, Ph.D
5. Period of Contract : Dec. 1 1989 - Nov. 30 1990

Description of Research

There are two ways in the exposure of radiation. One is the external exposure to the comic ray, environmental radiation released directly from nuclear facilities, and the other is the internal exposure to radiation released from national or man-made radioactive substances inhaled or ingested through inhalation, and food chains.

Since radiation is known as a strong mutagen and one of the main factors to induce life shortening in animals, there has been a strong effort to establish the tolerable degree of maximum permissible exposure dose of radiation. Such maximum permissible exposure dose is applicable to man directly in case of external exposure but quantitative data about the behaviour of radioisotopes in the environment, bioaccumulation factor of radioisotopes and metabolism of radioisotopes are needed for the evaluation of radiological impacts on human population when it is internal exposure. With this viewpoint, Committe II of ICRP has compiled human characteristics as "Standard Man" in 1959¹⁾. Later the Committee recompiled the data as Reference

Man²⁾ in 1975 upon addition of supplimentary data. The Japanese investigators have collected their specific anatomical and chemical data as "Reference Japanese"³⁾ since 1970 because their habitat and customs are different from those of the Caucasian.

When the levels of radiation exposure doses are sufficiently low, the values of Reference Man or Reference Japanese can no longer be applicable to the Korean population because of differences existing between the races and environments. Local specific data, therefore, are needed to obtain the precise estimation of radiation exposure doses for a given Korean. The project on the Reference Korean was planned and has been progressed since 1980 . Some of the results are reported^{4,5)}. The present report is concerned with the human physiques of the Reference Korean.

Methods

In order to determine the physical standards of Reference Korean, we have collected the data from the Industrial Advancement Administration⁶⁾ and recompiled them. Physical data of 21,406 Korean that corresponds to 0.05 % of total Korean population were compiled. All the data were divided into small groups according to the age and sex. Surface area was not measured directly but calculated using the equation of Du Bois and Du Bois⁷⁾. Data on the mass of Korean internal organ were collected and analysed by us already(1,344 in male and 577 in female)⁸⁾. We cited the data in this report because of the insufficiency of the new autopic data collected

Results and Discussion

Committee II of ICRP and NIRS of Japan has published many informations concerned the data on the anatomical, chemical and physiological standard of a Caucasian and Japanese as a Reference Man and Reference Japanese, respectively, for the purpose of estimation of exposure dose. However, the human models such as a Reference Man or Reference Japanese are based on the data obtained from Caucasians and Japanese. The Reference Man or Reference Japanese are nor directly applicable to Koreans since the differences exist among Asians, Europeans and Americans with respect to races, customs and the patterns of food consumption.

In view of those problems, it has become of necessity to find reference values for Korean, such as a physical standard, food consumption and mass or dimention of internal organ or induvidual in Korean. We, therefore, collected the data on physical standards of Korean and compared them with those of former data⁴⁾, for the first year, in order to establish the Reference Korean.

First, the stature of Koreans was increased but the circumference was decreased when they are compared with those of 1979. These might be caused by the change of nutritional value and social behavioutrs. Second, the physical values of females around 10 years old were greater than those of males with same age but it was reverted beyond the ages. This might be caused by the difference of onset age of the sexual maturation. Third, the size of head was invariable all over the ages. Fourth, the determination of body surface area is not easy

whereas it is an important one for the evaluation of radiationexposure. Many methods to calculate the surface area of human being have been developed^{7,9-11}. We adapted the method of De Bois and De Bois¹⁰. Finally, we compared these data with those of Reference Man and Reference Japanese. The values of Reference Korean were simillar to those of Reference Japanese but different with those of Reference Man. The physical standards of Reference Korean and Reference Japanese were simillar to those of Caucasians who are aged around 15. Since the values of Reference Korean are simillar to those of Reference Japanese, the establishment of Reference Asian may be possible.

On the other hands, mass of internal organ was cited from the data of former report which was prepared by us because of the insufficiency of the new autopic data. The mass of Korean organ is simillar to that of Japanese. But the weights of liver and pancreas were different with those of Japanese. This might be caused by the difference of the criterion of weighing method but not by the real difference.

References

1. International Commission on Radiological Protection, Publication 2,
Pergamon Press,oxford(1959).
2. International Commission on Radiological Protection, Publication 23,
Pergamon Press,oxford(1975)
3. Tanaka,G.I. and H.Kawamura, Health Phys., 36,336(1979)
4. Kim,Y.J.,K.S.Lee,K.J.Chun, J.B.Kim, G.H.Chung and S.R.Kim, J.Kor.
Assoc.for Radiat.Prot.,7,1(1982)

5. Kim, Y.J., K.S.Lee, J.B.Kim, K.J.Chun, S.R.Kim and G.H.Chung, KAERI/RR
-333/81(1982)
6. Industrial Advancement Administration, A Study on the National
Anthropometric Survey in Korea.(1986)
7. Du bois D., and E.F.Du Bois, Arch.Int.Med., 15, 868 (1915)
8. Kim, Y.J., K.s.Lee, K.J.Chun, J.B.Kim, S.R.Kim and G.H.Chung, J.Kor.
Assoc.for Radiat.Prot., 8,1 (1983)
9. Hong, J.E., J.Kor.Med.Soc., 16, 202 (1973)
- 10.Du Bois E.F., and D.Du Bois, Arch.Int.Med., 17, 863 (1916)
- 11.Costeoff H., Arch.Dis.Child., 41,681 (1966)

Table 1. Number of individuals analysed

Age	Region	Region						Total										
		Seoul		Kyung-si		Kang-won		Chung-cheong		Pusan		Kyung-sang		Chon-ra		Che-chu		
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Total
0 - 5	595	538	478	331	116	107	186	141	1,372	1,117	2,489	237	227	237	227	237	2,489	
6	59	57	117	108	32	57	19	15	305	39	279	279	305	305	305	305	305	584
7	57	49	144	104	66	87	38	22	23	22	312	312	307	307	307	307	307	619
8	65	76	135	135	85	78	22	24	30	24	275	275	308	308	308	308	308	583
9	69	57	135	116	80	72	24	41	41	41	536	536	302	302	302	302	302	536
10	51	53	145	100	58	40	48	39	35	35	486	486	245	245	245	245	245	486
11	33	24	140	134	33	48	39	18	18	18	410	410	96	96	96	96	96	855
12	65	73	346	231	17	10	18	115	115	115	606	606	445	445	445	445	445	1,042
13	109	174	322	314	1	3	4	126	126	126	633	633	436	436	436	436	436	1,036
14	104	160	339	346	1	1	9	161	161	161	762	762	453	453	453	453	453	1,402
15	209	163	280	298	52	140	99	640	640	640	938	938	407	407	407	407	407	1,679
16	278	178	212	365	105	188	146	741	741	741	709	709	115	115	115	115	115	1,297
17	167	79	181	267	117	193	123	170	170	170	492	492	1,025	1,025	1,025	1,025	1,025	1,517
18	307	70	293	88	188	240	237	94	94	94	266	266	1,416	1,416	1,416	1,416	1,416	1,662
19	427	67	389	26	259	69	341	84	84	84	898	898	77	77	77	77	77	1,844
20	228	75	163	17	189	15	134	134	134	134	159	159	159	159	159	159	159	1,913
21 - 25	765	201	219	51	353	27	138	138	138	138	975	975	12	12	12	12	12	218
26 - 30	713	175	69	21	184	10	9	9	9	9	230	230	148	148	148	148	148	1,193
31 - 35	75	230	58	12	12	17	3	7	7	7	478	478	2	2	2	2	2	414
36 - 40	38	136	23	1	13	13	1	1	1	1	230	230	162	162	162	162	162	336
41 - 50	65	204	174	16	6	9	3	1	1	1	478	478	248	248	248	248	248	478
51 -	3	29	24	57	0	2	0	0	0	0	115	115	27	27	27	27	27	88
Sum	4,481	2,868	4,485	3,160	1,955	1,426	1,638	1,635	12,559	9,089	21,648							

Table 2. Statures as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	96.7 ± 6.5	95.8 ± 4.6
42 - 47	100.2 ± 3.0	99.0 ± 2.4
48 - 53	103.4 ± 3.9	103.0 ± 3.9
54 - 59	106.8 ± 4.6	105.8 ± 4.6
60 - 65	109.3 ± 4.4	108.9 ± 4.1
66 - 71	111.8 ± 4.4	111.1 ± 4.1
6	117.0 ± 4.7	116.4 ± 4.4
7	121.5 ± 5.4	119.8 ± 5.0
8	126.5 ± 5.5	125.3 ± 5.3
9	131.3 ± 5.8	131.2 ± 5.6
10	135.8 ± 5.7	136.7 ± 6.2
11	140.4 ± 6.6	142.7 ± 6.8
12	147.0 ± 8.0	149.4 ± 6.5
13	153.4 ± 8.8	152.7 ± 5.7
14	160.1 ± 7.8	154.8 ± 5.1
15	164.2 ± 6.2	155.4 ± 4.9
16	166.5 ± 5.8	155.9 ± 5.1
17	167.0 ± 5.6	155.8 ± 4.8
18	167.9 ± 5.7	156.2 ± 4.8
19	168.3 ± 5.5	156.4 ± 5.4
20	168.6 ± 5.2	156.0 ± 4.6
21 - 25	167.7 ± 5.4	155.4 ± 5.2
26 - 30	166.6 ± 5.4	155.2 ± 4.7
31 - 35	167.9 ± 5.4	154.5 ± 4.9
36 - 40	166.8 ± 5.5	154.9 ± 5.2
41 - 50	165.8 ± 5.5	154.7 ± 4.6
51 -	166.2 ± 3.6	159.0 ± 5.3

Table 3. Acromion heights as a function of age and sex

Age (Months)	Male	Female
	Mean \pm SD	Mean \pm SD
36 - 41	74.3 \pm 4.7	73.9 \pm 5.1
42 - 47	77.1 \pm 2.8	76.7 \pm 2.3
48 - 53	80.0 \pm 3.5	79.4 \pm 3.9
54 - 59	82.7 \pm 3.9	82.3 \pm 4.3
60 - 65	85.0 \pm 4.0	84.9 \pm 3.8
66 - 71	87.1 \pm 3.8	86.9 \pm 3.5
6	91.7 \pm 4.2	91.3 \pm 4.0
7	95.6 \pm 4.8	94.2 \pm 4.6
8	100.2 \pm 5.0	99.2 \pm 4.7
9	104.2 \pm 5.1	104.3 \pm 5.0
10	108.4 \pm 5.3	109.5 \pm 5.4
11	112.5 \pm 5.8	114.7 \pm 6.2
12	118.4 \pm 7.2	120.6 \pm 5.6
13	124.0 \pm 7.9	123.4 \pm 5.1
14	129.9 \pm 7.1	125.1 \pm 4.5
15	133.6 \pm 5.8	125.8 \pm 4.4
16	135.4 \pm 5.5	126.4 \pm 4.6
17	136.0 \pm 5.3	126.2 \pm 4.4
18	136.6 \pm 5.3	126.8 \pm 4.4
19	137.0 \pm 5.2	126.8 \pm 4.8
20	137.6 \pm 4.9	126.6 \pm 4.1
21 - 25	137.1 \pm 4.9	126.0 \pm 4.8
26 - 30	136.2 \pm 5.1	126.1 \pm 4.2
31 - 35	137.3 \pm 5.1	125.7 \pm 4.5
36 - 40	136.4 \pm 5.1	126.0 \pm 4.6
41 - 50	135.1 \pm 5.3	125.8 \pm 5.6
51 -	134.7 \pm 3.3	122.6 \pm 5.4

Table 4. Pubis heights as a function of age and sex

Age (Months)	Male		Female	
	Mean ± SD		Mean ± SD	
36 - 41	39.2	4.2	40.7	3.0
42 - 47	41.6	2.1	43.2	1.9
48 - 53	43.3	3.1	45.1	3.5
54 - 59	45.9	3.3	47.1	3.4
60 - 65	47.6	3.1	48.9	3.0
66 - 71	49.9	3.4	50.7	3.1
6	52.2	3.3	53.4	2.9
7	54.9	3.6	55.5	3.6
8	59.0	4.1	58.9	3.6
9	61.6	4.5	62.7	3.7
10	64.9	4.1	65.8	3.8
11	67.0	4.6	69.3	4.3
12	69.7	4.7	71.6	4.0
13	72.4	5.1	73.5	3.7
14	75.6	4.7	74.2	3.8
15	77.9	4.7	74.4	3.5
16	78.9	4.6	74.6	3.4
17	78.9	4.6	74.5	3.4
18	78.2	4.3	74.9	3.5
19	78.9	4.5	74.4	3.4
20	79.6	4.3	73.5	3.0
21 - 25	79.2	4.4	73.5	3.6
26 - 30	77.9	4.3	73.3	3.4
31 - 35	78.6	4.8	72.9	3.7
36 - 40	76.9	4.4	73.5	3.4
41 - 50	76.0	4.5	73.4	3.9
51 -	74.6	3.7	68.8	3.8

Table 5. Sitting heights as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	56.2 ± 2.6	55.7 ± 2.3
42 - 47	57.9 ± 1.7	57.2 ± 2.0
48 - 53	59.2 ± 2.4	58.6 ± 2.4
54 - 59	60.7 ± 2.7	59.6 ± 2.6
60 - 65	61.6 ± 2.7	60.9 ± 2.5
66 - 71	62.8 ± 2.4	62.1 ± 2.3
6	64.8 ± 2.6	64.5 ± 2.5
7	67.0 ± 2.9	65.7 ± 2.6
8	68.8 ± 2.9	67.9 ± 2.8
9	70.8 ± 3.0	70.4 ± 3.1
10	72.6 ± 2.7	72.7 ± 3.4
11	74.7 ± 3.2	75.4 ± 3.7
12	77.5 ± 4.5	78.9 ± 4.0
13	80.7 ± 4.9	81.4 ± 3.4
14	84.0 ± 4.8	82.6 ± 3.0
15	87.1 ± 4.1	83.1 ± 2.8
16	88.9 ± 3.6	83.6 ± 2.9
17	89.6 ± 3.4	83.6 ± 2.7
18	90.1 ± 3.2	83.9 ± 2.6
19	90.5 ± 3.0	84.0 ± 2.8
20	90.9 ± 2.9	84.0 ± 2.9
21 - 25	90.6 ± 2.8	83.6 ± 2.9
26 - 30	90.1 ± 3.0	84.3 ± 2.8
31 - 35	90.8 ± 2.8	83.9 ± 2.8
36 - 40	90.0 ± 3.1	84.0 ± 2.9
41 - 50	89.4 ± 3.2	83.7 ± 2.8
51 -	89.7 ± 1.9	82.0 ± 3.2

Table 6. Head circumferences as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	49.5 ± 1.7	48.9 ± 1.1
42 - 47	50.3 ± 1.8	49.0 ± 1.1
48 - 53	50.4 ± 1.4	49.6 ± 1.7
54 - 59	50.7 ± 1.5	49.8 ± 1.5
60 - 65	50.9 ± 1.3	50.1 ± 1.3
66 - 71	51.3 ± 1.4	50.4 ± 1.3
6	51.3 ± 1.3	50.5 ± 1.4
7	51.9 ± 1.3	50.6 ± 1.4
8	52.0 ± 1.4	51.0 ± 1.4
9	52.2 ± 1.4	51.5 ± 1.4
10	52.6 ± 1.4	52.2 ± 1.4
11	52.8 ± 1.5	52.5 ± 1.5
12	53.2 ± 1.5	53.0 ± 1.5
13	53.6 ± 1.6	53.5 ± 1.4
14	54.2 ± 1.5	53.9 ± 1.4
15	54.5 ± 1.5	54.0 ± 1.4
16	55.0 ± 1.5	54.0 ± 1.4
17	55.0 ± 1.5	54.0 ± 1.3
18	55.8 ± 1.5	54.3 ± 1.3
19	55.8 ± 1.5	54.2 ± 1.3
20	55.6 ± 1.5	54.2 ± 1.3
21 - 25	55.9 ± 1.4	54.3 ± 1.3
26 - 30	56.3 ± 1.5	54.4 ± 1.4
31 - 35	56.4 ± 1.4	54.4 ± 1.4
36 - 40	56.5 ± 1.6	54.6 ± 1.4
41 - 50	56.2 ± 1.6	54.8 ± 1.3
51 -	56.4 ± 0.9	54.6 ± 1.3

Table 7. Neck circumferences as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	24.1 ± 1.6	23.9 ± 1.1
42 - 47	24.3 ± 1.2	24.2 ± 1.1
48 - 53	24.9 ± 1.1	24.3 ± 1.2
54 - 59	25.3 ± 1.3	24.3 ± 1.3
60 - 65	25.2 ± 1.2	24.6 ± 1.2
66 - 71	25.3 ± 1.3	24.7 ± 1.2
6	25.6 ± 1.2	25.0 ± 1.3
7	26.1 ± 1.2	25.2 ± 1.3
8	26.6 ± 1.3	25.7 ± 1.4
9	27.1 ± 1.3	26.6 ± 1.7
10	27.7 ± 1.4	27.2 ± 1.6
11	28.3 ± 1.7	27.9 ± 1.7
12	29.6 ± 2.1	28.5 ± 2.0
13	30.7 ± 2.3	
14	32.0 ± 2.4	
15	33.0 ± 1.9	
16	33.7 ± 1.8	
17	34.1 ± 1.6	
18	34.9 ± 1.6	
19	35.0 ± 1.6	
20	35.1 ± 1.5	
21 - 25	35.4 ± 1.6	
26 - 30	35.9 ± 1.8	
31 - 35	35.9 ± 1.8	
36 - 40	36.1 ± 1.9	
41 - 50	36.5 ± 2.0	
51 -	37.8 ± 1.7	

Table 8. Chest circumferences as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	51.6 ± 2.8	49.9 ± 1.6
42 - 47	51.9 ± 1.7	51.0 ± 1.3
48 - 53	53.4 ± 2.3	52.3 ± 2.3
54 - 59	54.6 ± 2.8	53.0 ± 2.7
60 - 65	54.7 ± 2.4	53.7 ± 2.4
66 - 71	55.9 ± 2.6	54.5 ± 2.6
6	57.1 ± 2.9	55.4 ± 2.8
7	58.9 ± 2.9	56.7 ± 3.1
8	60.9 ± 3.4	58.0 ± 3.4
9	62.3 ± 3.6	60.8 ± 4.2
10	64.7 ± 3.9	64.0 ± 5.0
11	66.6 ± 4.0	67.4 ± 5.6
12	69.8 ± 5.7	72.4 ± 6.2
13	72.5 ± 5.9	75.3 ± 5.9
14	76.5 ± 5.6	78.0 ± 5.6
15	79.8 ± 5.0	79.8 ± 5.0
16	82.3 ± 4.4	80.5 ± 5.0
17	83.1 ± 4.3	81.7 ± 5.0
18	85.0 ± 4.6	82.5 ± 5.0
19	85.7 ± 4.3	82.3 ± 4.9
20	86.7 ± 4.5	82.4 ± 4.6
21 - 25	87.3 ± 4.5	82.4 ± 5.0
26 - 30	89.1 ± 5.1	82.8 ± 5.2
31 - 35	90.7 ± 5.6	84.3 ± 6.0
36 - 40	91.6 ± 5.6	86.2 ± 5.8
41 - 50	92.2 ± 5.8	89.6 ± 6.7
51 -	90.8 ± 4.5	88.3 ± 9.9

Table 9. Abdominal circumferences as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	48.8 ± 3.5	48.4 ± 2.9
42 - 47	49.2 ± 2.3	48.7 ± 2.4
48 - 53	50.0 ± 2.6	49.7 ± 3.2
54 - 59	51.2 ± 3.4	50.6 ± 3.5
60 - 65	51.3 ± 3.2	51.2 ± 3.5
66 - 71	52.0 ± 3.2	51.7 ± 3.6
6	54.5 ± 3.2	54.0 ± 3.2
7	55.5 ± 3.3	55.4 ± 3.9
8	57.2 ± 3.9	56.6 ± 3.8
9	58.6 ± 4.1	59.4 ± 4.9
10	60.8 ± 4.2	62.0 ± 4.5
11	62.1 ± 4.2	64.3 ± 5.1
12	64.7 ± 5.7	68.3 ± 5.8
13	65.7 ± 5.4	70.8 ± 6.0
14	68.5 ± 5.2	73.1 ± 5.7
15	69.7 ± 4.3	73.6 ± 5.2
16	71.0 ± 3.9	74.4 ± 5.0
17	71.2 ± 3.7	75.1 ± 5.3
18	72.7 ± 4.1	75.9 ± 5.1
19	73.4 ± 4.2	75.5 ± 5.4
20	74.8 ± 3.9	75.3 ± 4.7
21 - 25	75.6 ± 4.8	75.2 ± 5.4
26 - 30	78.5 ± 6.1	77.2 ± 6.1
31 - 35	80.9 ± 6.3	78.9 ± 6.7
36 - 40	82.7 ± 6.6	81.3 ± 7.3
41 - 50	84.1 ± 6.8	85.6 ± 6.9
51 -	88.0 ± 6.8	91.0 ± 9.7

Table 10. Hip circumferences as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	52.5 ± 3.1	52.8 ± 2.4
42 - 47	53.1 ± 2.0	53.7 ± 2.4
48 - 53	54.5 ± 2.7	54.8 ± 2.7
54 - 59	55.9 ± 3.3	56.0 ± 3.0
60 - 65	56.4 ± 3.0	56.8 ± 3.3
66 - 71	57.6 ± 3.2	57.8 ± 3.5
6	59.0 ± 3.4	58.9 ± 3.2
7	61.4 ± 3.7	60.8 ± 3.7
8	63.7 ± 4.3	62.9 ± 4.0
9	65.7 ± 4.3	66.3 ± 4.8
10	68.3 ± 4.5	69.7 ± 4.9
11	70.4 ± 4.8	72.9 ± 5.7
12	74.5 ± 6.1	78.2 ± 6.0
13	77.4 ± 6.1	82.0 ± 5.7
14	81.4 ± 5.9	84.6 ± 5.1
15	84.3 ± 4.8	86.7 ± 4.2
16	86.1 ± 4.3	87.2 ± 4.3
17	86.5 ± 3.8	87.9 ± 4.0
18	87.5 ± 4.0	88.3 ± 4.0
19	87.9 ± 3.9	88.3 ± 4.1
20	88.6 ± 3.5	88.4 ± 3.6
21 - 25	88.8 ± 4.0	87.8 ± 4.2
26 - 30	89.5 ± 4.6	88.7 ± 4.4
31 - 35	90.7 ± 4.6	90.0 ± 4.7
36 - 40	91.2 ± 4.6	91.0 ± 5.0
41 - 50	91.2 ± 4.6	92.9 ± 4.8
51 -	93.0 ± 4.3	91.2 ± 6.8

Table 11. Thigh circumferences as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	29.7 ± 2.6	31.2 ± 1.7
42 - 47	30.3 ± 1.1	31.6 ± 2.1
48 - 53	31.5 ± 2.3	31.9 ± 2.3
54 - 59	32.5 ± 2.4	32.6 ± 2.6
60 - 65	32.5 ± 2.6	33.3 ± 2.5
66 - 71	33.2 ± 2.4	34.0 ± 2.6
6	33.7 ± 2.7	34.1 ± 2.6
7	35.0 ± 2.8	35.4 ± 2.7
8	36.9 ± 3.5	36.6 ± 3.1
9	38.0 ± 3.4	38.8 ± 3.5
10	39.9 ± 3.6	40.4 ± 3.6
11	41.1 ± 3.9	42.2 ± 3.9
12	43.4 ± 4.7	45.2 ± 4.5
13	44.7 ± 4.4	47.2 ± 4.3
14	47.1 ± 4.4	49.2 ± 4.2
15	48.7 ± 3.9	50.5 ± 3.6
16	49.8 ± 3.6	50.7 ± 3.5
17	49.9 ± 3.2	51.2 ± 3.2
18	50.7 ± 3.4	51.2 ± 3.2
19	50.7 ± 3.3	51.1 ± 3.0
20	51.0 ± 3.3	51.3 ± 2.8
21 - 25	51.2 ± 3.6	50.6 ± 3.3
26 - 30	51.4 ± 4.0	50.6 ± 3.7
31 - 35	52.6 ± 3.9	51.1 ± 3.6
36 - 40	52.7 ± 3.5	51.7 ± 3.4
41 - 50	51.7 ± 3.6	52.2 ± 3.4
51 -	50.9 ± 3.3	48.8 ± 4.7

Table 12. Waist circumferences as a function of age and sex

Age (Months)	Male	Female
	Mean \pm SD	Mean \pm SD
36 - 41	48.8 \pm 3.5	48.4 \pm 2.9
42 - 47	49.2 \pm 2.3	48.7 \pm 2.4
48 - 53	50.0 \pm 2.6	49.7 \pm 3.2
54 - 59	51.2 \pm 3.4	50.6 \pm 3.5
60 - 65	51.3 \pm 3.2	51.2 \pm 3.5
66 - 71	52.0 \pm 3.2	51.7 \pm 3.6
6	51.7 \pm 3.1	50.3 \pm 3.4
7	52.9 \pm 3.2	51.5 \pm 3.7
8	54.5 \pm 4.1	52.5 \pm 3.7
9	55.7 \pm 3.9	54.9 \pm 4.8
10	57.5 \pm 4.1	56.2 \pm 4.1
11	58.7 \pm 4.2	58.1 \pm 4.7
12	61.6 \pm 5.7	60.1 \pm 5.0
13	62.7 \pm 5.2	61.6 \pm 5.2
14	65.4 \pm 5.3	63.3 \pm 5.1
15	67.0 \pm 4.3	64.1 \pm 4.7
16	68.7 \pm 4.0	64.6 \pm 4.6
17	69.0 \pm 3.9	65.2 \pm 4.7
18	70.4 \pm 4.2	65.9 \pm 4.4
19	71.3 \pm 4.3	65.1 \pm 4.6
20	72.8 \pm 4.0	64.9 \pm 4.1
21 - 25	73.7 \pm 5.0	64.8 \pm 4.5
26 - 30	76.9 \pm 6.5	67.4 \pm 6.2
31 - 35	79.8 \pm 6.7	69.4 \pm 6.2
36 - 40	81.8 \pm 7.4	71.7 \pm 6.7
41 - 50	83.2 \pm 7.2	76.4 \pm 6.8
51 -	86.5 \pm 7.8	81.4 \pm 12.1

Table 13. Shoulder breadths as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	26.1 ± 1.5	25.9 ± 1.1
42 - 47	26.4 ± 1.3	26.4 ± 1.3
48 - 53	27.5 ± 1.8	27.2 ± 2.0
54 - 59	28.3 ± 2.1	27.9 ± 2.0
60 - 65	28.4 ± 2.0	28.7 ± 1.9
66 - 71	29.4 ± 2.1	29.4 ± 1.9
6	30.6 ± 2.1	30.9 ± 1.7
7	31.4 ± 2.2	31.8 ± 1.9
8	32.2 ± 2.3	32.9 ± 1.9
9	33.3 ± 2.2	34.3 ± 2.3
10	34.4 ± 2.4	35.8 ± 2.6
11	35.4 ± 2.3	37.1 ± 2.2
12	37.1 ± 2.9	39.0 ± 2.3
13	38.7 ± 2.9	40.2 ± 2.2
14	40.4 ± 3.0	40.8 ± 2.1
15	41.7 ± 2.5	41.2 ± 2.0
16	42.3 ± 2.4	41.4 ± 1.9
17	42.3 ± 2.4	41.7 ± 1.9
18	43.1 ± 2.3	41.8 ± 2.0
19	43.3 ± 2.4	41.5 ± 2.0
20	43.6 ± 2.3	41.2 ± 1.9
21 - 25	43.2 ± 2.4	40.7 ± 1.9
26 - 30	42.8 ± 2.4	41.0 ± 1.8
31 - 35	43.3 ± 2.1	41.0 ± 2.0
36 - 40	43.0 ± 2.5	41.1 ± 2.0
41 - 50	42.9 ± 2.2	41.7 ± 1.9
51 -	43.2 ± 1.8	39.0 ± 2.7

Table 14. Arm lengths (shoulder to wrist) as a function of age and sex

Age (Months)	Male	Female
	Mean ± SD	Mean ± SD
36 - 41	29.8 ± 2.2	28.7 ± 1.7
42 - 47	30.9 ± 2.3	30.5 ± 1.2
48 - 53	32.5 ± 1.7	31.6 ± 1.8
54 - 59	33.3 ± 2.1	32.9 ± 1.9
60 - 65	34.2 ± 2.1	33.8 ± 1.9
66 - 71	35.3 ± 1.9	34.7 ± 1.8
6	36.9 ± 2.1	36.3 ± 2.0
7	38.6 ± 2.1	37.4 ± 2.1
8	40.7 ± 2.3	39.6 ± 2.3
9	42.3 ± 2.4	41.5 ± 2.3
10	43.9 ± 2.8	43.5 ± 2.6
11	45.4 ± 2.8	45.5 ± 2.9
12	47.8 ± 3.3	48.1 ± 2.6
13	49.9 ± 3.5	49.2 ± 2.7
14	52.2 ± 3.2	49.9 ± 2.3
15	53.7 ± 2.6	50.1 ± 2.2
16	54.7 ± 2.5	50.1 ± 2.2
17	54.7 ± 2.5	49.9 ± 2.1
18	54.9 ± 2.5	50.3 ± 2.1
19	55.1 ± 2.5	50.5 ± 2.5
20	55.5 ± 2.2	50.6 ± 2.4
21 - 25	55.3 ± 2.3	50.4 ± 2.3
26 - 30	55.5 ± 2.3	50.0 ± 2.0
31 - 35	54.6 ± 2.4	50.1 ± 2.1
36 - 40	54.4 ± 2.2	50.1 ± 2.0
41 - 50	54.1 ± 2.0	50.5 ± 1.9
51 -	56.7 ± 1.6	49.6 ± 2.0

Table 15. Head lengths as a function of age and sex

Age	Male	Female
	Mean \pm SD	Mean \pm SD
6	16.7 \pm 0.8	16.5 \pm 0.8
7	16.9 \pm 0.7	16.5 \pm 0.7
8	16.9 \pm 0.7	16.6 \pm 0.7
9	17.0 \pm 0.7	16.8 \pm 0.7
10	17.1 \pm 0.7	17.0 \pm 0.7
11	17.1 \pm 0.7	16.9 \pm 0.6
12	17.2 \pm 0.7	17.0 \pm 0.7
13	17.3 \pm 0.7	17.1 \pm 0.6
14	17.5 \pm 0.7	17.2 \pm 0.7
15	17.6 \pm 0.7	17.3 \pm 0.7
16	17.8 \pm 0.8	17.3 \pm 0.6
17	17.8 \pm 0.8	17.3 \pm 0.7
18	17.8 \pm 0.8	17.4 \pm 0.6
19	17.8 \pm 0.8	17.5 \pm 0.6
20	17.9 \pm 0.7	17.4 \pm 0.7
21 - 25	18.0 \pm 0.7	17.4 \pm 0.6
26 - 30	18.1 \pm 0.7	17.5 \pm 0.6
31 - 35	18.3 \pm 0.7	17.5 \pm 0.6
36 - 40	18.4 \pm 0.6	17.6 \pm 0.6
41 - 50	18.3 \pm 0.6	17.7 \pm 0.6
51 -	18.0 \pm 0.6	17.8 \pm 0.6

Table 16. Head breaths as a function of age and sex

Age	Male	Female
	Mean \pm SD	Mean \pm SD
6	14.8 \pm 0.7	14.4 \pm 0.7
7	14.9 \pm 0.6	14.4 \pm 0.6
8	15.0 \pm 0.6	14.4 \pm 0.7
9	15.0 \pm 0.6	14.6 \pm 0.6
10	15.1 \pm 0.6	14.7 \pm 0.6
11	15.2 \pm 0.6	14.8 \pm 0.6
12	15.3 \pm 0.6	14.9 \pm 0.6
13	15.4 \pm 0.6	15.0 \pm 0.6
14	15.6 \pm 0.6	15.1 \pm 0.6
15	15.6 \pm 0.6	15.0 \pm 0.6
16	15.7 \pm 0.6	15.0 \pm 0.6
17	15.8 \pm 0.6	15.0 \pm 0.5
18	15.8 \pm 0.6	15.0 \pm 0.6
19	15.8 \pm 0.6	15.0 \pm 0.5
20	15.8 \pm 0.6	15.1 \pm 0.6
21 - 25	15.9 \pm 0.6	15.1 \pm 0.6
26 - 30	15.9 \pm 0.6	15.0 \pm 0.6
31 - 35	16.1 \pm 0.6	14.9 \pm 0.6
36 - 40	16.0 \pm 0.6	15.0 \pm 0.7
41 - 50	16.1 \pm 0.6	15.0 \pm 0.7
51 -	16.3 \pm 0.6	15.0 \pm 0.6

Table 17. Head heights as a function of age and sex

Age	Male	Female
	Mean ± SD	Mean ± SD
6	20.1 ± 1.5	19.4 ± 1.9
7	20.5 ± 1.4	19.8 ± 1.2
8	20.5 ± 2.3	20.1 ± 1.4
9	21.0 ± 1.5	20.5 ± 1.6
10	21.1 ± 1.5	20.7 ± 1.5
11	21.3 ± 1.7	21.2 ± 1.5
12	21.7 ± 1.9	21.2 ± 1.8
13	21.8 ± 2.2	21.3 ± 1.6
14	22.2 ± 2.4	21.6 ± 1.4
15	22.3 ± 1.9	21.1 ± 1.6
16	22.5 ± 1.9	21.0 ± 1.4
17	22.4 ± 1.7	20.9 ± 1.3
18	22.7 ± 1.8	20.8 ± 1.5
19	22.6 ± 1.8	20.8 ± 1.2
20	22.2 ± 1.8	21.0 ± 2.5
21 - 25	22.2 ± 1.8	21.0 ± 1.1
26 - 30	22.3 ± 1.7	21.2 ± 1.1
31 - 35	22.2 ± 1.3	21.1 ± 1.1
36 - 40	22.6 ± 1.4	21.2 ± 1.1
41 - 50	22.3 ± 1.1	21.4 ± 1.8
51 -	22.8 ± 1.7	21.1 ± 1.7

Table 18. Hip breadths as a function of age and sex

Age	Male	Female
	Mean ± SD	Mean ± SD
6	20.1 ± 1.1	20.4 ± 1.1
7	20.9 ± 1.3	21.1 ± 1.3
8	21.8 ± 1.4	21.9 ± 1.4
9	22.6 ± 1.4	23.0 ± 1.6
10	23.6 ± 1.5	24.3 ± 1.7
11	24.3 ± 1.6	25.3 ± 2.2
12	25.6 ± 2.1	27.6 ± 2.2
13	27.0 ± 2.1	29.0 ± 2.0
14	28.5 ± 2.2	29.9 ± 1.8
15	29.4 ± 1.7	30.6 ± 1.5
16	30.0 ± 1.4	30.9 ± 1.4
17	30.1 ± 1.4	31.1 ± 1.4
18	30.4 ± 1.5	31.2 ± 1.4
19	30.5 ± 1.4	31.4 ± 1.3
20	30.6 ± 1.3	31.4 ± 1.4
21 - 25	30.6 ± 1.4	31.2 ± 1.5
26 - 30	30.7 ± 1.5	31.1 ± 1.3
31 - 35	31.3 ± 1.6	31.3 ± 1.7
36 - 40	31.2 ± 1.5	31.6 ± 1.7
41 - 50	31.1 ± 1.7	31.8 ± 1.4
51 -	31.8 ± 1.5	31.4 ± 1.5

Table 19. Weights as a function of age and sex

Age (Months)	Male	Female
	Mean \pm SD	Mean \pm SD
36 - 41	15.4 \pm 2.4	14.4 \pm 1.3
42 - 47	15.6 \pm 1.3	15.7 \pm 1.5
48 - 53	16.9 \pm 1.8	16.5 \pm 1.9
54 - 59	18.0 \pm 2.4	17.1 \pm 2.1
60 - 65	18.5 \pm 2.3	18.2 \pm 2.3
66 - 71	19.4 \pm 2.4	18.9 \pm 2.3
6	20.8 \pm 2.6	20.3 \pm 2.6
7	22.8 \pm 2.9	21.8 \pm 3.0
8	25.5 \pm 3.6	23.9 \pm 3.5
9	27.7 \pm 4.0	27.2 \pm 4.3
10	30.7 \pm 4.5	30.6 \pm 5.1
11	33.4 \pm 5.2	34.2 \pm 6.1
12	38.2 \pm 6.9	40.1 \pm 6.8
13	42.4 \pm 7.9	44.0 \pm 6.8
14	48.4 \pm 8.0	47.1 \pm 6.5
15	53.2 \pm 7.0	49.3 \pm 5.8
16	56.2 \pm 6.7	50.0 \pm 5.8
17	57.1 \pm 6.2	50.8 \pm 5.4
18	59.1 \pm 6.4	51.8 \pm 5.6
19	59.7 \pm 6.3	51.8 \pm 5.8
20	60.8 \pm 6.1	51.9 \pm 5.8
21 - 25	60.8 \pm 6.7	51.2 \pm 6.0
26 - 30	61.7 \pm 7.6	51.6 \pm 6.1
31 - 35	64.5 \pm 7.9	53.0 \pm 6.7
36 - 40	65.1 \pm 7.7	54.5 \pm 6.6
41 - 50	65.2 \pm 8.3	58.2 \pm 6.8
51 -	61.5 \pm 4.4	53.8 \pm 9.6

Table 20. Surface areas as a function of age and sex

Age (Months)	Male	Female
	Mean	Mean
36 - 41	6452.2	6210.1
42 - 47	6610.5	6591.8
48 - 53	6989.4	6892.8
54 - 59	7330.9	7111.8
60 - 65	7518.5	7443.6
66 - 71	7786.8	7661.7
6	8247.0	8128.4
7	8800.3	8544.5
8	9496.7	9150.2
9	10046.9	9987.5
10	10796.3	10814.4
11	11054.9	11680.3
12	12530.1	12940.5
13	13485.4	13704.6
14	14718.2	14277.0
15	15627.5	14633.9
16	16174.5	14761.8
17	16326.3	14874.0
18	16656.2	15039.3
19	16759.7	15048.9
20	16760.6	15044.3
21 - 25	16882.3	14918.0
26 - 30	16952.0	14961.9
31 - 35	17399.3	15129.6
36 - 40	17422.1	15361.6
41 - 50	17384.9	15865.3
51 -	16903.6	15020.4

Table 21. Comparative data of the physical standards according to the age (Male)

Present Data						K I S T					
age	stature	weight	chest circ.	waist circ.	neck circ.	age	stature	weight	chest circ.	waist circ.	neck circ.
6	117.0	20.8	57.1	51.7	25.6	6	113.9	19.7	57.0	52.5	26.7
7	121.5	22.8	58.1	52.9	26.1	7	119.1	21.3	58.4	52.6	26.3
8	126.5	25.5	60.3	54.5	26.6	8	124.4	24.0	62.4	53.9	26.9
9	131.3	27.7	62.3	55.7	27.1	9	129.5	26.7	61.9	55.3	27.6
10	135.8	30.7	64.3	57.5	27.7	10	133.3	29.1	65.0	56.9	28.1
11	140.4	33.4	66.6	58.7	28.3	11	138.3	32.6	67.4	58.5	28.8
12	147.0	38.2	69.8	61.6	29.6	12	142.6	34.7	69.3	59.8	29.4
13	153.4	42.4	72.5	62.7	30.7	13	149.8	40.1	73.1	62.8	30.4
14	160.1	48.4	76.5	65.4	32.0	14	156.7	45.6	76.5	64.8	31.6
15	164.2	53.2	79.8	67.0	33.0	15	161.8	50.3	80.1	66.9	32.7
16	166.2	56.2	82.3	68.7	33.7	16	165.5	54.3	82.5	68.4	33.5
17	167.0	57.1	83.1	69.0	34.1	17	167.6	56.7	84.5	69.7	34.0
18	167.9	59.1	85.0	70.4	34.9	18 - 19	166.8	58.8	87.1	72.2	34.7
19	168.3	59.7	85.7	71.3	35.0	20 - 24	167.7	61.3	89.0	74.5	35.3
20	168.6	60.8	86.7	72.8	35.1	25 - 29	167.0	61.7	90.3	75.0	35.8
21 - 25	167.7	60.8	87.3	73.7	35.4	30 - 34	166.1	60.8	89.8	75.9	35.7
26 - 30	166.6	61.7	89.1	76.9	35.9	35 - 39	166.0	62.2	91.7	75.5	36.2
31 - 35	167.6	64.5	90.7	79.8	35.9	40 - 44	164.9	61.7	91.5	77.7	36.1
36 - 40	166.8	65.1	91.6	81.8	36.1	45	162.9	56.7	87.8	74.4	35.4
41 - 50	165.8	65.2	92.2	83.2	36.5						

Table 22. Comparative data of the physical standards according to the age. (Female)

Present Data						K I S T					
age	stature	weight	chest circ.	waist circ.	neck circ.	age	stature	weight	chest circ.	waist circ.	neck circ.
6	116.4	20.3	55.4	50.3	25.0	6	112.5	19.1	56.4	51.2	26.0
7	119.8	21.3	56.7	51.5	25.2	7	116.9	20.5	57.3	51.1	26.2
8	125.3	23.9	58.0	52.5	25.7	8	124.1	23.6	59.6	52.4	26.5
9	131.2	27.2	60.8	54.9	26.6	9	127.5	25.4	61.8	53.3	27.1
10	136.7	30.6	64.0	56.2	27.2	10	133.8	28.8	64.2	55.2	27.9
11	142.7	34.2	67.4	58.1	27.9	11	139.6	32.3	66.8	56.9	28.5
12	149.4	40.1	72.4	60.1	33.7	12	145.2	36.8	71.0	58.4	29.6
13	152.7	44.0	75.3	61.6	34.5	13	149.3	40.9	74.6	60.6	30.4
14	154.8	47.1	78.0	63.3	35.3	14	152.3	44.6	77.6	62.3	31.1
15	155.4	49.3	79.8	64.1	35.3	15	154.6	48.5	81.2	64.7	32.0
16	155.9	50.0	80.5	64.6	35.4	16	155.2	51.0	83.0	65.9	32.4
17	155.8	50.8	81.7	65.2	35.6	17	155.5	51.4	83.6	66.5	32.5
18	156.2	51.8	82.5	65.9	35.8	18 - 19	155.7	53.0	85.5	67.6	33.3
19	156.4	51.8	82.3	65.1	35.7	20 - 24	155.5	52.7	85.6	67.9	33.4
20	156.0	51.9	82.4	64.9	35.8	25 - 29	155.2	51.0	84.8	68.0	35.3
21 - 25	155.4	51.2	82.4	64.8	35.7	30 - 34	153.7	51.9	85.4	70.1	34.7
26 - 30	155.2	51.6	82.8	67.4	35.7	35 - 39	154.2	52.4	86.7	72.0	35.7
31 - 35	154.5	53.0	84.3	69.4	36.2	40 - 44	154.3	53.7	88.0	73.7	34.4
36 - 40	154.9	54.5	86.2	71.7	36.2	45	151.9	53.0	88.4	74.9	36.2
41 - 50	154.9	58.2	89.6	76.4	36.8						

Table 23. Average weight of organs of the Korean female as compared with the data in literatures
mass unit: gram

Organ	Reference Korean (Present work)		Korean ⁹⁾ (Lee & Roh)		Reference ³⁾ Japanese		Reference man ²⁾	
	n	Mean value	n	Mean value	n	Mean value	n	Mean value
Adrenal gland								
Left	--	--	34	5.0	247	6.85	277	12.7*
Right	--	--	33	5.2	248	6.36		
Brain	307	--	87	1,231.6	197	1,308.00	1,330	1,220.0
Heart	364	301.6	118	220.7	181	284	--	275(240)**
Kinney								
Left	363	114.2	118	117.1	183	145	1,014	275*
Right	362	113.5	12	115.9	184	135		
Liver	362	1,610.9	111	1,146.4	174	1,363	44	1,477
Lung								
Left	357	435.7	74	331.4	152	415	150	886*
Right	354	512.7	73	339.6	155	478		
Pancreas	250	54.0	52	85.5	218	111	79	84.8
Spleen	363	58.2	91	99.5	195	122	720	153
Thyroid gland	--	--	26	21.9	241	16.8	144	14.5

* both organ

** Ref.

Table 24. Average weight of organs of the Korean male as compared with the data in literatures
mass unit: gram

Organ	Reference Korean (Present work)		Korean ²⁾ (Lee & Roh)		Reference ³⁾ Japanese		Reference man ²⁾	
	n	Mean value	n	Mean value	n	Mean value	n	Mean value
Adrenal gland								
Left	--	--	112	5.0	1,127	7.65	328	13.8*
Right	--	--	112	5.0	1,189	7.03		
Brain	789	--	305	1,369.0	918	1,440.00	2,107	1,355.0
Heart	928	348.8	384	252.1	596	352	309	345(330)**
Kinney								
Left	928	126.0	392	126.2	868	168	2,414	310*
Right	926	125.6	339	122.0	876	159		
Liver	920	1,863.9	328	1,211.6	856	1,600	150	1,831
Lung								
Left	885	548.8	123	369.0	715	539	259	1,169
Right	926	652.6	99	393.8	722	623		
Pancreas	659	56.4	227	89.7	1.17	135	131	96.1
Spleen	928	67.3	324	107.3	867	127	1,022	192
Thyroid gland	--	--	81	18.3	1,185	17.1	528	34.7

* Both Organ ** Ref. 2




FIGURE 1. HEIGHT OF KOREAN, JAPANESE AND CAUCASIAN (MALE)




FIGURE 2. HEIGHT OF KOREAN, JAPANESE AND CAUCASIAN (FEMALE)




FIGURE 3. TOTAL BODY WEIGHT OF KOREAN, JAPANESE AND CAUCASIAN (MALE)




FIGURE 4. TOTAL BODY WEIGHT OF KOREAN, JAPANESE AND CAUCASIAN (FEMALE)