

Supplemental Material

© Copyright 2021 American Meteorological Society (AMS)

For permission to reuse any portion of this work, please contact permissions@ametsoc.org. Any use of material in this work that is determined to be "fair use" under Section 107 of the U.S. Copyright Act (17 USC §107) or that satisfies the conditions specified in Section 108 of the U.S. Copyright Act (17 USC §108) does not require AMS's permission. Republication, systematic reproduction, posting in electronic form, such as on a website or in a searchable database, or other uses of this material, except as exempted by the above statement, requires written permission or a license from AMS. All AMS journals and monograph publications are registered with the Copyright Clearance Center (https://www.copyright.com). Additional details are provided in the AMS Copyright Policy statement, available on the AMS website (https://www.ametsoc.org/PUBSCopyrightPolicy). Supplementary Information for

Origins of the excessive westward extension of ENSO SST simulated in CMIP5/6 models

Wenping Jiang^{1,2*}, Ping Huang^{2,3*}, Gang Huang^{2,4} and Jun Ying⁵

- 1. Key Laboratory of Marine Hazards Forecasting, Ministry of Natural Resources, Hohai University, Nanjing, China
- 2. State Key Laboratory of Numerical Modeling for Atmospheric Sciences and Geophysical Fluid Dynamics, Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing, China
 - 3. Center for Monsoon System Research, Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing, China
 - 4. University of Chinese Academy of Sciences, Beijing 100049, China
 - 5. State Key Laboratory of Satellite Ocean Environment Dynamics, Second Institute of Oceanography, Ministry of Natural Resources, Hangzhou, China

Contents of this file

Figures S1 to S2



Figure S1. (a) Inter-model regression of simulated Ekman pumping feedback onto the CT index. (b) Inter-model regression of simulated in thermocline feedback onto the CT index. Stippling indicates that regressions are significant at the 95% confidence level.



Figure S2. Rainfall anomalies and surface wind anomalies regressed onto the unstandardized Niño3.4 index during the ENSO mature winter in the MME of 50 models.