Google Accessibility Conformance Report

International edition, based on VPAT® Version 2.4Rev¹

Name of product/version:	Google Cloud Build
Report date:	25 August 2023
Product description:	Web application
Contact information:	gcp-accessibility@google.com
Evaluation methods used:	 The W3C Website Accessibility Conformance Evaluation Methodology (WCAG-EM) was followed for conducting the accessibility audit. The testing included manual accessibility testing, automated accessibility tools, and testing with assistive technology across multiple platforms and browsers. The following applications were used as part of the audit to identify potential accessibility issues: Desktop browsers: Chrome (NVDA) Assistive technologies: NVDA Accessibility testing tools: Deque DevTools Pro, Deque Auditor, Color Contrast Analyser
Applicable standards/guidelines:	 This report covers the degree of conformance for the following accessibility standards/guidelines: Web Content Accessibility Guidelines (WCAG) 2.0 Level A and AA Web Content Accessibility Guidelines (WCAG) 2.1 Level A and AA Web Content Accessibility Guidelines (WCAG) 2.1 Level A and AA Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018 EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) and EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)

¹ "Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Table of contents

Google Accessibility Conformance Report	1
Table of contents	2
Tested Pages	3
Terms	4
Table 1: Success Criteria, Level A	5
Table 2: Success Criteria, Level AA	26
Table 3: Success Criteria, Level AAA	40
Revised Section 508 Report	41
Chapter 3: Functional Performance Criteria (FPC)	41
Chapter 4: Hardware	44
Chapter 5: Software	45
Chapter 6: Support Documentation and Services	46
EN 301 549 Report	47
Chapter 4: Functional Performance Statements (FPS)	47
Chapter 5: Generic Requirements	50
Chapter 6: ICT with Two-Way Voice Communication	55
Chapter 7: ICT with Video Capabilities	56
Chapter 8: Hardware	57
Chapter 9: Web	58
Chapter 10: Non-Web Documents	59
Chapter 11: Software	60
Chapter 12: Documentation and Support Services	61
Chapter 13: ICT Providing Relay or Emergency Service Access	62

Tested Pages

Left – Navigation - Component Build History Dashboard Build Details Triggers Edit Trigger Settings Manage repositories

Terms

The terms used in the conformance level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially supports: Some functionality of the product does not meet the criterion.

Does not support: The majority of product functionality does not meet the criterion.

Not applicable: The criterion is not relevant to the product.

Not evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1–10.4 of Chapter 10 Non-Web Documents, Sections 11.1–11.4 and 11.8.2 of Chapter 11 — Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation and Support Services
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.1 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

Criteria	Conformance level	Remarks and explanations
 1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 	Partially Supports	 The non-text content has text alternatives or has a text alternate that serve equivalent purpose across the pages tested. However, there are exceptions. An icon for opening a link in the new window has its programmatic text overwritten on the 'Build Details' and 'Edit Trigger' pages.

Table 1: Success Criteria, Level A

Criteria	Conformance level	Remarks and explanations
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)		
 1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	There is no prerecorded video on the tested pages.
1.2.2 Captions (Prerecorded)(Level A)Also applies to:	Not Applicable	There is no prerecorded audio in the tested pages, therefore no captions.

Criteria	Conformance level	Remarks and explanations
EN 301 549 Criteria 9.1.2.2 (Web) 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
 1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 	Not Applicable	There is no prerecorded video in the tested pages, therefore no audio description.

Criteria	Conformance level	Remarks and explanations
 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) – Informative only 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) So1 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	 Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. However, there are exceptions: Two visual headings are not marked up as a heading on the 'Edit Trigger' page. Text should not be marked as headings on the 'Dashboard' and 'Manage repositories' pages. Heading levels are out of order on the 'Edit Trigger' page.

Criteria	Conformance level	Remarks and explanations
 1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) – Informative only 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Content is presented in a meaningful way that can be programmatically determined across the user pages tested.
 1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 	Supports	Content does not rely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound for understanding and operating content.

Criteria	Conformance level	Remarks and explanations
 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 	Supports	Use of alternates to color is widely supported across the pages tested.

Criteria	Conformance level	Remarks and explanations
602.3 (Support Docs)		
 1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	There is no prerecorded audio in the tested pages, therefore no need for audio controls.
 2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 	Partially Supports	 Keyboard navigation is well-supported across the user tested pages. However, there are exceptions: A function cannot be performed by the keyboard alone on the 'Dashboard' page.

Criteria	Conformance level	Remarks and explanations
 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 	Supports	Keyboard functionality is well supported across the pages tested.

Criteria	Conformance level	Remarks and explanations
602.3 (Support Docs)		
2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Keyboard shortcuts are supported across the pages tested.
 2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 	Supports	Time limits meet the standards for 2.2.1 – Timing Adjustable across the pages tested.

Criteria	Conformance level	Remarks and explanations
 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Moving, blinking, scrolling, or auto-updating information is well supported on the pages tested.

Criteria	Conformance level	Remarks and explanations
 2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	There is no flashing content across the pages tested.
 2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 	Supports	Bypass blocks are supported across the pages tested.

Criteria	Conformance level	Remarks and explanations
 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 		
 2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) - Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 	Supports	Pages have valid titles across the pages tested.

Criteria	Conformance level	Remarks and explanations
 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Focusable components receive focus in an order that preserves meaning and operability across the pages tested.
2.4.4 Link Purpose (In Context) (Level A) Also applies to: EN 301 549 Criteria	Supports	The purpose of each link can be determined from the link text alone or from the link text together with its

Criteria	Conformance level	Remarks and explanations
 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		programmatically determined link context across the pages tested.
 2.5.1 Pointer Gestures (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.1 (Web) 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 	Supports	There are no pointer gestures across the pages tested.

Criteria	Conformance level	Remarks and explanations
 12.2.4 (Support Docs) Revised Section 508 – Does not apply 		
 2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 	Supports	Pointer cancellation is supported across the pages tested.
 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 	Partially Supports	2.5.3 Label in Name is supported across the pages tested.

Criteria	Conformance level	Remarks and explanations
 11.2.5.3.2 (Closed Software) – Informative only 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 		
 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 	Not Applicable	There is no functionality that is operated by device motion across the pages tested.
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria	Supports	Default human language of pages is supported across the pages tested.

Criteria	Conformance level	Remarks and explanations
 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 	Supports	No user interface components initiate changes of context across the pages tested.

Criteria	Conformance level	Remarks and explanations
 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Nothing causes a change of context without advising the user beforehand across the pages tested.
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria	Supports	Input errors are detected and described across the pages tested.

Criteria	Conformance level	Remarks and explanations
 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 	Partially Supports	Labels or instruction on content are provided when required across the pages tested. However, there is one exception. • One checkbox lacks a visible label on the 'Build History' page.

Criteria	Conformance level	Remarks and explanations
 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	Most Content is implemented with proper markup on the pages tested. However, there are exceptions: • Certain roles lack child roles on the 'Settings' page.
4.1.2 Name, Role, Value (Level A) Also applies to:	Partially Supports	Most interface components have valid name, role and value (when

Criteria	Conformance level	Remarks and explanations
EN 301 549 Criteria 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		 necessary). However, there are exceptions: A state is missing for one element on the 'Build Details' page. A tooltip is not accessible to screen readers on the 'Dashboard' and 'Settings' pages. Some elements use disallowed or invalid ARIA attributes on the 'Build Details', 'Build History', Dashboard', 'Edit Trigger', 'Triggers' and 'Manage repositories' pages.

Table 2: Success Criteria, Level AA

Criteria	Conformance level	Remarks and explanations
 1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	There were no captions or synchronized media across the pages tested.
 1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 	Not Applicable	There was no prerecorded video content across the pages tested.

Criteria	Conformance level	Remarks and explanations
 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 1.3.4 Orientation (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 	Supports	Content view is not restricted across the pages tested.

Criteria	Conformance level	Remarks and explanations
 1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 	Supports	The purpose of each input field collecting information can be programmatically determined across the pages tested.
1.4.3 Contrast (Minimum) (Level AA)Also applies to: EN 301 549 Criteria• 9.1.4.3 (Web)• 10.1.4.3 (Web)• 10.1.4.3 (Non-web document)• 11.1.4.3 (Open Functionality Software)• 11.1.4.3 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)	Partially Supports	The visual presentation of text and images meets or exceeds contrast ratios across the pages tested.

Criteria	Conformance level	Remarks and explanations
 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
1.4.4 Resize text(Level AA)Also applies to:EN 301 549 Criteria9.1.4.4 (Web)10.1.4.4 (Non-web document)11.1.4.4.1 (Open Functionality Software)11.1.4.4.2 (Closed Software)11.1.4.4.2 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)Docs)Revised Section 508 501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs)	Partially Supports	Text can be resized without assistive technology up to 200 percent without loss of content or functionality throughout the pages tested. However, there is one exception. • Some content is lost at 200% zoom on the 'Build Details' page.
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria	Supports	Images of text are not used incorrectly across the pages tested.

Criteria	Conformance level	Remarks and explanations
 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) 11.1.4.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 1.4.10 Reflow (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10 (Open Functionality Software) 11.1.4.10 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 	Partially Supports	Reflow is supported across the pages tested, with the following exceptions: Some content does not reflow properly on the 'Build Details' page.

Criteria	Conformance level	Remarks and explanations
• 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
1.4.11 Non-text Contrast(Level AA 2.1 only)Also applies to:EN 301 549 Criteria9.1.4.11 (Web)10.1.4.11 (Non-web document)11.1.4.11 (Non-web document)11.1.4.11 (Open Functionality Software)11.1.4.11 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508 – Does not apply	Partially Supports	The non-text contrast of elements and graphical objects is supported across several elements in the pages tested. However, there is one exception: • An element lacks 3 to 1 contrast in the off position on the 'Build Details' page.
1.4.12 Text Spacing (Level AA2.1 only)Also applies to:EN 301 549 Criteria9.1.4.12 (Web)10.1.4.12 (Non-webdocument)11.1.4.12 (OpenFunctionalitySoftware)	Supports	Text spacing is supported across the pages tested.

Criteria	Conformance level	Remarks and explanations
 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 		
1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to: EN 301 549 Criteria • 9.1.4.13 (Web) • 10.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	Supports	Content on hover or focus is dismissible and hoverable across the pages tested.
2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.5 (Web)	Supports	There are multiple ways to locate pages across the pages tested.

Criteria	Conformance level	Remarks and explanations
 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software)	Partially Supports	 Headings and labels are descriptive across the pages tested. However, there are exceptions: A programmatic label does not convey the purpose of the controls on the 'Manage repositories' page.

Criteria	Conformance level	Remarks and explanations
 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		 Some buttons have the same name but different actions on the 'Dashboard' page.
 2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 	Supports	Focus is visible and supported across the pages tested.

Criteria	Conformance level	Remarks and explanations
602.3 (Support Docs)		
 3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Soft (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	The human language of each passage or phrase in the content can be programmatically determined across the pages tested.
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria • 9.3.2.3 (Web)	Supports	Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order across the pages tested.

Criteria	Conformance level	Remarks and explanations
 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 		
 3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality 	Supports	Components that have the same functionality within a set of Web pages are identified consistently across the pages tested.

Criteria	Conformance level	Remarks and explanations
Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs		
 3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 	Supports	Error suggestion is implemented across the pages tested.

Criteria	Conformance level	Remarks and explanations
 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	There were no legal commitments or financial transactions across the pages tested.

Criteria	Conformance level	Remarks and explanations
 4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 	Supports	Status messages announcements are well supported across the pages tested.

Table 3: Success Criteria, Level AAA

Notes: Not evaluated

Revised Section 508 Report

Chapter 3: <u>Functional Performance Criteria</u> (FPC)

Criteria	Conformance level	Remarks and explanations
302.1 Without Vision	Web: Partially Supports	 4.1.2 Name, Role, Value Web: Most functions of the product are usable without vision. Exceptions are noted in: 1.1.1 Non-text content 1.3.1 Info and Relationships 2.1.1 Keyboard 2.4.6 Headings and Labels 4.1.1 Parsing 4.1.2 Name, role, value
302.2 With Limited Vision	Web: Partially Supports	 Web: Most functions of the product are usable with limited vision. Exceptions are noted in: 1.1.1 Non-text content 1.3.1 Info and Relationships 1.4.4 Resize text 2.1.1 Keyboard 2.4.6 Headings and Labels 3.3.2 Labels or instructions 4.1.2 Name, role, value
302.3 Without Perception of Color	Web: Supports	Web:The functions of the product are usable without perception of color.

Criteria	Conformance level	Remarks and explanations
302.4 Without Hearing	Web: Supports (Not Applicable)	Web: The product does not require the use of hearing.
302.5 With Limited Hearing	Web: Supports (Not Applicable)	Web: The product does not require the use of hearing.
302.6 Without Speech	Web: Supports (Not Applicable)	Web: The product does not require the use of speech.
302.7 With Limited Manipulation	Web: Partially Supports	 Web: Users with limited manipulation who use speech recognition or switch control software will not have difficulty navigating to most of the controls. Exceptions are noted in: 2.1.1 Keyboard 2.4.6 Headings and Labels 4.1.1 Parsing 4.1.2 Name, role, value
302.8 With Limited Reach and Strength	Web: Supports (Not Applicable)	Web: The product does not provide a manual mode of operation.
302.9 With Limited Language, Cognitive, and Learning Abilities	Web: Partially Supports	 Web: The product is functional for users with limited language, cognitive, and learning abilities. Users with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. The product provides labelling for most controls. Exceptions are noted in: 1.1.1 Non-text content 1.3.1 Info and Relationships

Criteria	Conformance level	Remarks and explanations
		 2.1.1 Keyboard 2.4.4 Link Purpose (in Context) 2.4.6 Headings and Labels 3.3.2 Labels or instructions 4.1.1 Parsing 4.1.2 Name, role, value

Chapter 4: <u>Hardware</u>

Notes: Not applicable. The product is not a hardware product.

Chapter 5: Software

Notes: Not applicable. The product is a web application and does not have authoring tool functionality.

Chapter 6: <u>Support Documentation and Services</u>

Notes: Not evaluated. Pending evaluation of the shared documentation website and shared support services for Google Cloud products.

Criteria	Conformance level	Remarks and explanations
601.1 Scope		
602 Support Documentation		
602.2 Accessibility and Compatibility Features	Supports	
602.3 Electronic Support Documentation	Supports	
602.4 Alternate Formats for Non-Electronic Support Documentation	Not applicable	
603 Support Services		
603.2 Information on Accessibility and Compatibility Features	Not applicable	
603.3 Accommodation of Communication Needs	Supports	

EN 301 549 Report

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Web: Partially Supports	 Web: Most functions of the product are usable without vision. Exceptions are noted in: 1.1.1 Non-text content 1.3.1 Info and Relationships 2.1.1 Keyboard 2.4.6 Headings and Labels 4.1.1 Parsing
4.2.2 Usage with limited vision	Web: Partially Supports	 4.1.1 Parsing 4.1.2 Name, role, value Web: Most functions of the product are usable with limited vision.
		Exceptions are noted in: 1.1.1 Non-text content 1.3.1 Info and Relationships 1.4.4 Resize Text 1.4.10 Reflow 2.1.1 Keyboard 2.4.4 Link Purpose (in Context) 2.4.6 Headings and Labels 3.3.2 Labels or instructions 4.1.2 Name, role, value
4.2.3 Usage without perception of colour	Supports	Web: The functions of the product are usable without perception of color.

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.4 Usage without hearing	Web: Supports (Not Applicable)	Web: The product does not require the use of hearing.
4.2.5 Usage with limited hearing	Web: Supports (Not Applicable)	Web: The product does not require the use of hearing.
4.2.6 Usage without vocal capability	Web: Supports (Not Applicable)	Web: The product does not require the use of speech.
4.2.7 Usage with limited manipulation or strength	Web: Partially Supports	 Web: Users with limited manipulation who use speech recognition or switch control software will not have difficulty navigating to most of the controls. Exceptions are noted in: 2.1.1 Keyboard 2.4.3 Focus Order 2.4.6 Headings and Labels 4.1.1 Parsing 4.1.2 Name, role, value
4.2.8 Usage with limited reach	Not Applicable	Web: The Google Cloud webpages are not a free-standing or installed product.
4.2.9 Minimize photosensitive seizure triggers	Web: Supports	Web: The Google Cloud webpages do not contain flashing content or media.
4.2.10 Usage with limited cognition	Web: Partially Supports	Web: The product is functional for users with limited language, cognitive, and learning abilities. Users with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. The product provides labelling for most controls.

Criteria	Conformance Level	Remarks and Explanations
		 Exceptions are noted in: 1.1.1 Non-text content 1.3.1 Info and Relationships 2.1.1 Keyboard 2.4.4 Link Purpose (in Context) 2.4.6 Headings and Labels 3.3.2 Labels or instructions 4.1.1 Parsing 4.1.2 Name, role, value
4.2.11 Privacy	Web: Supports	The Google Cloud webpages do not provide any privacy features.

Chapter 5: Generic Requirements

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 General	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.2 Auditory output delivery including speech	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.3 Auditory output correlation	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.4 Speech output user control	Not applicable	The product does not contain functionality limited by characteristics that prevent a

Criteria	Conformance Level	Remarks and Explanations
		user from attaching, installing, or using assistive technology.
5.1.3.5 Speech output automatic interruption	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.6 Speech output for non-text content	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.7 Speech output for video information	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.8 Masked entry	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.9 Private access to personal data	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.10 Non-interfering audio output	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.11 Private listening	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.12 Speaker volume	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.13 Volume reset	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.14 Spoken languages	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.15 Non-visual error identification	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.16 Receipts, tickets, and transactional outputs	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.4 Functionality closed to text enlargement	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from enlarging text.
5.1.5 Visual output for auditory information	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.1.5 Visual output for auditory information.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.1.6.1 Closed functionality	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.
5.1.6.2 Input focus	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.
5.2 Activation of accessibility features	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.2 Activation of accessibility features.
5.3 Biometrics	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.3 Biometrics.
5.4 Preservation of accessibility information during conversion	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.4 Preservation of accessibility information during conversion.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.
5.5.2 Operable parts discernibility	Supports	On-screen controls, such as buttons, are distinguishable without user vision.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.6.1 Tactile or auditory status	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.1 Tactile or auditory status.
5.6.2 Visual status	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.2 Visual status.
5.7 Key repeat	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.7 Key repeat.
5.8 Double-strike key acceptance	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.8 Double-strike key acceptance.
5.9 Simultaneous user actions	Supports	The product does not require simultaneous user actions. The product is compatible with system settings for sequential key presses, such as Sticky Keys.

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not applicable. The product does not contain functionality relating to, nor does it require/rely on, two-way voice communication.

Chapter 7: ICT with Video Capabilities

Notes: Not applicable. The product does not display, transmit, convert, or record video.

Chapter 8: <u>Hardware</u>

Notes: Not applicable. The product is not a hardware product.

Chapter 9: Web

See the WCAG 2.x Report section.

Chapter 10: Non-Web Documents

Notes: Not applicable. The product does not include non-web documents.

Chapter 11: Software

Notes: Not applicable. The product is a web application and does not have authoring tool functionality.

Chapter 12: Documentation and Support Services

Notes: Not evaluated. Pending evaluation of the shared documentation website and shared support services for Google Cloud products.

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	
12.1.2 Accessible documentation	Not applicable	
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Not applicable	
12.2.3 Effective communication	Supports	
12.2.4 Accessible documentation	Not applicable	

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not applicable. The product does not provide relay or emergency service access.

Legal disclaimer

© 2023 Google LLC. As of the date of its publication indicated in the information table at the beginning of this Conformance Report, this Conformance Report represents the current view of Google regarding information about the subject Google product as outlined in the ITI's "VPAT® International Edition Version 2.4Rev." Google cannot guarantee that any information in this Conformance Report will remain accurate after such date of publication, but Google works continuously to monitor the accessibility of its products and provide updates from time to time. Any modification or customization to the subject product may render some or all of this Conformance Report to become inapplicable. This Conformance Report is provided "as is" and for informational purposes only.