

SAFETY DATA SHEET

1. IDENTIFICATION

- | | |
|----------------------------|---|
| 1.1. Product Name | Stemfactor™ BMP-4, Human Recombinant |
| 1.2. Catalog Number | 03-0007 |
| 1.3. Uses and restrictions | For research use only. Not for use in diagnostic or therapeutic applications. |
| 1.4. Manufacturer/Supplier | Stemgent®, Inc.
4 Hartwell Place
Lexington, MA 02421 USA
(617) 245-0000 |
| 1.5. In Case of Emergency | <ul style="list-style-type: none">• For medical emergencies, contact your local emergency center.• For transportation emergencies, contact your local transportation authorities.• For other non-medical or non-environmental emergencies please call (617) 245-0030, 8:00 am-4:00 pm EST, Monday – Friday. |

2. HAZARDS IDENTIFICATION

- | | |
|--|---------------------------------------|
| 2.1. Classification | Not a hazardous substance or mixture. |
| 2.2. Signal Word | Not applicable. |
| 2.3. Symbol | Not applicable. |
| 2.4. Hazard Statement(s) | Not applicable. |
| 2.5. Precautionary Statement(s) | Not applicable. |
| 2.6. Hazards not otherwise classified (HNOC) or not covered by GHS | None. |

3. COMPOSITION/INFORMATION ON INGREDIENTS

- | | |
|-----------------------|-------------------------------------|
| 3.1. Chemical Name | Stemfactor BMP-4, Human Recombinant |
| 3.2. Synonyms | Bone Morphogenetic Protein 4 |
| 3.3. Chemical Formula | Not applicable. |
| 3.4. Molecular Weight | 34 kDa |
| 3.5. CAS Number | Not applicable. |

4. FIRST AID MEASURES

- | | |
|--|---|
| 4.1. First Aid Instructions | |
| <ul style="list-style-type: none">• General Advice | Move out of exposure area. Consult a physician. |
| <ul style="list-style-type: none">• Eyes | Check for and remove contact lenses immediately and flush thoroughly with water for at least 15 minutes. Call a physician. |
| <ul style="list-style-type: none">• Skin | Immediately flush skin with copious amounts of water. Remove contaminated clothing and shoes and wash before use. Wash off with soap. |
| <ul style="list-style-type: none">• Ingestion | If swallowed, wash mouth out with water provided person is conscious. Do not induce vomiting. Loosen tight clothing. Contact a physician. |



AMERICAS • HUMAN TISSUE
9000 Virginia Manor Road, Suite 207
Beltsville, MD 20705, USA
Tel: (301) 470-3362
Email: info@bioserve.com
www.bioserve.com



AMERICAS • REAGENTS
4 Hartwell Place
Lexington, MA 02421, USA
Tel: (617) 245-0000
Email: info@stemgent.com
www.stemgent.com



ASIA PACIFIC
KDX Shin-yokohama381 Bldg9F
3-8-11, Shin-yokohama, Kohoku-ku,
Yokohama, Kanagawa 222-0033, Japan
Tel: +81 45 475 3887
Email: info_jp@reprocell.com
www.reprocell.com/en



EUROPE
NETPark Incubator
Thomas Wright Way
Sedgefield, Co. Durham
TS21 3FD, UNITED KINGDOM
Tel: +44 (0)1740 625 266
Email: info@reinnervate.com
www.reinnervate.com



**AMERICAS & EUROPE
HUMAN TISSUE ASSAYS**
Weipers Centre, Garscube Estate
Bearsden Road, Glasgow G61 1QH
United Kingdom
Tel: +44 (0)141 330 3831
Email: info@biopta.com
www.biopta.com

SAFETY DATA SHEET

- Inhalation
If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, call a physician.
- Puncture Wounds
Wash thoroughly with soap and water. Allow wound to bleed freely. Contact a physician.
- 4.2. Most Important Symptoms/effects, acute and immediate
Described in section 2.
- 4.3. Indications of immediate medical attention and special treatment needed
No data available.

5. FIRE FIGHTING MEASURES

- 5.1. Suitable extinguishing media
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- 5.2. Specific hazards arising from the chemical
No data available.
- 5.3. Special protective equipment and precautions for fire-fighters
Wear self contained breathing apparatus and full turnout gear for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment, and emergency procedures
Use personal protective equipment (see section 8). Avoid direct contact with skin or eyes and prevent inhalation of dust. Ensure adequate ventilation.
- 6.2. Environmental Precautions
Do not let product enter drain.
- 6.3. Methods and materials for containment and clean up
Wet paper towel with water and wipe up lyophilized powder. Soak up spilt solution with inert absorbent material. Collect in suitable container and dispose of according to federal, state, and local environmental control regulations. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling
 - Avoid inhalation, contact with eyes, skin, and clothing.
 - Keep in well-ventilated area.
 - For other precautions see section 2.5.
- 7.2. Conditions for safe storage, including any incompatibilities
Keep container tightly closed in a dry and well-ventilated place. Recommended storage temperature: -20°C to -80°C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1. Control Parameters
No known occupational exposure limits values.



AMERICAS • HUMAN TISSUE
9000 Virginia Manor Road, Suite 207
Beltsville, MD 20705, USA
Tel: (301) 470-3362
Email: info@bioserve.com
www.bioserve.com



AMERICAS • REAGENTS
4 Hartwell Place
Lexington, MA 02421, USA
Tel: (617) 245-0000
Email: info@stemgent.com
www.stemgent.com



ASIA PACIFIC
KDX Shin-yokohama381 Bldg9F
3-8-11, Shin-yokohama, Kohoku-ku,
Yokohama, Kanagawa 222-0033, Japan
Tel: +81 45 475 3887
Email: info_jp@reprocell.com
www.reprocell.com/en



EUROPE
NETPark Incubator
Thomas Wright Way
Sedgefield, Co. Durham
TS21 3FD, UNITED KINGDOM
Tel: +44 (0)1740 625 266
Email: info@reinnervate.com
www.reinnervate.com



**AMERICAS & EUROPE
HUMAN TISSUE ASSAYS**
Weipers Centre, Garscube Estate
Bearsden Road, Glasgow G61 1QH
United Kingdom
Tel: +44 (0)141 330 3831
Email: info@biopta.com
www.biopta.com

SAFETY DATA SHEET

- | | |
|--|---|
| 8.2. Appropriate engineering controls | Safety shower and eye bath. Mechanical exhaust required. |
| 8.3. Protection measures and Personal Protective Equipment | Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling. |
| <ul style="list-style-type: none"> • Respiratory Protection | Respiratory protection is not required. Where protection from nuisance exposure is desired use type OV/AG (US) or type ABEK (EU EN 14387) respiratory cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). |
| <ul style="list-style-type: none"> • Eye Protection | Chemical safety goggles. |
| <ul style="list-style-type: none"> • Skin Protection | Protective gloves and lab coat. |

9. PHYSICAL/CHEMICAL PROPERTIES

- | | |
|--|--------------------|
| 9.1. Appearance | Solid. |
| 9.2. Odor | No data available. |
| 9.3. Odor Threshold | No data available. |
| 9.4. pH | No data available. |
| 9.5. Melting point/freezing point | No data available. |
| 9.6. Initial boiling point and boiling range | No data available. |
| 9.7. Flash point | No data available. |
| 9.8. Evaporation rate | No data available. |
| 9.9. Flammability (solid, gas); | No data available. |
| 9.10. Upper/lower flammability or explosive limits | No data available. |
| 9.11. Vapor pressure | No data available. |
| 9.12. Vapor density | No data available. |
| 9.13. Relative density | No data available. |
| 9.14. Solubility(ies) | No data available. |
| 9.15. Partition coefficient: n-octanol/water | No data available. |
| 9.16. Auto-ignition temperature | No data available. |
| 9.17. Decomposition temperature | No data available. |
| 9.18. Viscosity | No data available. |
| 9.19. Explosive properties | No data available. |
| 9.20. Oxidizing properties | No data available. |

10. STABILITY/REACTIVITY

- | | |
|--------------------------|-------------------------|
| 10.1. Reactivity | No data available. |
| 10.2. Chemical Stability | This product is stable. |



AMERICAS • HUMAN TISSUE
9000 Virginia Manor Road, Suite 207
Beltsville, MD 20705, USA
Tel: (301) 470-3362
Email: info@bioserve.com
www.bioserve.com



AMERICAS • REAGENTS
4 Hartwell Place
Lexington, MA 02421, USA
Tel: (617) 245-0000
Email: info@stemgent.com
www.stemgent.com



ASIA PACIFIC
KDX Shin-yokohama381 Bldg9F
3-8-11, Shin-yokohama, Kohoku-ku,
Yokohama, Kanagawa 222-0033, Japan
Tel: +81 45 475 3887
Email: info_jp@reprocell.com
www.reprocell.com/en



EUROPE
NETPark Incubator
Thomas Wright Way
Sedgefield, Co. Durham
TS21 3FD, UNITED KINGDOM
Tel: +44 (0)1740 625 266
Email: info@reinnervate.com
www.reinnervate.com



**AMERICAS & EUROPE
HUMAN TISSUE ASSAYS**
Weipers Centre, Garscube Estate
Bearsden Road, Glasgow G61 1QH
United Kingdom
Tel: +44 (0)141 330 3831
Email: info@biopta.com
www.biopta.com

SAFETY DATA SHEET

10.3. Possibility of hazardous reactions	No data available.
10.4. Conditions to Avoid	No data available.
10.5. Incompatible materials	No data available.
10.6. Hazardous decomposition products	No data available.

11. TOXICOLOGICAL INFORMATION

11.1. Toxicological effects	No data available.
<ul style="list-style-type: none"> • Acute toxicity • Skin corrosion/irritation • Serious eye damage/eye irritation • Respiratory or skin sensitization • Germ cell mutagenicity • Carcinogenicity 	<p>No data available.</p> <ul style="list-style-type: none"> • IARC: No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen. • ACGIH: No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen. • NTP: No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen. • OSHA: No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen.
• Reproductive Toxicity	No data available.
• Specific target organ toxicity - single exposure	No data available.
• Specific target organ toxicity - repeated exposure	No data available.
• Aspiration hazard	No data available.
11.2. Symptoms related to the physical, chemical and toxicological characteristics	No data available.
11.3. Effects of Short-Term Exposure	No data available.
11.4. Effects of Long-Term Exposure	No data available.
11.5. Numerical measures of toxicity	No data available.
11.6. Other Information	None.



AMERICAS • HUMAN TISSUE
 9000 Virginia Manor Road, Suite 207
 Beltsville, MD 20705, USA
 Tel: (301) 470-3362
 Email: info@bioserve.com
www.bioserve.com



AMERICAS • REAGENTS
 4 Hartwell Place
 Lexington, MA 02421, USA
 Tel: (617) 245-0000
 Email: info@stemgent.com
www.stemgent.com



ASIA PACIFIC
 KDX Shin-yokohama381 Bldg9F
 3-8-11, Shin-yokohama, Kohoku-ku,
 Yokohama, Kanagawa 222-0033, Japan
 Tel: +81 45 475 3887
 Email: info_jp@reprocell.com
www.reprocell.com/en



EUROPE
 NETPark Incubator
 Thomas Wright Way
 Sedgefield, Co. Durham
 TS21 3FD, UNITED KINGDOM
 Tel: +44 (0)1740 625 266
 Email: info@reinnervate.com
www.reinnervate.com



**AMERICAS & EUROPE
 HUMAN TISSUE ASSAYS**
 Weipers Centre, Garscube Estate
 Bearsden Road, Glasgow G61 1QH
 United Kingdom
 Tel: +44 (0)141 330 3831
 Email: info@biopta.com
www.biopta.com

SAFETY DATA SHEET

12. ECOLOGICAL INFORMATION

12.1. Toxicity	No data available.
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	No data available.
12.6. Other adverse effects	No data available.

13. DISPOSAL CONSIDERATIONS

13.1. Disposal Method	Waste must be disposed of in accordance with federal, state, and local environmental control regulations.
13.2. Personal safety	Refer to section 8.

14. TRANSPORT INFORMATION

This product is considered non-hazardous for transport.

15. REGULATORY INFORMATION

U.S. Federal Regulations

• SARA 313 components	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels.
• SARA 302 components	Does not contain any components subject to reporting.
• SARA 311/312 Hazards	Not hazardous.
• Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see CFR 61)	Does not contain any components subject to reporting.

U.S. State Regulations

• California Proposition 65	Does not contain any components subject to reporting.
• Massachusetts Right To Know Components	Does not contain any components subject to reporting.
• Pennsylvania Right To Know Components	Does not contain any components subject to reporting.
• New Jersey Right To Know Components	Does not contain any components subject to reporting.

WHMIS Hazard Class

Not controlled under WHMIS (Canada).



AMERICAS • HUMAN TISSUE
9000 Virginia Manor Road, Suite 207
Beltsville, MD 20705, USA
Tel: (301) 470-3362
Email: info@bioserve.com
www.bioserve.com



AMERICAS • REAGENTS
4 Hartwell Place
Lexington, MA 02421, USA
Tel: (617) 245-0000
Email: info@stemgent.com
www.stemgent.com



ASIA PACIFIC
KDX Shin-yokohama381 Bldg9F
3-8-11, Shin-yokohama, Kohoku-ku,
Yokohama, Kanagawa 222-0033, Japan
Tel: +81 45 475 3887
Email: info_jp@reprocell.com
www.reprocell.com/en



EUROPE
NETPark Incubator
Thomas Wright Way
Sedgefield, Co. Durham
TS21 3FD, UNITED KINGDOM
Tel: +44 (0)1740 625 266
Email: info@reinnervate.com
www.reinnervate.com



**AMERICAS & EUROPE
HUMAN TISSUE ASSAYS**
Weipers Centre, Garscube Estate
Bearsden Road, Glasgow G61 1QH
United Kingdom
Tel: +44 (0)141 330 3831
Email: info@biopta.com
www.biopta.com

SAFETY DATA SHEET

16. OTHER INFORMATION

Notice

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Stemgent, Inc. shall not be held liable for any damage resulting from handling or from contact with the product. See Stemgent, Inc. website for terms and conditions of sale.

Preparation Date

April 6th, 2016

Version No.

1.2

Prepared by

Quality Control

END OF SAFETY DATA SHEET



AMERICAS • HUMAN TISSUE
9000 Virginia Manor Road, Suite 207
Beltsville, MD 20705, USA
Tel: (301) 470-3362
Email: info@bioserve.com
www.bioserve.com



AMERICAS • REAGENTS
4 Hartwell Place
Lexington, MA 02421, USA
Tel: (617) 245-0000
Email: info@stemgent.com
www.stemgent.com



ASIA PACIFIC
KDX Shin-yokohama381 Bldg9F
3-8-11, Shin-yokohama, Kohoku-ku,
Yokohama, Kanagawa 222-0033, Japan
Tel: +81 45 475 3887
Email: info_jp@reprocell.com
www.reprocell.com/en



EUROPE
NETPark Incubator
Thomas Wright Way
Sedgefield, Co. Durham
TS21 3FD, UNITED KINGDOM
Tel: +44 (0)1740 625 266
Email: info@reinnervate.com
www.reinnervate.com



**AMERICAS & EUROPE
HUMAN TISSUE ASSAYS**
Weipers Centre, Garscube Estate
Bearsden Road, Glasgow G61 1QH
United Kingdom
Tel: +44 (0)141 330 3831
Email: info@biopta.com
www.biopta.com