



Corrigendum to

“Snow depth mapping from stereo satellite imagery in mountainous terrain: evaluation using airborne laser-scanning data” published in *The Cryosphere*, 14, 2925–2940, 2020

César Deschamps-Berger^{1,2}, Simon Gascoin¹, Etienne Berthier³, Jeffrey Deems⁴, Ethan Gutmann⁵, Amaury Dehecq^{6,7}, David Shean⁸, and Marie Dumont²

¹Centre d’Etudes Spatiales de la Biosphère, CESBIO, Univ. Toulouse, CNES/CNRS/INRA/IRD/UPS, 31401 Toulouse, France

²Université Grenoble Alpes, Université de Toulouse, Météo-France, CNRS, CNRM, Centre d’Etudes de la Neige, 38000 Grenoble, France

³Centre National de la Recherche Scientifique (CNRS-LEGOS), 31400 Toulouse, France

⁴National Snow and Ice Data Center, Boulder, CO, USA

⁵Research Applications Lab, National Center for Atmospheric Research (NCAR), Boulder, CO, USA

⁶Laboratory of Hydraulics, Hydrology and Glaciology (VAW), ETH Zurich, Zurich, Switzerland

⁷Swiss Federal Institute for Forest, Snow and Landscape Research (WSL), Birmensdorf, Switzerland

⁸Dept. of Civil and Environmental Engineering, University of Washington, Seattle, WA, USA

Correspondence: César Deschamps-Berger (cesar.deschamps-berger@cesbio.cnes.fr)

Published: 19 January 2021

Equations (1) and (2) should be replaced by

$$\sigma_A^2 = \sigma^2 \left(1 - \frac{L}{l_{\text{cor}}} + \frac{L^3}{5l_{\text{cor}}^3} \right) \quad \text{if } L < l_{\text{cor}} \quad (1)$$

and

$$\sigma_A^2 = \frac{\sigma^2 l_{\text{cor}}^2}{5L^2} \quad \text{if } L > l_{\text{cor}}. \quad (2)$$

The correct versions of these equations were used to perform the analysis. Thus the results and figures of the article are unaffected by this corrigendum.