

Supplementary Table 1

Sample and field site characteristics of the studied topsoil and ice complex deposit samples.

Sample ID	Current vegetation	Watershed	Reference area description	Site/sample info	Location description	Lat °N	Lon °E
Topsoil (modern vegetation and O-horizon samples)							
KU EXP 1-1, 0-16 cm	Tundra	Lena	Siewert et al., 2016	Surface O-horizon; 0-16 cm	Holocene soil on top of yedoma exposure in Kurughnak Island, Lena River Delta	72.34	126.29
CH YED2, 0-4 cm	Tundra	Kolyma	Palmtag et al., 2015	Surface O-A horizon; 0-4 cm	Holocene soil on top of yedoma exposure in tundra along edge of thermokarst lake, near the Kolyma river	69.46	161.79
SP T3-3B, Alas grassland	Lena	Siewert et al., 2015	Alas soil (Mollisol), mix of O and A horizon	Alas developed in Northern taiga, Lena drainage basin	62.32	129.5	
SP T2-7, Larch taiga	Lena	Siewert et al., 2015	Taiga soil (turbel), mix of O and A horizon	Larch forest in Northern taiga, Lena drainage basin	62.25	129.62	
KY T2-3, Tussock tundra	Indigirka	Siewert et al., 2015	Tundra soil (turbel), O-horizon	Open tundra near Kytalyk, Indigirka River.	70.83	147.48	
CH T2-1, Tussock tundra	Kolyma	Palmtag et al., 2015	Tundra soil (turbel), mix of O, Ojj and Ajj horizons	Open tundra near Shalaurova, Kolyma River	69.44	161.77	
CH YED3, 0-10 cm	Larch taiga	Kolyma	Palmtag et al., 2015	Surface O-hor; 0-10 cm	Holocene soil on top of Yedoma exposure in taiga along edge of theromkarst lake, several km from the Kolyma river	68.77	161.41
CH Medv grass ^a	Grass tundra	Kolyma		Vegetation		69.64	162.54
CH Y4 grass ^a	Larch taiga	Kolyma		Vegetation		68.74	161.41
Ice complex deposits							
KU EXP 1-3, 212-216 cm	Tundra	Lena	Siewert et al., 2016	Very deep undisturbed yedoma ca. 10 m below surface	Yedoma exposure Kurughnak Island, Lena River Delta	72.34	126.29
CH YED1, 300-305 cm	Tussock tundra	Kolyma	Palmtag et al., 2015	Deep undisturbed yedoma ca. 3 m below surface	Yedoma exposure in tundra along the Kolyma river	69.47	161.77
CH YED2, 300-305 cm	Tussock tundra	Kolyma	Palmtag et al., 2015	Deep undisturbed yedoma ca. 3 m below surface	Yedoma exposure in tundra along edge of theromkarst lake, near the Kolyma river	69.46	161.79

CH YED3, 520-525 cm	Larch taiga	Kolyma	Palmtag et al., 2015	Deep undisturbed yedoma ca. 5 m below surface	Yedoma exposure in taiga along edge of theromkarst lake, several km from the Kolyma river	68.77	161.41
KY EXP1, 0-5 cm	Tussock tundra	Indigirka	Siewert et al., 2015	Undisturbed yedoma ca. 2 m below surface	Yedoma exposure in tundra close to the Berelekh river, which drains into the Indigirka River	70.83	147.44
KY EXP2, 110- 115 cm	Tussock tundra	Indigirka	Siewert et al., 2015	Deep undisturbed yedoma ca. 4.5 m below surface	Yedoma exposure in tundra close to the Berelekh river, which drains into the Indigirka River	70.83	147.44
KY EXP3, 185- 190 cm	Tussock tundra	Indigirka	Siewert et al., 2015	Undisturbed yedoma ca. 2 m below surface	Yedoma exposure in tundra close to the Berelekh river, which drains into the Indigirka River	70.83	147.49
CH DY-3A	Larch taiga	Kolyma	Vonk et al., 2013	Particulate matter from thaw streams		68.63	159.15
CH DY-4A	Larch taiga	Kolyma	Vonk et al., 2013	Particulate matter from thaw streams		68.63	159.15

References

- Siewert, M.B., Hanisch, J., Weiss, N., Kuhry, P., Maximov, T.C., Hugelius, G.: Comparing carbon storage of Siberian tundra and taiga permafrost ecosystems at very high spatial resolution. *Journal of Geophysical Research: Biogeosciences*, 120, doi:10.1002/2015JG002999, 2015.
- Siewert, M.B., Hugelius, G., Heim, B., Faucherre, S.: Landscape controls and vertical variability of soil organic carbon storage in permafrost-affected soils of the Lena River Delta. *Catena*, 147, 725–741. doi:10.1016/j.catena.2016.07.048, 2016.
- Palmtag J., Hugelius G., Lashchinskiy N., Tamstorf M.P., Richter A., Elberling B. and Kuhry, P. (2015) Storage, Landscape Distribution, and Burial History of Soil Organic Matter in Contrasting Areas of Continuous Permafrost, Arctic, Antarctic, and Alpine Research, 47(1), 71-88, doi: <http://dx.doi.org/10.1657/AAAR0014-027>
- Vonk, J. E., Mann, P. J., Davydov, S., Davydova, A., Spencer, R. G. M., Schade, J., Sobczak, W. V., Zimov, N., Zimov, S., Bulygina, E., Eglinton, T. I., and Holmes, R. M.: High biolability of ancient permafrost carbon upon thaw, *Geophys. Res. Lett.*, 40, 2689-2693, doi:10.1002/grl.50348, 2013.