

THE OFFICIAL MAGAZINE OF THE OCEANOGRAPHY SOCIETY

Oceanography

Supplemental Online Material for

Ocean and Coastal Acidification off New England and Nova Scotia

By D.K. Gledhill, M.M. White, J. Salisbury, H. Thomas, I. MIsna, M. Liebman, B. Mook, J. Grear, A.C. Candelmo, R.C. Chambers, C.J. Gobler, C.W. Hunt, A.L. King, N.N. Price, S.R. Signorini, E. Stancioff, C. Stymiest, R.A. Wahle, J.D. Waller, N.D. Rebeck, Z.A. Wang, T.L. Capson, J.R. Morrison, S.R. Cooley, and S.C. Doney

2015, *Oceanography* 28(2):182–197, <http://dx.doi.org/10.5670/oceanog.2015.41>

This article has been published in *Oceanography*, Volume 28, Number 2,
a quarterly journal of The Oceanography Society.
Copyright 2015 by The Oceanography Society. All rights reserved.

References for Supplementary Table S1

- Agnalt, A.L., E.S. Grefsrud, E. Farestveit, M. Larsen, and F. Keulder. 2013. Deformities in larvae and juvenile European lobster (*Homarus gammarus*) exposed to lower pH at two different temperatures. *Biogeosciences* 10:7,883–7,895, <http://dx.doi.org/10.5194/bg-10-7883-2013>.
- Alexandre, A., J. Silva, P. Buapet, M. Bjork, and R. Santos. 2012. Effects of CO₂ enrichment on photosynthesis, growth, and nitrogen metabolism of the seagrass *Zostera noltii*. *Ecology and Evolution* 2:2,625–2,635, <http://dx.doi.org/10.1002/ece3.333>.
- Appelhans, Y.S., J. Thomsen, S. Opitz, C. Pansch, F. Melzner, and M. Wahl. 2014. Juvenile sea stars exposed to acidification decrease feeding and growth with no acclimation potential. *Marine Ecology Progress Series* 509:227–239, <http://dx.doi.org/10.3354/meps10884>.
- Appelhans, Y.S., J. Thomsen, C. Pansch, F. Melzner, and M. Wahl. 2012. Sour times: Seawater acidification effects on growth, feeding behaviour and acid–base status of *Asterias rubens* and *Carcinus maenas*. *Marine Ecology Progress Series* 459:85–97, <http://dx.doi.org/10.3354/meps09697>.
- Arnberg, M., P. Calosi, J.I. Spicer, A.H.S. Tandberg, M. Nilsen, S. Westerlund, and R.K. Bechmann. 2013. Elevated temperature elicits greater effects than elevated pCO₂ on the development, feeding and metabolism of northern shrimp (*Pandalus borealis*) larvae. *Marine Biology* 160:2,037–2,048, <http://dx.doi.org/10.1007/s00227-012-2072-9>.
- Arnold, K.E., H.S. Findlay, J.I. Spicer, C.I. Daniels, and D. Boothroyd. 2009. Effect of CO₂-related acidification on aspects of the larval development of the European lobster, *Homarus gammarus* (L.). *Biogeosciences* 6:1,747–1,754, <http://biogeosciences.net/6/1747/2009/bg-6-1747-2009.pdf>.
- Arnold, T., C. Mealey, H. Leahey, A.W. Miller, J.M. Hall-Spencer, M. Milazzo, and K. Maers. 2012. Ocean acidification and the loss of phenolic substances in marine plants. *PLoS ONE* 7:e35107, <http://dx.doi.org/10.1371/journal.pone.0035107>.
- Asplund, M.E., S.P. Baden, S. Russ, R.P. Ellis, N. Gong, and B.E. Hernroth. 2014. Ocean acidification and host-pathogen interactions: Blue mussels, *Mytilus edulis*, encountering *Vibrio tubiashii*. *Environmental Microbiology* 16:1,029–1,039, <http://dx.doi.org/10.1111/1462-2920.12307>.
- Baumann, H., S.C. Talmage, and C.J. Gobler. 2011. Reduced early life growth and survival in a fish in direct response to increase carbon dioxide. *Nature Climate Change* 2:38–41, <http://dx.doi.org/10.1038/nclimate1291>.
- Bechmann, R.K., I.C. Taban, S. Westerlund, B.F. Godal, M. Arnberg, S. Vingen, A.

Ingvarsdottira, and T. Baussan. 2011. Effects of ocean acidification on early life stages of shrimp (*Pandalus borealis*) and mussel (*Mytilus edulis*). *Journal of Toxicology and Environmental Health, Part A: Current Issues* 74:424–438, <http://dx.doi.org/10.108/15287394.2011.550460>.

Bednaršek, N., G.A. Tarling, D.C.E. Bakker, S. Fielding, E.M. Jones, H.J. Venables, P. Ward, A. Kuzirian, B. Lézé, R.A. Feely, and others. 2012. Extensive dissolution of live pteropods in the Southern Ocean. *Nature Geoscience* 5:881–885, <http://dx.doi.org/10.1038/NGEO1635>.

Beesley, A., D.M. Lowe, C.K. Pascoe, and S. Widdicombe. 2008. Effects of CO₂-induced seawater acidification on the health of *Mytilus edulis*. *Climate Research* 37:215–225, <http://dx.doi.org/10.3354/cr00765>.

Beniash, E., A. Ivanina, N.S. Lieb, I. Kurochkin, and I.M. Sokolova. 2010. Elevated level of carbon dioxide affects metabolism and shell formation in oysters *Crassostrea virginica*. *Marine Ecology Progress Series* 419:95–108, <http://dx.doi.org/10.3354/meps08841>.

Berge, J.A., B. Bjerkeng, O. Pettersen, M.T. Schaanning, and S. Øxnevad. 2006. Effects of increased sea water concentrations of CO₂ on growth of the bivalve *Mytilus edulis* L. *Chemosphere* 62:681–687, <http://dx.doi.org/10.1016/j.chemosphere.2005.04.111>.

Bibby, R., P. Cleall-Harding, S. Rundle, S. Widdicombe, and J. Spicer. 2007. Ocean acidification disrupts induced defences in the intertidal gastropod *Littorina littorea*. *Biology Letters* 3:699–701.

Bibby, R., S. Widdicombe, H. Parry, J. Spicer, and R. Pipe. 2008. Effects of ocean acidification on the immune response of the blue mussel *Mytilus edulis*. *Aquatic Biology* 2:67–74, <http://dx.doi.org/10.3354/ab00037>.

Bradassi, F., F. Cumani, G. Bressan, and S. Dupont. 2013. Early reproductive stages in the crustose coralline alga *Phymatolithon lenormandii* are strongly affected by mild acidification. *Marine Biology* 160:2,261–2,269, <http://dx.doi.org/10.1007/s00227-013-2260-2>.

Bresolin de Souza, K., F. Jutfelt, P. Kling, L. Förlin, and J. Sturve. 2014. Effects of increased CO₂ on fish gill and plasma proteome. *PLoS ONE* 9(7):e102901, <http://dx.doi.org/10.1371/journal.pone.0102901>.

Büdenbender, J., U. Riebesell, and A. Form. 2011. Calcification of the Arctic coralline red algae *Lithothamnion glaciale* in response to elevated CO₂. *Marine Ecology Progress Series* 441:79–87, <http://dx.doi.org/10.3354/meps09405>.

Burdett, H.L., E. Aloiso, P. Calosi, H.S. Findlay, S. Widdicombe, A.D. Hatton, and

- N.A. Kamenos. 2012. The effect of chronic and acute low pH on the intracellular DMSP production and epithelial cell morphology of red coralline algae. *Marine Biology Research* 8:756–763, <http://dx.doi.org/10.1080/17451000.2012.676189>.
- Busch, D.S., M. Maher, P. Thibodeau, and P. McElhany. 2014. Shell condition and survival of Puget Sound pteropods are impaired by ocean acidification conditions. *PLoS ONE* 9(8):e105884, <http://dx.doi.org/10.1371/journal.pone.0105884>.
- Chambers, R.C., A.C. Candelmo, E.A. Habeck, M.E. Poach, D. Wieczorek, K.R. Cooper, C.E. Greenfield, and B.A. Phelan. 2014. Effects of elevated CO₂ in the early life stages of summer flounder, *Paralichthys dentatus*, and potential consequences of ocean acidification. *Biogeosciences* 11:1,613–1,626, <http://dx.doi.org/10.5194/bg-11-1613-2014>.
- Clements, J.C., and H.L. Hunt. 2014. Influence of sediment acidification and water flow on sediment acceptance and dispersal of juvenile soft-shell clams (*Mya arenaria* L.). *Journal of Experimental Marine Biology and Ecology* 453:62–69, <http://dx.doi.org/10.1016/j.jembe.2014.01.002>.
- Collard, M., A.I. Catarino, S. Bonnet, P. Flammang, and P. Dubois. 2013. Effects of CO₂-induced ocean acidification on physiological and mechanical properties of the starfish *Asterias rubens*. *Journal of Experimental Marine Biology and Ecology* 446:355–362, <http://dx.doi.org/10.1016/j.jembe.2013.06.003>.
- Comeau, S., G. Gorsky, S. Alliouane, and J.-P. Gattuso. 2010b. Larvae of the pteropod *Cavolinia inflexa* exposed to aragonite undersaturation are viable but shell-less. *Marine Biology* 157:2,341–2,345, <http://dx.doi.org/10.1007/s00227-010-1493-6>.
- Comeau, S., G. Gorsky, R. Jeffree, J.-L. Teyssié, and J.-P. Gattuso. 2009. Impact of ocean acidification on a key Arctic pelagic mollusc (*Limacina helicina*). *Biogeosciences* 6:1,877–1,882, <http://dx.doi.org/10.5194/bg-6-1877-2009>.
- Comeau, S., R. Jeffree, J.-L. Teyssié, and J.-P. Gattuso. 2010a. Response of the Arctic pteropod *Limacina helicina* to projected future environmental conditions. *PLoS ONE* 5(6):e11362, <http://dx.doi.org/10.1371/journal.pone.0011362>.
- Connell, S.D., and B.D. Russell. 2010. The direct effects of increasing CO₂ and temperature on non-calcifying organisms: Increasing the potential for phase shifts in kelp forests. *Proceedings of the Royal Society B* 277:1,409–1,415, <http://dx.doi.org/10.1098/rspb.2009.2069>.
- Cripps, G., P. Lindeque, and K. Flynn. 2014a. Parental exposure to elevated pCO₂ influences the reproductive success of copepods. *Journal of Plankton Research* 36(5):1,165–1,174, <http://dx.doi.org/10.1093/plankt/fbu052>.
- Cripps, G., P. Lindeque, and K. Flynn. 2014b. Have we been underestimating the

effects of ocean acidification on zooplankton? *Global Change Biology* 20:3,377–3,385, <http://dx.doi.org/10.1111/gcb.12582>.

de la Haye, K.L., J.I. Spicer, S. Widdicombe, and M. Briffa. 2011. Reduced sea water pH disrupts resource assessment and decision making in the hermit crab *Pagurus bernhardus*. *Animal Behaviour* 82:495–501, <http://dx.doi.org/10.1016/j.anbehav.2011.05.030>.

de la Haye, K.L., J.I. Spicer, S. Widdicombe, and M. Briffa. 2012. Reduced pH sea water disrupts chemo-responsive behaviour in an intertidal crustacean. *Journal of Experimental Marine Biology and Ecology* 412:134–140, <http://dx.doi.org/10.1016/j.jembe.2011.11.013>.

Dickinson, G.H., A.V. Ivanina, O.B. Matoo, H.O. Pörtner, G. Lannig, C. Bock, E. Beniash, and I.M. Sokolova. 2012. Interactive effects of salinity and elevated CO₂ levels on juvenile eastern oysters, *Crassostrea virginica*. *The Journal of Experimental Biology* 215:29–43, <http://dx.doi.org/10.1242/jeb.061481>.

Dickinson, G.H., O.B. Matoo, R.T. Tourek, I.M. Sokolova, and E. Beniash. 2013. Environmental salinity modulates the effects of elevated CO₂ levels on juvenile hard-shell clams, *Mercenaria mercenaria*. *The Journal of Experimental Biology* 216:2,607–2,618, <http://dx.doi.org/10.1242/jeb.082909>.

Dixson, D.L., A.R. Jennings, J. Atema, and P.L. Munday. 2015. Odor tracking in sharks is reduced under future ocean acidification conditions. *Global Change Biology* 21:1,454–1,462, <http://dx.doi.org/10.1111/gcb.12678>.

Donohue, P.J.C., P. Calosi, A.H. Bates, B. Laverlock, S. Rastrick, F.C. Mark, A. Strobel, and S. Widdicombe. 2012. Impact of exposure to elevated pCO₂ on the physiology and behaviour of an important ecosystem engineer, the burrowing shrimp *Upogebia deltaura*. *Aquatic Biology* 15:73–86, <http://dx.doi.org/10.3354/ab00408>.

Duckworth, A.R., and B.J. Peterson. 2013. Effects of seawater temperature and pH on the boring rates of the sponge *Cliona celata* in scallop shells. *Marine Biology* 160:27–35, <http://dx.doi.org/10.1007/s00227-012-2053-z>.

Dupont, S., N. Dorey, M. Stumpp, F. Melzner, and M. Thorndyke. 2013. Long-term and trans-life-cycle effects of exposure to ocean acidification in the green sea urchin *Strongylocentrotus droebachiensis*. *Marine Biology* 160:1,835–1,843, <http://dx.doi.org/10.1007/s00227-012-1921-x>.

Dupont, S., J. Havenhand, W. Thorndyke, L. Peck, and M. Thorndyke. 2008. Near-future level of CO₂-driven ocean acidification radically affects larval survival and development in the brittlestar *Ophiothrix fragilis*. *Marine Ecology Progress Series* 373:285–294, <http://dx.doi.org/10.3354/meps07800>.

Dupont, S., B. Lundve, and M. Thorndyke. 2010. Near future ocean acidification increases growth rate of the lecithotrophic larvae and juveniles of the sea star *Crossaster papposus*. *Journal of Experimental Zoology Part B Molecular and Developmental Evolution* 314B:382–389, <http://dx.doi.org/10.1002/jezmde.21342>.

Dupont, S., and M. Thorndyke. 2012. Relationship between CO₂-driven changes in extracellular acid-base balance and cellular immune response in two polar echinoderm species. *Journal of Experimental Marine Biology and Ecology* 424–425:32–37, <http://dx.doi.org/10.1016/j.jembe.2012.05.007>.

Egilsdottir, H., F. Noisette, L.M.L.J. Noel, J. Olafsson, and S. Martin. 2013. Effects of pCO₂ on physiology and skeletal mineralogy in a tidal pool coralline alga *Corallina elongata*. *Marine Biology* 160:2,103–2,112, <http://dx.doi.org/10.1007/s00227-012-2090-7>.

Egilsdottir, H., J.I. Spicer, and S.D. Rundle. 2009. The effect of CO₂ acidified sea water and reduced salinity on aspects of the embryonic development of the amphipod *Echinogammarus marinus* (Leach). *Marine Pollution Bulletin* 58:1,187–1,191, <http://dx.doi.org/10.1016/j.marpolbul.2009.03.017>.

Esbaugh, A.J., R. Heuer, and M. Grosell. 2012. Impacts of ocean acidification on respiratory gas exchange and acid–base balance in a marine teleost, *Opsanus beta*. *Journal of Comparative Physiology B* 182:921–934, <http://dx.doi.org/10.1007/s00360-012-0668-5>.

Falkenberg, L.J., B.D. Russell, and S.D. Connell. 2013. Contrasting resource limitations of marine primary producers: Implications for competitive interactions under enriched CO₂ and nutrient regimes. *Oecologia* 172:575–583, <http://dx.doi.org/10.1007/s00442-012-2507-5>.

Fehsenfeld, S., K. Rainer, Y. Appelhans, D.W. Towle, M. Zimmer, and F. Melzner. 2011. Effects of elevated seawater pCO₂ on gene expression patterns in the gills of the green crab, *Carcinus maenas*. *BMC Genomics* 12:488–505, <http://dx.doi.org/10.1186/1471-2164-12-488>.

Findlay, H.S., M.A. Kendall, J.I. Spicer, and S. Widdicombe. 2009. Future high CO₂ in the intertidal may compromise adult barnacle *Semibalanus balanoides* survival and embryonic development rate. *Marine Ecology Progress Series* 389:193–202, <http://dx.doi.org/10.3354/meps08141>.

Findlay, H.S., M.A. Kendall, J.I. Spicer, and S. Widdicombe. 2010a. Relative influences of ocean acidification and temperature on intertidal barnacle post-larvae at the northern edge of their geographic distribution. *Estuarine, Coastal and Shelf Science* 86:675–682, <http://dx.doi.org/10.1016/j.ecss.2009.11.036>.

Findlay, H.S., M.A. Kendall, J.I. Spicer, and S. Widdicombe. 2010b. Post-larval

development of two intertidal barnacles at elevated CO₂ and temperature. *Marine Biology* 157:725–735, <http://dx.doi.org/10.1007/s00227-009-1356-1>.

Fitzer, S.C., G.S. Caldwell, A.J. Close, A.S. Clare, R.C. Upstill-Goddard, and M.G. Bentley. 2012. Ocean acidification induces multi-generational decline in copepod naupliar production with possible conflict for reproductive resource allocation. *Journal of Experimental Marine Biology and Ecology* 418–419:30–36, <http://dx.doi.org/10.1016/j.jembe.2012.03.009>.

Franke, A., and C. Clemmesen. 2011. Effect of ocean acidification on early life stages of Atlantic herring (*Clupea harengus* L.). *Biogeosciences* 8:3,697–3,707, <http://dx.doi.org/10.5194/bg-8-3697-2011>.

Frommel, A.Y., R. Maneja, D. Lowe, A.M. Malzahn, A.J. Geffen, A. Folkvord, U. Piatkowski, T.B.H. Reusch, and C. Clemmesen. 2012. Severe tissue damage in Atlantic cod larvae under increasing ocean acidification. *Nature Climate Change* 2:42–46, <http://dx.doi.org/10.1038/nclimate1324>.

Frommel, A.Y., R. Maneja, D. Lowe, C.K. Pascoe, A.J. Geffen, A. Folkvord, U. Piatkowski, and C. Clemmesen. 2014. Organ damage in Atlantic herring larvae as a result of ocean acidification. *Ecological Applications* 24:1,131–1,143, <http://dx.doi.org/10.1890/13-0297.1>.

Frommel, A.Y., A. Schubert, U. Piatkowski, and C. Clemmesen. 2013. Egg and early larval stages of Baltic cod, *Gadus morhua*, are robust to high levels of ocean acidification. *Marine Biology* 160:1,825–1,834, <http://dx.doi.org/10.1007/s00227-011-1876-3>.

Frommel, A.Y., V. Stiebens, C. Clemmesen, and J. Havenhand. 2010. Effect of ocean acidification on marine fish sperm (Baltic cod: *Gadus morhua*). *Biogeosciences* 7:3,915–3,919, <http://dx.doi.org/10.5194/bg-7-3915-2010>.

Gao, K., Y. Aruga, K. Asada, T. Ishihara, T. Akano, and M. Kiyohara. 1993. Calcification in the articulated coralline alga *Corallina pilulifera*, with special reference to the effect of elevated CO₂ concentration. *Marine Biology* 117:129–132, <http://dx.doi.org/10.1007/BF00346434>.

Gao, K., Y. Ji, and Y. Aruga. 1999. Relationship of CO₂ concentrations to photosynthesis of intertidal macroalgae during emersion. *Hydrobiologia* 398:355–359, http://dx.doi.org/10.1007/978-94-011-4449-0_42.

Gao, K., and Y. Zheng. 2010. Combined effects of ocean acidification and solar UV radiation on photosynthesis, growth, pigmentation, and calcification of the coralline alga *Corallina sessilis* (Rhodophyta). *Global Change Biology* 16:2,388–2,398, <http://dx.doi.org/10.1111/j.1365-2486.2009.02113.x>.

Gazeau, F., C. Quiblier, J.M. Jansen, J.-P. Gattuso, J.J. Middelburg, and C.H. Heip. 2007. Impact of elevated CO₂ on shellfish calcification. *Geophysical Research Letters* 34, L07603, <http://dx.doi.org/10.1029/2006GL028554>.

Gobler, C.J., E.L. DePasquale, A.W. Griffith, and H. Baumann. 2014. Hypoxia and acidification have additive and synergistic negative effects on the growth, survival, and metamorphosis of early life stage bivalves. *PLoS ONE* 9:e83648, <http://dx.doi.org/10.1371/journal.pone.0083648>.

Gobler, C.J., and S.C. Talmage. 2013. Short- and long-term consequences of larval stage exposure to constantly and ephemerally elevated carbon dioxide for marine bivalve populations. *Biogeosciences* 10:2,241–2,253, <http://dx.doi.org/10.5194/bg-10-2241-2013>.

Gobler, C.J., and S.C. Talmage. 2014. Physiological response and resilience of early life-stage Eastern oysters (*Crassostrea virginica*) to past, present and future ocean acidification. *Conservation Physiology* 2:cou004, <http://dx.doi.org/10.1093/conphys/cou004>.

Gordillo, F.J.L., F.X. Niell, and F.L. Figueroa. 2001. Non-photosynthetic enhancement of growth by high CO₂ level in the nitrophilic seaweed *Ulva rigida* C. Agardh (Chlorophyta). *Planta* 213:64–70.

Götze, S., O.B. Matoo, E. Beniash, R. Saborowski, and I.M. Sokolova. 2014. Interactive effects of CO₂ and trace metals on the proteasome activity and cellular stress response of marine bivalves *Crassostrea virginica* and *Mercenaria mercenaria*. *Aquatic Toxicology* 149:65–82, <http://dx.doi.org/10.1016/j.aquatox.2014.01.027>.

Gräns, A., F. Jutfelt, E. Sandblom, E. Jonsson, K. Wiklander, H. Seth, C. Olsson, S. Dupont, O. Ortega-Martinez, I. Einarsdottir, and others. 2014. Aerobic scope fails to explain the detrimental effects on growth resulting from warming and elevated CO₂ in Atlantic halibut. *The Journal of Experimental Biology* 217:711–717, <http://dx.doi.org/10.1242/jeb.096743>.

Green, M.A., M.E. Jones, C.L. Boudreau, R.L. Moore, and B.A. Westman. 2004. Dissolution mortality of juvenile bivalves in coastal marine deposits. *Limnology and Oceanography* 49:727–734, <http://dx.doi.org/10.4319/lo.2004.49.3.0727>.

Green, M.A., G.G. Waldbusser, L. Hubazc, E. Cathcart, and J. Hall. 2013. Carbonate mineral saturation state as the recruitment cue for settling bivalves in marine muds. *Estuaries and Coasts* 36:18–27, <http://dx.doi.org/10.1007/s12237-012-9549-0>.

Green, M.A., G.G. Waldbusser, S.L. Reilly, and K. Emerson. 2009. Death by dissolution: Sediment saturation state as a mortality factor for juvenile bivalves. *Limnology and Oceanography* 54:1,037–1,047.

Gutow, L., M.M. Rahman, K. Bartl, R. Saborowski, I. Bartsch, and C. Wiencke. 2014. Ocean acidification affects growth but not nutritional quality of the seaweed *Fucus vesiculosus* (Phaeophyceae, Fucales). *Journal of Experimental Marine Biology and Ecology* 453:84–90, <http://dx.doi.org/10.1016/j.jembe.2014.01.005>.

Hammer, K.M., and S.A. Pedersen. 2013. Deep-water prawn *Pandalus borealis* displays a relatively high pH regulatory capacity in response to CO₂-induced acidosis. *Marine Ecology Progress Series* 492:139–151, <http://dx.doi.org/10.3354/meps10476>.

Harms, L., S. Frickenhaus, M. Schiffer, F.C. Mark, D. Storch, C. Held, H.O. Pörtner, and M. Lucassen. 2014. Gene expression profiling in gills of the great spider crab *Hyas araneus* in response to ocean acidification and warming. *BMC Genomics* 15:789, <http://dx.doi.org/10.1186/1471-2164-15-789>.

Hennon, G.M.M., P. Quay, R.L. Morales, L.M. Swanson, and E.V. Armbrust. 2014. Acclimation conditions modify physiological response of the diatom *Thalassiosira pseudonana* to elevated CO₂ concentrations in a nitrate-limited chemostat. *Journal of Phycology* 50:243–253, <http://dx.doi.org/10.1111/jpy.12156>.

Heuer, R.M., A.J. Esbaugh, and M. Grosell. 2012. Ocean acidification leads to counterproductive intestinal base loss in the gulf toadfish (*Opsanus beta*). *Physiological and Biochemical Zoology* 85:450–459, <http://dx.doi.org/10.1086/667617>.

Hiebenthal, C., E.E. Philipp, A. Eisenhauer, and M. Wahl. 2013. Effects of seawater pCO₂ and temperature on shell growth, shell stability, condition and cellular stress of Western Baltic Sea *Mytilus edulis* (L.) and *Arctica islandica* (L.). *Marine Biology* 160:2,073–2,087, <http://dx.doi.org/10.1007/s00227-012-2080-9>.

Hofmann, L.C., S. Straub, and K. Bischof. 2012b. Competition between calcifying and noncalcifying temperate marine macroalgae under elevated CO₂ levels. *Marine Ecology Progress Series* 464:89–105, <http://dx.doi.org/10.3354/meps09892>.

Hofmann, L.C., S. Straub, and K. Bischof. 2013. Elevated CO₂ levels affect the activity of nitrate reductase and carbonic anhydrase in the calcifying rhodophyte *Corallina officinalis*. *Journal of Experimental Botany* 64:899–908, <http://dx.doi.org/10.1093/jxb/ers369>.

Hofmann, L.C., G. Yildiz, D. Hanelt, and K. Bischof. 2012a. Physiological responses of the calcifying rhodophyte, *Corallina officinalis* (L.) to future CO₂ levels. *Marine Biology* 159:783–792, <http://dx.doi.org/10.1007/s00227-011-1854-9>.

Holcomb, M., A.L. Cohen, and D.C. McCorkle. 2012. An investigation of the calcification response of the scleractinian coral *Astrangia poculata* to elevated pCO₂ and the effects of nutrients, zooxanthellae, and gender. *Biogeosciences* 9:29–39, <http://dx.doi.org/10.5194/bg-9-29-2012>.

- Holcomb, M., D.C. McCorkle, and A.L. Cohen. 2010. Long-term effects of nutrient and CO₂ enrichment on the temperate coral *Astrangia poculata* (Ellis and Solander, 1786). *Journal of Experimental Marine Biology and Ecology* 386:27–33, <http://dx.doi.org/10.1016/j.jembe.2010.02.007>.
- Holtmann, W.C., M. Stumpp, M.A. Gutowska, S. Syré, N. Himmerkus, F. Melzner, and M. Bleich. 2013. Maintenance of coelomic fluid pH in sea urchins exposed to elevated CO₂: The role of body cavity epithelia and stereom dissolution. *Marine Biology* 160:2,631–2,645, <http://dx.doi.org/10.1007/s00227-013-2257-x>.
- Hüning, A.K., F. Melzner, J. Thomsen, M.A. Gutowska, L. Krämer, S. Frickenhaus, P. Rosenstiel, H.O. Pörtner, E.E.R. Philipp, and M. Lucassen. 2013. Impacts of seawater acidification on mantle gene expression patterns of the Baltic Sea blue mussel: Implications for shell formation and energy metabolism. *Marine Biology* 160:1,845–1,861, <http://dx.doi.org/10.1007/s00227-012-1930-9>.
- Israel, A., S. Katz, Z. Dubinsky, J.E. Merrill, and M. Friedlander. 1999. Photosynthetic inorganic carbon utilization and growth of *Porphyra linearis* (Rhodophyta). *Journal of Applied Phycology* 11:447–453, <http://dx.doi.org/10.1023/A:1008122306268>.
- Ivanina, A.V., E. Beniash, M. Etzkorn, T.B. Meyers, A.H. Ringwood, and I.M. Sokolova. 2013b. Short-term acute hypercapnia affects cellular responses to trace metals in the hard clams *Mercenaria mercenaria*. *Aquatic Toxicology* 140:123–133, <http://dx.doi.org/10.1016/j.aquatox.2013.05.019>.
- Ivanina, A.V., G.H. Dickinson, O.B. Matoo, R. Bagwe, A. Dickinson, E. Beniash, and I.M. Sokolova. 2013a. Interactive effects of elevated temperature and CO₂ levels on energy metabolism and biomineralization of marine bivalves *Crassostrea virginica* and *Mercenaria mercenaria*. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology* 166:101–111, <http://dx.doi.org/10.1016/j.cbpa.2013.05.016>.
- Ivanina, A.V., C. Hawkins, and I.M. Sokolova. 2014. Immunomodulation by the interactive effects of cadmium and hypercapnia in marine bivalves *Crassostrea virginica* and *Mercenaria mercenaria*. *Fish & Shellfish Immunology* 37:299–312, <http://dx.doi.org/10.1016/j.fsi.2014.02.016>.
- Kamenos, N., H.L. Burdett, E. Aloisio, H.S. Findlay, S. Martin, C. Longbone, J. Dunn, S. Widdicombe, and P. Calosi. 2013. Coralline algal structure is more sensitive to rate, rather than magnitude, of ocean acidification. *Global Change Biology* 19:3,621–3,628, <http://dx.doi.org/10.1111/gcb.12351>.
- Kaplan, M.B., T.A. Mooney, D.C. McCorkle, and A.L. Cohen. 2013. Adverse effects of ocean acidification on early development of squid (*Doryteuthis pealeii*). *PLoS ONE* 8:e63714, <http://dx.doi.org/10.1371/journal.pone.0063714>.

Keppel, E.A., R.A. Scrosati, and S.C. Courtenay. 2012. Ocean acidification decreases growth and development in American lobster (*Homarus americanus*) larvae. *Journal of Northwest Atlantic Fisheries Science*, 44:61–66, <http://dx.doi.org/10.2960/J.v44.m683>.

Keppel, E.A., R.A. Scrosati, and S.C. Courtenay. 2015. Interactive effects of ocean acidification and warming on subtidal mussels and sea stars from Atlantic Canada. *Marine Biology Research* 11:337–348, <http://dx.doi.org/10.1080/17451000.2014.932914>.

Kerrison, P., D.J. Suggett, L.J. Hepburn, and M. Steinke. 2012. Effect of elevated $p\text{CO}_2$ on the production of dimethylsulphoniopropionate (DMSP) and dimethylsulphide (DMS) in two species of *Ulva* (Chlorophyceae). *Biogeochemistry* 110:5–16, <http://dx.doi.org/10.1007/s10533-012-9707-2>.

King, A.L., S.A. Sanudo-Wilhelmy, K. Leblanc, D.A. Hutchins, and F.X. Fu. 2011. CO_2 and vitamin B-12 interactions determine bioactive trace metal requirements of a subarctic Pacific diatom. *ISME Journal* 5(8):1,388–1,396, <http://dx.doi.org/10.1038/ismej.2010.211>.

Kübler, J.E., A.M. Johnston, and J.A. Raven. 1999. The effects of reduced and elevated CO_2 and O_2 on the seaweed *Lomentaria articulata*. *Plant, Cell, and Environment* 22:1,303–1,310, <http://dx.doi.org/10.1046/j.1365-3040.1999.00492.x>.

Kurihara, H., and A. Ishimatsu. 2008. Effects of high CO_2 seawater on the copepod (*Acartia tsuensis*) through all life stages and subsequent generations. *Marine Pollution Bulletin* 56:1,086–1,090, <http://dx.doi.org/10.1016/j.marpolbul.2008.03.023>.

Kurihara, H., S. Shimode, and Y. Shirayama. 2004a. Effects of raised CO_2 concentration on the egg production rate and early development of two marine copepods (*Acartia steueri* and *Acartia erythraea*). *Marine Pollution Bulletin* 49:721–727, <http://dx.doi.org/10.1016/j.marpolbul.2004.05.005>.

Kurihara, H., S. Shimode, and Y. Shirayama. 2004b. Sub-lethal effects of elevated concentration of CO_2 on planktonic copepods and sea urchins. *Journal of Oceanography* 60:743–750, <http://dx.doi.org/10.1007/s10872-004-5766-x>.

Landes, A., and M. Zimmer. 2012. Acidification and warming affect both a calcifying predator and prey, but not their interaction. *Marine Ecology Progress Series* 450:1–10, <http://dx.doi.org/10.3354/meps09666>.

Lane, A.C., J. Mukherjee, V.B.S. Chan, and V. Thiyagarajan. 2013. Decreased pH does not alter metamorphosis but compromises juvenile calcification of the tube worm *Hydroides elegans*. *Marine Biology* 160:1,983–1,993, <http://dx.doi.org/10.1007/s00227-012-2056-9>.

Lewis, C.N., K.A. Brown, L.A. Edwards, G. Cooper, and H.S. Findlay. 2013.

Sensitivity to ocean acidification parallels natural $p\text{CO}_2$ gradients experienced by Arctic copepods under winter sea ice. *Proceedings of the National Academy of Sciences of the United States of America* 110(51):E4960–E4967, <http://dx.doi.org/10.1073/pnas.1315162110>.

Lischka, S., J. Büdenbender, T. Boxhammer, and U. Riebesell. 2011. Impact of ocean acidification and elevated temperatures on early juveniles of the polar shelled pteropod *Limacina helicina*: Mortality, shell degradation, and shell growth. *Biogeosciences* 8:919–932, <http://dx.doi.org/10.5194/bg-8-919-2011>.

Liu, L., L. Ding, W. Chen, and D. Zou. 2013. The combined effects of increasing CO_2 concentrations and different temperatures on the growth and chlorophyll fluorescence in *Porphyra haitanensis* (Bangiales, Rhodophyta). *Acta Ecologica Sinica* 33:3,916–3,924.

Liu, Y., J. Xu, and K. Gao. 2012. CO_2 -driven seawater acidification increases photochemical stress in a green alga. *Phycologia* 51:562–566, <http://dx.doi.org/10.2216/11-65.1>.

Lombardi, C., M.C. Gambi, C. Vasapollo, P. Taylor, and S. Cocito. 2011a. Skeletal alterations and polymorphism in a Mediterranean bryozan at natural CO_2 vents. *Zoomorphology* 130:135–145, <http://dx.doi.org/10.1007/s00435-011-0127-y>.

Lombardi, C., R. Rodolfo-Metalpa, S. Cocito, M.C. Gambi, and P.D. Taylor. 2011b. Structural and geochemical alterations in the Mg calcite bryozoan *Myriapora truncata* under elevated seawater $p\text{CO}_2$ simulating ocean acidification. *Marine Ecology* 32:211–221, <http://dx.doi.org/10.1111/j.1439-0485.2010.00426.x>.

Longphuir, S.N., C. Eschmann, C. Russell, and D.B. Stengel. 2013. Seasonal and species-specific response of five brown macroalgae to high atmospheric CO_2 . *Marine Ecology Progress Series* 493:91–102, <http://dx.doi.org/10.3354/meps10570>.

Maas, A.E., K.F. Wishner, and B.A. Seibel. 2012. The metabolic response of pteropods to acidification reflects natural CO_2 -exposure in oxygen minimum zones. *Biogeosciences* 9:747–757, <http://dx.doi.org/10.5194/bg-9-747-2012>.

Mackenzie, C.L., S.A. Lynch, S.C. Culloty, and S.K. Malham. 2014a. Future oceanic warming and acidification alter immune response and disease status in a commercial shellfish species, *Mytilus edulis* L. *PLoS ONE* 9:e99712, <http://dx.doi.org/10.1371/journal.pone.0099712>.

Mackenzie, C.L., G.A. Ormondroyd, S.F. Curling, R.J. Ball, N.M. Whiteley, and S.K. Malham. 2014b. Ocean warming, more than acidification, reduces shell strength in a commercial shellfish species during food limitation. *PLoS ONE* 9:e86764, <http://dx.doi.org/10.1371/journal.pone.0086764>.

Maneja, R.H., A.Y. Frommel, H.I. Browman, C. Clemmesen, A.J. Geffen, A. Folkvord, U. Piatowski, C.M.F. Durif, R. Bjelland, and A.B. Skiftesvik. 2013a. The swimming kinematics of larval Atlantic cod, *Gadus morhua* L., are resilient to elevated seawater $p\text{CO}_2$. *Marine Biology* 160:1,963–1,972, <http://dx.doi.org/10.1007/s00227-012-2054-y>.

Maneja, R.H., A.Y. Frommel, A.J. Geffen, A. Folkvord, U. Piatkowski, M.Y. Chang, and C. Clemmesen. 2013b. Effects of ocean acidification on the calcification of otoliths of larval Atlantic cod *Gadus morhua*. *Marine Ecology Progress Series* 477:251–258, <http://dx.doi.org/10.3354/meps10146>.

Matoo, O.B., A.V. Ivanina, C. Ullstad, E. Beniash, and I.M. Sokolova. 2013. Interactive effects of elevated temperature and CO_2 levels on metabolism and oxidative stress in two common marine bivalves (*Crassostrea virginica* and *Mercenaria mercenaria*). *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology* 164:545–553, <http://dx.doi.org/10.1016/j.cbpa.2012.12.025>.

Mayor, D.J., N.R. Everett, and K.B. Cook. 2012. End of century ocean warming and acidification effects on reproductive success in a temperate marine copepod. *Journal of Plankton Research* 34:258–262, <http://dx.doi.org/10.1093/plankt/fbr107>.

Mayor, D.J., C. Matthews, K. Cook, A.F. Zuur, and S. Hay. 2007. CO_2 -induced acidification affects hatching success in *Calanus finmarchicus*. *Marine Ecology Progress Series* 350:91–97, <http://dx.doi.org/10.3354/meps07142>.

McConville, K., C. Halsband, E.S. Fileman, P.J. Somerfield, H.S. Findlay, and J.I. Spicer. 2013. Effects of elevated CO_2 on the reproduction of two calanoid copepods. *Marine Pollution Bulletin* 73:428–434, <http://dx.doi.org/10.1016/j.marpolbul.2013.02.010>.

McDonald, M.R., J.B. McClintock, C.D. Amsler, D. Rittschof, R.A. Angus, B. Orihuela, and K. Lutostanski. 2009. Effects of ocean acidification over the life history of the barnacle *Amphibalanus amphitrite*. *Marine Ecology Progress Series* 385:179–187, <http://dx.doi.org/10.3354/meps08099>.

Melatunan, S., P. Calosi, S.D. Rundle, S. Widdicombe, and A.J. Moody. 2013. Effects of ocean acidification and elevated temperature on shell plasticity and its energetic basis in an intertidal gastropod. *Marine Ecology Progress Series* 472:155–168, <http://dx.doi.org/10.3354/meps10046>.

Melzner, F., S. Göbel, M. Langenbuch, M.A. Gutowska, H.O. Pörtner, and M. Lucassen. 2009. Swimming performance in Atlantic Cod (*Gadus morhua*) following long-term (4–12 months) acclimation to elevated seawater $p\text{CO}_2$. *Aquatic Toxicology* 92:30–37, <http://dx.doi.org/10.1016/j.aquatox.2008.12.011>.

Melzner, F., P. Stange, K. Trübenbach, J. Thomsen, I. Casties, U. Panknin, S.N. Gorb,

- and M.A. Gutowska. 2011. Food supply and seawater $p\text{CO}_2$ impact calcification and internal shell dissolution in the blue mussel *Mytilus edulis*. *PLoS ONE* 6:e24223, <http://dx.doi.org/10.1371/journal.pone.0024223>.
- Mercado, J.M., F.J.L. Gordillo, F.L. Figueroa, and F.X. Niell. 1998. External carbonic anhydrase and affinity for inorganic carbon in intertidal macroalgae. *Journal of Experimental Marine Biology and Ecology* 221:209–220, [http://dx.doi.org/10.1016/S0022-0981\(97\)00127-5](http://dx.doi.org/10.1016/S0022-0981(97)00127-5).
- Metzger, R., F.J. Sartoris, M. Langenbuch, and H.O. Pörtner. 2007. Influence of elevated CO_2 concentrations on thermal tolerance of the edible crab *Cancer pagurus*. *Journal of Thermal Biology* 32:144–151, <http://dx.doi.org/10.1016/j.jtherbio.2007.01.010>.
- Moran, D., and J.G. Støttrup. 2011. The effect of carbon dioxide on growth of juvenile Atlantic cod *Gadus morhua* L. *Aquatic Toxicology* 102:24–30, <http://dx.doi.org/10.1016/j.aquatox.2010.12.014>.
- Mukherjee, J., K.K.W. Wong, K.H. Chandramouli, P.-Y. Qian, P.T.Y. Leung, R.S.S. Wu, and V. Thiyagarajan. 2013. Proteomic response of marine invertebrate larvae to ocean acidification and hypoxia during metamorphosis and calcification. *The Journal of Experimental Biology* 216:4,580–4,589, <http://dx.doi.org/10.1242/jeb.094516>.
- Murray, C.S., A. Malvezzi, C.J. Gobler, and H. Baumann. 2014. Offspring sensitivity to ocean acidification changes seasonally in a coastal marine fish. *Marine Ecology Progress Series* 504:1–11, <http://dx.doi.org/10.3354/meps10791>.
- Noisette, F., T. Comtet, E. Legrand, F. Bordeyne, D. Davault, and S. Martin. 2014. Does encapsulation protect embryos from the effects of ocean acidification? The example of *Crepidula fornicata*. *PLoS ONE* 9:e93021, <http://dx.doi.org/10.1371/journal.pone.0093021>.
- Olischläger, M., I. Bartsch, L. Gutow, and C. Wiencke. 2012. Effects of ocean acidification on different life-cycle stages of the kelp *Laminaria hyperborea* (Phaeophyceae). *Botanica Marina* 55:511–525.
- Olischläger, M., I. Bartsch, L. Gutow, and C. Wiencke. 2013. Effects of ocean acidification on growth and physiology of *Ulva lactuca* (Chlorophyta) in a rockpool-scenario. *Phycological Research* 61:180–190, <http://dx.doi.org/10.1111/pre.12006>.
- Olischläger, M., and C. Wiencke. 2013. Ocean acidification alleviates low-temperature effects on growth and photosynthesis of the red alga *Neosiphonia harveyi* (Rhodophyta). *Journal of Experimental Botany* 64:5,587–5,597, <http://dx.doi.org/10.1093/jxb/ert329>.
- Palacios, S., and R.C. Zimmerman. 2007. Response of eelgrass *Zostera marina* to CO_2

enrichment: Possible impacts of climate change and potential for remediation of coastal habitats. *Marine Ecology Progress Series* 344:1–13, <http://dx.doi.org/10.3354/meps07084>.

Pane, E.F., and J.P. Barry. 2007. Extracellular acid–base regulation during short-term hypercapnia is effective in a shallow-water crab, but ineffective in a deep-sea crab. *Marine Ecology Progress Series* 334:1–9, <http://dx.doi.org/10.3354/meps334001>.

Pansch, C., A. Nasrolahi, Y. Appelhans, and M. Wahl. 2013. Tolerance of juvenile barnacles (*Amphibalanus improvisus*) to warming and elevated $p\text{CO}_2$. *Marine Biology* 160:2,023–2,035, <http://dx.doi.org/10.1007/s00227-012-2069-4>.

Pansch, C., I. Schaub, J. Havenhand, and M. Wahl. 2014. Habitat traits and food availability determine the response of marine invertebrates to ocean acidification. *Global Change Biology* 40:765–777, <http://dx.doi.org/10.1111/gcb.12478>.

Pedersen, S.A., O.J. Håkedal, I. Salaberria, A. Tagliati, L.M. Gustavson, B.M. Jenssen, A.J. Olsen, and D. Altin. 2014a. Multigenerational exposure to ocean acidification during food limitation reveals consequences for copepod scope for growth and vital rates. *Environmental Science & Technology* 48(20):12,275–12,284, <http://dx.doi.org/10.1021/es501581j>.

Pedersen, S.A., B.H. Hansen, D. Altin, and A.J. Olsen. 2013. Medium-term exposure of the North Atlantic copepod *Calanus finmarchicus* (Gunnerus, 1770) to CO_2 -acidified seawater: Effects on survival and development. *Biogeosciences* 10:7,481–7,491, <http://dx.doi.org/10.5194/bg-10-7481-2013>.

Pedersen, S.A., V.T. Våge, A.J. Olsen, K.M. Hammer, and D. Altin. 2014b. Effects of elevated carbon dioxide (CO_2) concentrations on early developmental stages of the marine copepod *Calanus finmarchicus* Gunnerus (Copepoda: Calanoidae). *Journal of Toxicology and Environmental Health, Part A: Current Issues* 77:535–549, <http://dx.doi.org/10.1080/15287394.2014.887421>.

Ries, J.B., A.L. Cohen, and D.C. McCorkle. 2009. Marine calcifiers exhibit mixed responses to CO_2 -induced ocean acidification. *Geology* 37(12):1,131–1,134, <http://dx.doi.org/10.1130/G30210A.1>.

Ries, J.B. 2011. Skeletal mineralogy in a high- CO_2 world. *Journal of Experimental Marine Biology and Ecology* 403(1–2):54–64, <http://dx.doi.org/10.1016/j.jembe.2011.04.006>.

Rodolfo-Metalpa, R., C. Lombardi, S. Cocito, J.M. Hall-Spencer, and M.C. Gambi. Effects of ocean acidification and high temperatures on the bryozoan *Myriapora truncata* at natural CO_2 vents. *Marine Ecology* 31:447–456, <http://dx.doi.org/10.1111/j.1439-0485.2009.00354.x>.

Rossoll, D., R. Bermudez, H. Hauss, K.G. Schulz, U. Riebesell, U. Sommer, and M. Winder. 2012. Ocean acidification-induced food quality deterioration constrains trophic transfer. *PLoS ONE* 7:e34737, <http://dx.doi.org/10.1371/journal.pone.0034737>.

Russell, B.D., S.D. Connell, H.S. Findlay, K. Tait, S. Widdicombe, and N. Mieszkowska. 2013. Ocean acidification and rising temperatures may increase biofilm primary productivity but decrease grazer consumption. *Philosophical Transactions of the Royal Society B* 368:20120438, <http://dx.doi.org/10.1098/rstb.2012.0438>.

Saderne, V., and M. Wahl. 2013. Differential responses of calcifying and non-calcifying epibionts of a brown macroalga to present-day and future upwelling $p\text{CO}_2$. *PLoS ONE* 8(7):e70455, <http://dx.doi.org/10.1371/journal.pone.0070455>.

Sarker, M.Y., I. Bartsch, M. Olischläger, L. Gutow, and C. Wiencke. 2013. Combined effects of CO_2 , temperature, irradiance, and time on the physiological performance of *Chondrus crispus* (Rhodophyta). *Botanica Marina* 56:63–74, <http://dx.doi.org/10.1515/bot-2012-0143>.

Schiffer, M., L. Harms, H.O. Pörtner, M. Lucassen, F.C. Mark, and D. Storch. 2013. Tolerance of *Hyas araneus* zoea I larvae to elevated seawater $p\text{CO}_2$ despite elevated metabolic costs. *Marine Biology*. 160(8):1,943–1,953, <http://dx.doi.org/10.1007/s00227-012-2036-0>.

Schram, J.B., J.B. McClintock, R.A. Angus, and J.M. Lawrence. 2011. Regenerative capacity and biochemical composition of the sea star *Luidia clathrata* (Say) (Echinodermata: Asteroidea) under conditions of near-future ocean acidification. *Journal of Experimental Marine Biology and Ecology* 407:266–274, <http://dx.doi.org/10.1016/j.jembe.2011.06.024>.

Seibel, B.A., A.E. Maas, and H.M. Dierssen. 2012. Energetic plasticity underlies a variable response to ocean acidification in the pteropod, *Limacina helicina antarctica*. *PLoS ONE* 7(4):e30464, <http://dx.doi.org/10.1371/journal.pone.0030464>.

Shi, D., Y. Xu, B.M. Hopkinson, and F.M.M. Morel. 2010. Effect of ocean acidification on iron availability to marine phytoplankton. *Science* 237:676–679, <http://dx.doi.org/10.1126/science.1183517>.

Siikavuopio, S.I., A. Mortensen, T. Dale, and A. Foss. 2007. Effects of carbon dioxide exposure on feed intake and gonad growth in green sea urchin, *Strongylocentrotus droebachiensis*. *Aquaculture* 266:97–101, <http://dx.doi.org/10.1016/j.aquaculture.2007.02.044>.

Sperfeld, E., A. Mangor-Jensen, and P. Dalpadado. 2014. Effect of increasing sea water $p\text{CO}_2$ on the northern Atlantic krill species *Nyctiphanes couchii*. *Marine Biology* 161:2,359–2,370, <http://dx.doi.org/10.1007/s00227-014-2511-x>.

- Spicer, J.I., S. Widdicombe, H.R. Needham, and J.A. Berge. 2011. Impact of CO₂-acidified seawater on the extracellular acid-base balance of the northern sea urchin *Strongylocentrotus dröebachiensis*. *Journal of Experimental Marine Biology and Ecology* 407:19–25, <http://dx.doi.org/10.1016/j.jembe.2011.07.003>.
- Stemmer, K., G. Nehrke, and T. Brey. 2013. Elevated CO₂ Levels do not affect the shell structure of the bivalve *Arctica islandica* from the western Baltic. *PLoS ONE* 8:e70106, <http://dx.doi.org/10.1371/journal.pone.0070106>.
- Stumpp, M., M.Y. Hu, I. Casties, R. Saborowski, M. Bleich, F. Melzner, and S. Dupont. 2013. Digestion in sea urchin larvae impaired under ocean acidification. *Nature Climate Change* 3:1,044–1,049, <http://dx.doi.org/10.1038/NCLIMATE2028>.
- Stumpp, M., M.Y. Hu, F. Melzner, M. Gutowska, N. Dorey, N. Himmerkus, W.C. Holtmann, S.T. Dupont, M.C. Thorndyke, and M. Bleich. 2012a. Acidified seawater impacts sea urchin larvae pH regulatory systems relevant for calcification. *Proceedings of the National Academy of Sciences of the United States of America* 109(44):18,192–18,197, <http://dx.doi.org/10.1073/pnas.1209174109>.
- Stumpp, M., K. Trübenbach, D. Brennecke, M.Y. Hu, and F. Melzner. 2012b. Resource allocation and extracellular acid-base status in the sea urchin *Strongylocentrotus droebachiensis* in response to CO₂ induced seawater acidification. *Aquatic Toxicology* 110–111:194–207, <http://dx.doi.org/10.1016/j.aquatox.2011.12.020>.
- Swanson, A.K., and C.H. Fox. 2007. Altered kelp (Laminariales) phlorotannins and growth under elevated carbon dioxide and ultraviolet-B treatments can influence associated intertidal food webs. *Global Change Biology* 13:1,696–1,709, <http://dx.doi.org/10.1111/j.1365-2486.2007.01384.x>.
- Talmage, S.C., and C.J. Gobler. 2009. The effects of elevated carbon dioxide concentrations on the metamorphosis, size, and survival of larval hard clams (*Mercenaria mercenaria*), bay scallops (*Argopecten irradians*), and Eastern oysters (*Crassostrea virginica*). *Limnology and Oceanography* 54(6):2,072–2,080, http://wap.aslo.org/lo/toc/vol_54/issue_6/2072.pdf.
- Talmage, S.C., and C.J. Gobler. 2010. Effects of past, present, and future ocean carbon dioxide concentrations on the growth and survival of larval shellfish. *Proceedings of the National Academy of Sciences of the United States of America* 107:17,246–17,251, <http://dx.doi.org/10.1073/pnas.0913804107>.
- Talmage, S.C., and C.J. Gobler. 2011. Effects of elevated temperature and carbon dioxide on the growth and survival of larvae and juveniles of three species of northwest Atlantic bivalves. *PLoS ONE* 6:e26941, <http://dx.doi.org/10.1371/journal.pone.0026941>.
- Thom, R.M. 1996. CO₂ enrichment effects on eelgrass (*Zostera marina* L.) and bull

kelp (*Nereocystis luetkean* (Mert.) P. and R. *Water, Air, and Soil Pollution* 88:383–391.

Thomsen, J., I. Casties, C. Pansch, A. Körtzinger, and F. Melzner. 2013. Food availability outweighs ocean acidification effects in juvenile *Mytilus edulis*: Laboratory and field experiments. *Global Change Biology* 19:1,017–1,027, <http://dx.doi.org/10.1111/gcb.12109>.

Thomsen, J., M.A. Gutowska, J. Saphörster, A. Heinemann, K. Trübenbach, J. Fietzke, C. Hiebenthal, A. Eisenhauer, A. Körtzinger, M. Wahl, and others. 2010. Calcifying invertebrates succeed in a naturally CO₂-rich coastal habitat but are threatened by high levels of future acidification. *Biogeosciences* 7:3,879–3,891, <http://dx.doi.org/10.5194/bg-7-3879-2010>.

Thomsen, J., and F. Melzner. 2010. Moderate seawater acidification does not elicit long-term metabolic depression in the blue mussel *Mytilus edulis*. *Marine Biology* 157:2,667–2,676, <http://dx.doi.org/10.1007/s00227-010-1527-0>.

Troedsson, C., J.-M. Bouquet, C.M. Lobon, A. Novac, J.C. Nejtgaard, S. Dupont, S. Bosak, H.H. Jakobsen, N. Ramanova, L.M. Pankoke, and others. 2013. Effects of ocean acidification, temperature and nutrient regimes on the appendicularian *Oikopleura dioica*: A mesocosm study. *Marine Biology* 160:2,175–2,187, <http://dx.doi.org/10.1007/s00227-012-2137-9>.

Vehmaa, A., A. Brutemark, and J. Engström-Öst. 2012. Maternal effects may act as an adaptation mechanism for copepods facing pH and temperature changes. *PLoS ONE* 7(10):e48538, <http://dx.doi.org/10.1371/journal.pone.0048538>.

Waldbusser, G.G., H. Bergschneider, and M.A. Green. 2010. Size-dependent pH effect on calcification in post-larval hard clam *Mercenaria* spp. *Marine Ecology Progress Series* 417:171–182, <http://dx.doi.org/10.3354/meps08809>.

Waldbusser, G.G., R.A. Steenson, and M.A. Green. 2011a. Oyster shell dissolution rates in estuarine waters: Effects of pH and shell legacy. *Journal of Shellfish Research* 30:659–669, <http://dx.doi.org/10.2983/035.030.0308>.

Waldbusser, G.G., E.P. Voigt, H. Bergschneider, M.A. Green, and R.I. Newell. 2011b. Biocalcification in the eastern oyster (*Crassostrea virginica*) in relation to long-term trends in Chesapeake Bay pH. *Estuaries and Coasts* 34:221–231, <http://dx.doi.org/10.1007/s12237-010-9307-0>.

Walther, K., K. Anger, and H.O. Pörtner. 2010. Effects of ocean acidification and warming on the larval development of the spider crab *Hyas araneus* from different latitudes (54° vs. 79° N). *Marine Ecology Progress Series* 417:159–170, <http://dx.doi.org/10.3354/meps08807>.

Walther, K., F.J. Sartoris, C. Bock, and H.O. Pörtner. 2009. Impact of anthropogenic

ocean acidification on thermal tolerance of the spider crab *Hyas araneus*. *Biogeosciences* 6:2,207–2,215, <http://dx.doi.org/10.5194/bg-6-2207-2009>.

Wangensteen, O.S., S. Dupont, I. Casties, X. Turon, and C. Palacín. 2013. Some like it hot: Temperature and pH modulate larval development and settlement of the sea urchin *Arbacia lixula*. *Journal of Experimental Marine Biology and Ecology* 449:304–311, <http://dx.doi.org/10.1016/j.jembe.2013.10.007>.

White, M.M., D.C. McCorkle, L.S. Mullineaux, and A.L. Cohen. 2013. Early exposure of bay scallops (*Argopecten irradians*) to high CO₂ causes a decrease in larval shell growth. *PLoS ONE* 8:e61065, <http://dx.doi.org/10.1371/journal.pone.0061065>.

White, M.M., L.S. Mullineaux, D.C. McCorkle, and A.L. Cohen. 2014. Elevated pCO₂ exposure during fertilization of the bay scallop *Argopecten irradians* reduces larval survival but not subsequent shell size. *Marine Ecology Progress Series* 498:173–186, <http://dx.doi.org/10.3354/meps10621>.

Widdicombe, S., and H.R. Needham. 2007. Impact of CO₂-induced seawater acidification on the burrowing activity of *Nereis virens* and sediment nutrient flux. *Marine Ecology Progress Series* 341:111–122, <http://dx.doi.org/10.3354/meps341111>.

Wood, H.L., H.N. Sköld, and S.P. Eriksson. 2014. Health and population-dependent effects of ocean acidification on the marine isopod *Idotea balthica*. *Marine Biology* 161:2,423–2,431, <http://dx.doi.org/10.1007/s00227-014-2518-3>.

Wood, H.L., J.I. Spicer, M.A. Kendall, D.M. Lowe, and S. Widdicombe. 2011. Ocean warming and acidification: Implications for the Arctic brittlestar *Ophiocten sericeum*. *Polar Biology* 34:1,033–1,044, <http://dx.doi.org/10.1007/s00300-011-0963-8>.

Wood, H.L., J.I. Spicer, D.M. Lowe, and S. Widdicombe. 2010. Interaction of ocean acidification and temperature: The high cost of survival in the brittlestar *Ophiura ophiura*. *Marine Biology* 157:2,001–2,013, <http://dx.doi.org/10.1007/s00227-010-1469-6>.

Xu, Z., D. Zou, and K. Gao. 2010. Effects of elevated CO₂ and phosphorus supply on growth, photosynthesis and nutrient uptake in the marine macroalga *Gracilaria lemaneiformis* (Rhodophyta). *Botanica Marina* 53:123–129, <http://dx.doi.org/doi:10.1515/BOT.2010.012>.

Yamada, Y., and T. Ikeda. 1999. Acute toxicity of lowered pH to some oceanic zooplankton. *Plankton Biology & Ecology* 46(1):62–67, http://www.plankton.jp/PBE/issue/vol46_1/vol46_1_062.pdf.

Yang, G., and K. Gao. 2012. Physiological responses of the marine diatom *Thalassiosira pseudonana* to increased pCO₂ and seawater acidity. *Marine Environmental Research* 29:142–151, [10.1016/j.marenvres.2012.06.002](http://dx.doi.org/10.1016/j.marenvres.2012.06.002).

Yang, Y.L., W. Li, W.Z. Chen, and J.T. Xu. 2013. Photosynthetic responses to solar UV radiation of *Gracilaria lemaneiformis* cultured under different temperatures and CO₂ concentrations. *Acta Ecologica Sinica* 33:5,538–5,545.

Yildiz, G., L.C. Hofmann, K. Bischof, and S. Dere. 2013. Ultraviolet radiation modulates the physiological responses of the calcified rhodophyte *Corallina officinalis* to elevated CO₂. *Botanica Marina* 56:161–168, <http://dx.doi.org/10.1515/bot-2012-0216>.

Zervoudaki, S., C. Frangoulis, L. Giannoudi, and E. Krasakopoulou. 2014. Effects of low pH and raised temperature on egg production, hatching and metabolic rates of a Mediterranean copepod species (*Acartia clausi*) under oligotrophic conditions. *Mediterranean Marine Science* 15:74–83, <http://dx.doi.org/10.12681/mms.553>.

Zhang, D., S. Li, G. Wang, and D. Guo. 2011. Impacts of CO₂-driven seawater acidification on survival, egg production rate and hatching success of four marine copepods. *Acta Oceanologica Sinica* 30(6):86–94, <http://dx.doi.org/10.1007/s13131-011-0165-9>.

Zimmerman, R.C., D.G. Kohrs, D.L. Steller, and R.S. Alberte. 1997. Impacts of CO₂ enrichment on productivity and light requirements of eelgrass. *Plant Physiology* 115:599–607, <http://dx.doi.org/10.1104/pp.115.2.599>.

Zittier, Z.M., T. Hirse, and H.O. Pörtner. 2013. The synergistic effects of increasing temperature and CO₂ levels on activity capacity and acid–base balance in the spider crab, *Hyas araneus*. *Marine Biology* 160:2,049–2,062, <http://dx.doi.org/10.1007/s00227-012-2073-8>.

Zou, D., K. Gao, and Z. Ruan. 2007. Daily timing of emersion and elevated atmospheric CO₂ concentration affect photosynthetic performance of the intertidal macroalga *Ulva lactuca* (Chlorophyta) in sunlight. *Botanica Marina* 50:275–279, <http://dx.doi.org/10.1515/BOT.2007.031>.