

A comprehensive mechanism for hotel recommendation to achieve personalized search engine

Ying Huang, Hong-Yu Zhang* and Jian-Qiang Wang
School of Business, Central South University, Changsha, China

Abstract. Search engines are as important as recommender systems for hotel selections. However, the recommended lists of search engines are usually non-personalized and low accuracy. In order to deal with these issues in search engines, a comprehensive mechanism for hotel recommendation is proposed. In this mechanism, we consider users' personalized preferences by identifying users' attributes about interest, trust and consumption capacity. Meanwhile, the quantification method for each attribute is presented by using fuzzy theory. Moreover, this paper improves the method to evaluate the hotel, which respects to the criteria price, rating, and online review by using fuzzy theory. In addition, this proposed approach uses TOPSIS, a classical multi-criteria decision making method, to improve the accuracy further. Finally, a case study is conducted based on Tripadvisor.com to illustrate the validity of the proposed method for hotel recommendation in search engines. The results of the case study indicate that it not only solves the problem of non-personalization, but also improves the accuracy in search engine.

Keywords: Hotel recommendation, TOPSIS method, search engine, online reviews, price

1. Introduction

The development of electronic-commerce (e-commerce) and social media has changed users' styles for booking hotels. Tourists are accustomed to booking hotels in advance on e-commerce platforms, such as HolidayInn.com, ctrip.com and so on. However, the large quantity, varied prices and ragged quality of hotels make it is difficult for users to find satisfactory hotels. Recommender systems can filter the vast amount of information in networks to assist consumer in making the best choices [1–6]. Besides the recommender systems, search engines are the other common tools to filter information and recom-

mend items on e-commerce platforms for consumers. Both recommender systems and search engines can augment the possibility of online purchasing.

At present, most of the researches focus on recommender systems, few of them study how to improve search engines. However, there are some obvious issues in search engines. Usually, search engines cannot provide personalized recommended lists. Nevertheless, the item recommendations by search engines are mainly based on the ratings. Besides, even if consumers are not satisfied with the items, they still tend to give high scores due to the consumers' rating habits or in order to avoid malicious harassment caused by giving low scores. It causes most the ratings of items are concentrated in 4 or 5 (on the 1–5 scale). Traditional recommendation methods usually use the average ratings to rank hotels, and the difference of average ratings among hotels

*Corresponding author. Hong-Yu Zhang, School of Business, Central South University, Changsha 410083, China. Tel.: +86 731 88830594; Fax: +86 731 88710006; E-mail: hyzhang@csu.edu.cn.

is often slight. In the circumstances, it is difficult to distinguish the quality of hotels [7] on the basis of average ratings, which in turn causes low accuracy of the recommendations for search engines. In this study, we will propose a new method to deal with the ratings and a comprehensive hotel recommendation method to improve the performance of search engines.

The basic framework of consumer's purchasing decision-making in the context of online shopping is same with that of off-line way. The decision-making process of items selection is the most critical stage in the process of consumer's online shopping [8]. At this stage, consumers need to compare, analyze and evaluate the selected items according to the purchase criteria, so that they can make a judgment of the quality of the items, to generate the final evaluation. The researches of the current recommendation methods often focus on the demand evoking part, which ignore the process of consumer decision. With respect to search engines, consumers provide their demands directly by entering keywords. Therefore, there is a relatively low requirement on identifying the demands of consumers. In addition, decision-making process of items selection is more important in the methods for search engines than in the traditional recommendation methods. In this study, we will ameliorate search engines by researching decision-making process of items selection.

The decision-making process of items selection is influenced by many factors for consumers [9–11]. The rating toward item is the most used criterion for item selection [12, 13]. However, most studies use only a comprehensive score, which results in a serious loss of information [14, 15]. In recent years, with the development of text analysis technology, several researches have combined ratings and online reviews to select items [16, 17].

As online reviews are in the form of text, which contain more information than ratings, more and more scholars have studied the impact of online reviews and applied them to improve the performance of recommender systems [18–21]. Most of them utilize online reviews to identify users' or items' preferences by identifying keywords in online reviews, then use these keywords as the properties of items or users [22, 23]. Some other researches use online reviews to evaluate items [24]. Zhang et al. [25] proposed a methods to quantify online reviews by using neutrosophic theory. In their study, they did not translate online reviews into the neutrosophic numbers actually, but translated ratings into interval-valued

neutrosophic numbers instead. In this study, on the basis of research in [25], we will use the sentiment analysis technology to transform online reviews into single valued neutrosophic numbers (SVNNs).

Apart from ratings and online reviews, it has been proved that price is a pivotal factor that influences consumers' decision-making [26–30]. Few studies have applied the price in product or hotel recommendation. Largely because of regional economy and personal incomes, different consumers may have different opinions on the question whether the price of a hotel is expensive or not. The result is that it cannot directly rely on the value of the price to evaluate or recommend hotel. Besides, due to the impact of various factors, such as social position, vanity and income, different consumers have different preferences for products' prices. One point to be sure is that, for the same consumer, his consumption capacity will be consistent for a long time. The higher the similarity between the hotel's price and customer's consumption capacity, the greater the likelihood for the hotel to be booked by the customer.

Based on the researches outlined above, in the decision-making process of item selection, we will combine the impact of rating, online reviews, as well as price to improve the accuracy of search engine.

In the hotel recommendation field, some studies are devoted to the excavation of hotel evaluation rules. Yu and Chang [31] designed a hotel evaluation rule with five criteria including distance, traveler preference, room rate, facilities, and rating these five criteria. Levi et al. [32] mined hotel reviews to determine the importance of each criterion of hotels. Some literatures designed personalized hotel recommendation methods by giving different weights for different criteria based on the target user's personalized preference [33, 34]. Nevertheless, most existing researches give the same weights for all users who have comment on the hotels. Actually, for a target user, the ratings and online reviews of similar users have more influence than those of dissimilar users. Therefore, in this study, we need to mine users' preferences, to identify similar group, to adjust the weights of groups with different similarities to target user in terms of ratings and online reviews, and to deal with the problem of non-personalization in search engine.

Fuzzy tools have been used to model uncertain and vague preferences in recommender systems [34, 35]. Usually, the fuzzy sets used in different studies are different because of the different data forms and recommendation strategies. Combining the features of the collected data and the feature of each fuzzy set,

this paper will use the appropriate fuzzy set to quantify prices, ratings, and online reviews. The form of information about each criterion to evaluate hotels is different, so the method of quantification varies considerably with criteria. For this reason, aggregating the criterion evaluation values directly to sort hotels is not efficient. We could rank hotels and recommend them by using the TOPSIS (Technique for Order Preference by Similarity to Solution) method, to solve the multi-criteria decision making problems [36–39].

The remainder of this paper is organized as follows. In Section 2, we briefly review some basic concepts related to this study. Section 3 proposes a comprehensive

sive mechanism for hotel recommendation. To verify the feasibility of the method, Section 4 conducts a case study using data from TripAdvisor.com. Finally, Section 5 concludes the study and suggests directions for future research.

2. Basic concepts

In this section, we briefly review the definitions of the intuitionistic fuzzy set (IFS), the single valued neutrosophic set (SVNS), and the hesitant fuzzy linguistic term set (HFLS), as well as their operations and distance methods. These definitions will be used in the proposed hotel recommendation method.

Definition 1. [40] Let X be a nonempty classical set, $X = \{x_1, x_2, \dots, x_n\}$, the intuitionistic fuzzy set defined on X is represented as: $A = \{\langle x, \mu_A(x), \nu_A(x) \rangle | x \in X\}$, where $\mu_A(x) : X \rightarrow [0, 1]$ and $\nu_A(x) : X \rightarrow [0, 1]$ are the membership degree and non-membership degree of A , and $0 \leq \mu_A(x) + \nu_A(x) \leq 1$.

For every IFS on X , $\pi_A(x) = 1 - \mu_A(x) - \nu_A(x)$ is the intuitionistic index of the element x in A , and $0 \leq \pi_A(x) \leq 1$, $x \in X$.

Definition 2. [40] Let $A = \{\langle x, \mu_A(x), \nu_A(x) \rangle | x \in X\}$, and $B = \{\langle x, \mu_B(x), \nu_B(x) \rangle | x \in X\}$ be two IFSs on X , the operations of A and B are defined as:

- 1) $A + B = \{\langle x, \mu_A(x) + \mu_B(x) - \mu_A(x)\mu_B(x), \nu_A(x)\nu_B(x) \rangle | x \in X\}$,
- 2) $A \cdot B = \{\langle x, \nu_A(x) + \nu_B(x) - \nu_A(x)\nu_B(x), \mu_A(x)\mu_B(x) \rangle | x \in X\}$.
- 3) $\lambda \cdot A = \{\langle x, 1 - (1 - \mu(x))^\lambda, 1 - (1 - \nu_A(x))^\lambda \rangle | x \in X\}$,
- 4) $A^\lambda = \{\langle x, \mu_A^\lambda(x), \nu_A^\lambda(x) \rangle | x \in X\}$.

Definition 3. [41] Let $A = \{\langle x, \mu_A(x), \nu_A(x) \rangle | x \in X\}$, $B = \{\langle x, \mu_B(x), \nu_B(x) \rangle | x \in X\}$ are two IFSs on X , then the normalized Euclidean distance between A and B can be defined as:

$$d_{IFS}(A, B) = \sqrt{\frac{1}{2n} \sum_{i=1}^n ((\mu_A(x) - \mu_B(x))^2 + (\nu_A(x) - \nu_B(x))^2 + (\pi_A(x) - \pi_B(x))^2)} \quad (1)$$

Definition 4. [42] Let X be a universe of discourse, then single valued neutrosophic set a in X is defined as: $a = \{\langle x, T_a(x), I_a(x), F_a(x) \rangle | x \in X\}$. $T_a(x)$, $I_a(x)$, $F_a(x)$ are the degrees of truth-membership, indeterminacy-membership and falsity-membership, respectively. The values of $T_a(x)$, $I_a(x)$ and $F_a(x)$ lie in $[0, 1]$, for all $x \in X$. The element in set a is called single valued neutrosophic number (SVNN).

Definition 5. [43] Let A and B be two SVNNs, for any $x \in X$, there are some operations, and defined as:

- 1) $A + B = \langle T_A + T_B - T_A T_B, I_A + I_B - I_A I_B, F_A + F_B - F_A F_B \rangle$,
- 2) $A \cdot B = \langle T_A T_B, I_A I_B, F_A F_B \rangle$,
- 3) $\lambda \cdot A = \langle 1 - (1 - T_A)^\lambda, 1 - (1 - I_A)^\lambda, 1 - (1 - F_A)^\lambda \rangle$, and
- 4) $A^\lambda = \langle T_A^\lambda, I_A^\lambda, F_A^\lambda \rangle$.

Definition 6. [44] Let A and B be two SVNNs, then the Euclidean distance between A and B is defined as:

$$d_H(A, B) = \sqrt{\frac{1}{3} ((T_A - T_B)^2 + (I_A - I_B)^2 + (F_A - F_B)^2)} \quad (2)$$

Definition 7. [45] introduced a subscript-symmetric linguistic evaluation scale, which can be defined as follows: $S = \{s_{-\tau}, \dots, s_{-1}, s_0, s_1, \dots, s_\tau\}$.

Definition 8. [45] Let s_a and s_b be two linguistic terms, then the distance measure between s_a and s_b is:

$$d(s_a, s_b) = \frac{|a - b|}{2\tau + 1}. \quad (3)$$

Definition 9. [46] $S = \{s_{-\tau}, \dots, s_{-1}, s_0, s_1, \dots, s_{\tau}\}$ is a linguistic scale set including $2\tau + 1$ linguistic terms, then a set of finite ordered elements in the set S is called a hesitant fuzzy linguistic term set (HFLS), denoted as H_S : $H_S = \{s_{\beta i} | s_{\beta i} \in S, i = 1, 2, \dots, n\}$, $s_{\beta i}$ is a linguistic term, an element in H_S . βi is the subscript of $s_{\beta i}$, and $-\tau \leq \beta i \leq \tau$. n represents the number of elements in H_S .

Definition 10. [47] Let H_s^1 and H_s^2 be two HFLSs, the Hamming distance between H_s^1 and H_s^2 is defined as:

$$d(H_s^1, H_s^2) = \frac{1}{n} \sum_{j=1}^n \frac{|\alpha_j - \beta_j|}{2\tau + 1}, \quad (4)$$

when the numbers of elements in two sets are different, complement the set with fewer elements.

3. A comprehensive mechanism for hotel recommendation

In this section, we propose a comprehensive hotel recommendation method to improve the performance of search engine. The framework of the proposed method is shown as Fig. 1.

The details of the proposed method will be expatiated in the rest of this section.

3.1. The quantification of user attribute

In a socialized business environment, users' data have increased exponentially. User's purchasing records, browsing records, ratings, online reviews, tags and other data, to some extent, reflect user's interest, trust, consumption capacity and other personalized information. How to utilize massive unstructured information, to mine user's attribute information accurately and effectively is one of the key issues in this study. In this part, we will introduce the quantification methods for user's attributes in detail.

User interest. User interest directly reflects consumer's purchase preference. Mining users' interest




Fig. 1. The framework of the proposed method.

is one of the indispensable steps to provide users with accurate recommendations. This study will extract user interest attribute from user's purchasing records and online reviews.

The steps of interest recognition are as follows.

- (i) For user u , gather all titles of hotels user u stayed and user's online reviews to form a long text, denoted as T_u .
- (ii) For each long text, eliminate irrelevant words such as stop words and so on, and carry out word segmentation and word frequency statistics. Then, classify the high-frequency words. Because the same interest can be expressed in different ways, it is necessary to sort out the high-frequency words further: classify synonyms into one category, and use each category vocabulary as a feature of user u 's interest, the feature of user's interest denoting as f_u .
- (iii) For each T_u , count the frequency of each feature f_u appearing in the text T_u , and denote as $freq_u$. Thus, the interest attribute for user u can be represented by the collection of all the features, represented as $F(u) = \{f_{u1}, f_{u2}, \dots, f_{ui}, \dots, f_{un}\}$, where f_{ui} is the i th feature of interest for user u , $freq(u) = \{freq_{u1}, freq_{u2}, \dots, freq_{ui}, \dots, freq_{un}\}$ is a set of the frequency corresponding to the feature $F(u)$.

User trust. At present, the number of users on e-commerce websites is huge. Some users are false




Fig. 2. The mechanism to evaluate user's trust on Tripadvisor.com.

users, whose purchasing and comment behaviors are irregular and untruthfulness. The online reviews and ratings of these users are unconvincing. Their trust degrees are low, and the recommendations based on the historic records of them are inaccurate. The lower the trust of user, the lower the reliability of the user, and the lower the accuracy of the recommendation based on his historic records. Therefore, the trust of user is also important to the identification of similar group, and the users in similar group are with a high degree of trust. Many e-commerce platforms have the mechanisms to evaluate user's trust, for example, Fig. 2 shows the mechanism to evaluate user's trust on Tripadvisor.com. The more the number of "helpful votes" a single review gets, the more the trustworthy the user possesses. By comparison, some e-commerce platforms do not have the mechanisms to evaluate user's trust.

For the former, there is the standardization of user's trust:

$$trust_u = \frac{t_u}{max(t)}, \quad (5)$$

where t_u is the trust of user u on the e-commerce platform, $\max(t)$ is the maximum value in all users' trust. For the latter, the trust quantitative method needs to be further studied in the future.

User consumption capacity. Similar users have similar consumption capacities. User's consumption capacity can be reflected by the prices of hotels user has stayed. In this study, we will utilize linguistic term sets to express users' consumption capacities.

Firstly, assume that there is a set L of nine linguistic terms S to depict the price, where $L = \{s_{-4}, s_{-3}, s_{-2}, s_{-1}, s_0, s_1, s_2, s_3, s_4\}$, where



Fig. 3. Keywords represented user's interests.

s_{-4} = “Incomparable Cheap”, s_{-3} = “Significantly Cheap”, s_{-2} = “Cheap”, s_{-1} = “Somewhat Cheap”, s_0 = “Medially”, s_1 = “Somewhat Expensive”, s_2 = “Expensive”, s_3 = “Significantly Expensive” and s_4 = “Certainly Expensive”.

Secondly, collect the price distributions of different cities, and divide the prices of hotels in each city into 9 levels corresponding to linguistic terms S . For the same city, the higher the price of hotel user booked, the stronger the consumption capacity of user. Finally, for each user, consumption capacity is denoted as H_u in the form of linguistic term sets.

3.2. The definition of similar group

In this study, we identify consumers with high similarity in terms of interest, trust, and consumption capacity as similar group, and they tend to have a similar purchasing preference.

(1) Generally, the more similar the characteristics of hotels and the aspects when commenting on hotels, the higher the preference similarity between users. The interest preference similarity between target user u and the user v can be computed as follow:

$$Sim_int(u, v)$$

$$= \begin{cases} \frac{\sum_{j=1}^m (1 - |freq_{uj} - freq_{vj}|)}{\max(N_u, N_v)}, & N_u \neq 0 \text{ and } N_v \neq 0, \\ 0, & N_u = 0 \text{ or } N_v = 0 \end{cases} \quad (6)$$

where N_u , N_v are the numbers of interest features for user u and user v ; j denotes the j th common interest feature for user u and user v ; m is the total number of common interest features for user u and user v , $freq_{uj}$ and $freq_{vj}$ are the frequencies of the j th common interest feature in user u and user v interest features, respectively.

(2) The greater the value of user's trust, the more the target user trusts another user, which means the higher the trust similarity degree between target user and the other user. In addition, the greater the trust value of the target user himself, the higher the requirement in trust for the users in the similar group. The method of calculating the trust similarity is shown as:

$$\begin{aligned} Sim_trust(u, v) \\ = \frac{(1 + \min(trust_u, trust_v)) \times trust_v}{1 + trust(u)}, \end{aligned} \quad (7)$$

where $trust_u$, and $trust_v$ denote the trust degrees of user u and user v , $\min(trust_u, trust_v)$ is the minimum value in $trust_u, trust_v$.

(3) For user u and user v , their consumption capacities are denoted as H_u and H_v , then the consumption capacity similarity between them is defined as

$$sim_c(H_u, H_v) = 1 - d(H_u, H_v). \quad (8)$$

Then, for user u and user v , the comprehensive similarity is calculated as follow:

$$\begin{aligned} Sim_all(u, v) \\ = \frac{Sim_int(u, v) + Sim_trust(u, v) + Sim_c(H_u, H_v)}{3}. \end{aligned} \quad (9)$$

According to the comprehensive similarity of users, we divide the users into three groups:

- Similar group (G_1): the user whose user similarity is higher than θ_1 is a member of similar group.
- Weak similar group (G_2): the user whose user similarity is less than θ_1 and higher than θ_2 is a member of weak similar group.
- Dissimilar group (G_3): the user whose user similarity is less than θ_2 is a member of dissimilar group.

The equation to identify each group is as follows:

$$G_1 = \{v | sim_all(u, v) > \theta_1\}, \quad (10)$$

$$G_2 = \{v | \theta_2 < sim_all(u, v) < \theta_1\}, \quad (11)$$

$$G_3 = \{v | sim_all(u, v) < \theta_2\}. \quad (12)$$

In this study, for G_1, G_2, G_3 , the weight of each group is defined as follow:

$$w_i = \frac{sim_average(u, G_i)}{\sum_{i=1}^3 sim_average(u, G_i)}, \quad (13)$$

where user u is the target user, $sim_average(u, G_i)$ is the average of the similarities between members in group G_i and the target user.

3.3. The quantification of hotel evaluation criteria

In order to improve the accuracy of recommendations, this study comprehensively considers three factors, which are rating, online reviews and price as hotel evaluation criteria.

Rating. The rating reflects the satisfaction degree of a user towards a hotel. For a hotel, some users rate it with high value, while others give low ratings. Simply seeking the average rating of all users just reflects little information. In order to retain the rating preferences of different users for the hotel as much as possible, for each group, we use an intuitive fuzzy number to express the satisfaction of group towards hotel.

$$IF(G_i) = \{\langle \mu(G_i), \nu(G_i) \rangle\}. \quad (14)$$

In most of the electronic commerce platforms, the rating scale ranges from 1 to 5. A score of 4 or 5 represents that the user likes the hotel, and a score of 1 or 2 represents that the user does not like the hotel. Therefore, when the scale is in the range of 1 to 5, the ratios of ratings above 3 and less than 3 in the group indicate that the degree of membership and the degree of non-membership towards hotel. G_1 represents similar groups. G_2 means weak similar group and G_3 means dissimilar group.

Compared to users with low similarity, users with high similarity have a greater impact on the purchasing decision of target user. The ratings and online reviews of similar group are more important than those of weak similar group or dissimilar group are. For each group (G_1, G_2, G_3), we can calculate their weights based on Equation (13). By giving different groups different weights, it not only makes the result more accurate than directly calculating the average of all users' ratings and online reviews, but also makes the recommendation result personalized.

The comprehensive rating for all users towards the hotel is $IF(G)$:

$$IF(G) = \sum_{i=1}^3 w_i IF(G_i). \quad (15)$$

Online reviews. Because one online review may have positive, neutral and negative evaluations at the same time. In order to depict online reviews appropriately and reduce the loss of information, we use single valued neutrosophic numbers to express online reviews. According to the definition of SVNNS, the online review of user u on the hotel i is expressed as $\tilde{R}_{ui} = \langle T_{ui}, I_{ui}, F_{ui} \rangle$. T indicates the positive degree of the positive online review, and I indicates the neutral degree of the neutral online review and F indicates the negative degree of the negative online review.

Further, we regard all users in the same group as one virtual user. Then the online reviews of users in the same group are regarded as one online review. The online review for group G_i is denoted as:

$$\tilde{R}(G_i) = \langle T(G_i), I(G_i), F(G_i) \rangle. \quad (16)$$

Then all users' online reviews are calculated as:

$$\tilde{R}(G) = \sum_{i=1}^3 w_i \tilde{R}(G_i). \quad (17)$$

Price. The quantitation method of price is similar to that of consumption capacity in Section 3.1. First, define the set of linguistic terms that represent the price. Assume that there is a set S of nine linguistic terms to depict the price, where $S = \{s_{-4}, s_{-3}, s_{-2}, s_{-1}, s_0, s_1, s_2, s_3, s_4\}$, s_{-4} = "Incomparable Cheap", s_{-3} = "Significantly Cheap", s_{-2} = "Cheap", s_{-1} = "Somewhat Cheap", s_0 = "Medially", s_1 = "Somewhat Expensive", s_2 = "Expensive", s_3 = "Significantly Expensive" and s_4 = "Certainly Expensive". Then, collect the price distribution of hotels in each city, and divide the price into 9 levels corresponding to the price linguistic term of each city. The price of each hotel can be expressed as a linguistic term, and denoted as s_β . Let the evaluation of price for hotel i be denoted as P_i :

$$P_i = 1 - \frac{|s_\alpha - s_\beta|}{9}, \quad (18)$$

where s_α is a linguistic term, α is the average value of subscripts in the linguistic term set which

is used to express the target user's consumption capacity.

3.4. The model of recommendation based on TOPSIS

Because the expressions of three criteria to evaluate hotels are different, criterion values cannot be aggregated directly by aggregation operators. The TOPSIS method aggregates all criteria based on distance measure, and sorts the alternatives according to the degree of closeness. There is no special requirement for the data form of each criterion value. In this part, we will sort hotels by TOPSIS method and form final recommended list. The following are the steps:

(1) Obtain the positive ideal solution and the negative ideal solution.

The positive ideal solution consists of the positive ideal value of each criterion, and the negative ideal solution consists of the negative ideal value of each criterion. For the criterion of rating, the positive ideal value is $\langle 1, 0 \rangle$, which means all users have high ratings on hotel (4 or 5, in a scale of 1–5). For the criterion of online review, the positive ideal value is $\langle 1, 0, 0 \rangle$, which means all online reviews contains only positive comments, in which the positive-membership degree of the online review is equal to 1. For the criterion of price, the positive ideal value is 1, which means the similarity between the price of hotel and the consumption capacity of user is 1. The negative ideal value is completely opposite to the positive ideal value under each criterion.

Then, the positive ideal solution A^+ and the negative ideal solution A^- are described as follows:

$$A^+ = \{ \langle 1, 0 \rangle, \langle 1, 0, 0 \rangle, 1 \}, \quad (19)$$

$$A^- = \{ \langle 0, 1 \rangle, \langle 0, 1, 1 \rangle, 0 \}. \quad (20)$$

(2) Calculate the distance. For each alternative hotel, calculate the distance between each alternative and the positive ideal solution D_i^+ , as well as the distances between each alternative and the negative ideal solution D_i^- . For the criteria rating, online reviews and price, the distances can be calculated based on Equations (1, 2 and 4).

(3) Calculate the *Close Index* C_i .

$$C_i = \frac{D_i^-}{D_i^+ + D_i^-}. \quad (21)$$

Rank hotels based on *Close Index*. The greater the value of hotel's *Close Index*, the higher the

recommended ranking of hotel. Then recommend the hotels to the target user u based on the new ranking list.

3.5. The process of recommendation

In this part, we will introduce the process of mechanism for hotel recommendation to achieve personalized search engine based on the researches we had discussed. The proposed approach is comprised of the following steps:

Step 1: Obtain the alternative hotels. Using search engine on e-commerce platform to filter the hotels based on the keywords entered by the target user.

Step 2: Identify similar group for the target user. According to the user's historical records and the similar group identification method proposed in 3.2. For each pair of users, calculate the similarity using Equations (6–9), and divide users into three groups.

Step 3: Calculate the weight of each group according to Equation (13).

Step 4: Calculate hotel evaluation values under three criteria: price, rating, online review based on the methods proposed in Section 3.3.

Step 5: Use the TOPSIS method to rank the alternatives according to Section 3.4. Bigger values of *Close Index* are associated with higher ranking.

Step 6: Recommend the hotels based on the ranking list in step 5 to the target user.

4. A case study based on Tripadvisor.com

A case study is conducted in order to validate the efficiency and applicability of the proposed method on e-commerce website recommender problems.

4.1. Dataset

In this section, we use the data collected from Tripadvisor.com, which is a travel-sharing site where users can comment on hotels they have lived in, attractions they have visited and foods they have eaten. In this case study, we assume that the target user's demand is to order a hotel in London by searching for the keyword "London hotel". Then we randomly select 10 hotels in the recommended list of

Table 1
Alternative hotels for recommendation

Hotel	R1	R2	price	Pi	rating
Hotel 41	1	1	4274	s_2	5
Milestone Hotel	2	3	6978	s_4	5
Montcalm Hotel	3	8	2891	s_2	5
Haymarket Hotel	4	10	14937	s_4	5
Four Seasons Hotel	5	15	7408	s_4	5
The Dorchester	6	37	5783	s_3	5
The Capital Hotel	7	42	3070	s_1	5
Ampersand Hotel	8	47	2795	s_0	4.5
Venture Hostel	9	690	241	s_{-4}	3.5
Euro Queens Hotel	10	922	430	s_{-4}	2.5

Table 2
A sample of users' information

User	number	vote	t_u	$trust_u$
brooket986	3	1	0.3333	0.0238
chickenlips	2	2	1	0.0714
Zena B	13	12	0.9231	0.0659
...
Ronae F	1	0	0	0

search engine as alternative hotels and collect basic information about 10 hotels. For each hotel, we collect 20 users' ratings and online reviews. We use these data as the test set. Besides, we collect user's information and historical comment records about hotels for each user, which are used as the training set.

Table 1 displays the 10 hotels' information. The first column is the name of hotel, the second one is hotel's ranking in 10 hotels, the third column is hotel's ranking in all London' hotels based on search engine, the fourth one is hotel's price, and the sixth one is hotel's overall rating. Table 2 shows the user' information, in which the first column is user's name, the second column is the number of hotels that the user comments, the third column is the number of other users that consider the user's comments is helpful, the fourth and fifth columns are the original and standardized trusts of user on Tripadvisor.com. Table 3 is a sample about the detailed records of users' comments on hotels. Since there is too much text in online reviews and hotels descriptions, it is not shown here. In Table 3, the first column is user's ID, the second column is the hotel the user commented on, the third column shows user's rating to the hotel and the fourth and fifth columns show the price and city of hotel.

4.2. Result

Firstly, we identify users' attributes of interest, trust and consumption capacity, respectively. The

Table 3

A sample about the detail records of users commented on hotels

User ID	hotel	rating	price	City of hotel
3	Oakley Hall Hotel	4	1393	Hampshire
3	The Savoy	5	3579	London
3	Flemings Mayfair	5	2100	London
5	Kahala Hotel	5	3876	Honolulu
5	Milestone Hotel	5	3093	London
...
198	Disneyland Hotel	5	1585	Hong Kong
198	Hotel Boss	3	542	Singapore




Fig. 4. The hotel's price distribution.

trust attribute has been standardized according to the third column in Table 2 and the standardized trust for user is shown in the fourth column in Table 2. Based on the online reviews and hotels descriptions, the keywords used to represent the users' interests are displayed in Fig. 3, the larger the size of a word, the higher the frequency.

The consumption capacity of the user can be obtained from the data in the fourth column in Table 3. We compare the hotel's price distribution in several cities, as Fig. 4. It is obvious that the price distributions in different cities are evidently distinct, the linguistic terms corresponding to the same price may be different.

Then for each user, we calculate the similarity with other users based on Equations (6–9) proposed in Section 3.3. A part of the results is shown in Table 4. The first column is the users' ID, the second to fourth columns are these users' similarities with user 1 in interests, trust, and consumption capacity. The fifth column is the overall similarity. Because user 1 has no historical records, the similarities between him and the others in interests and consumption capacity are zero.

Table 4

A part of results about the user similarity

User ID	S1	S2	S3	S4
2	0	0.0714	0	0.02381
3	0	0.0659	0	0.021978
4	0	0.1428	0	0.047619
5	0	0.0396	0	0.013228

Table 5

The results about similarity groups

User ID	G1	G2	G3
1	2,3,9,13,14,19	5,8,11,12,16,18	4,6,7,10,15,17,20
2	1,3,9,13,14,19	5,8,11,12,16,18	4,6,7,10,15,17,20
3	2,3,5,7,14,20	6,8,9,12,13,19	4,10,11,15,16,17,18

Table 6

The ranking of each hotel for users

User ID	Hotel									
	1	2	3	4	5	6	7	8	9	10
1	4	7	1	8	6	5	3	2	9	10
2	4	7	1	8	6	5	3	2	9	10
3	4	8	2	7	6	5	1	3	9	10
4	4	7	1	8	6	5	3	2	9	10
5	1	5	4	6	8	2	3	7	9	10
28	5	2	7	3	4	1	6	8	9	10
43	4	7	1.5	6	8	5	3	1.5	9	10
65	4	7	3	8	6	5	1	2	9	10
97	3	4	7	2	5	1	6	8	9	10
101	1	5	8	6	4	2	3	7	9	10
121	4	6	1	7	8	5	3	2	9	10
141	4	8	1	7	6	5	3	2	9	10
161	6	8	1	4	10	7	5	3	2	9
181	5	10	3	8	9	7	6	4	2	1

Then, for a target user, for each item, the users who have evaluated the hotel can be divided into three groups. A part of the results is displayed in Table 5. Similarly, the first column is user ID, the second to the fourth column are the users belongs to similar group, weak similar group and dissimilar group, respectively.

Then based on the method proposed in Section 3.4, each user can obtain a personalized recommended list for hotel. The details are display in Table 6. In Table 6, rows 2 to 6 are 10 hotels' rankings for users 1 to 5 who booked the 41 hotel. For each of the remaining nine hotels, we select one user who have commented on the hotel, and display the 10 hotels' ranking for these users as rows 7 to 15. In search engine, the ranking of these 10 hotels is $\{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$ for all users. The result in Table 6 indicates that the ranking lists of these 10 hotels for most users are different.




Fig. 5. The *Precision* with the change of n .

4.3. Discussion

From Tables 4 to 6, for all users, the proposed method has the ability to calculate their similarities with other users, to identify their similar groups and to provide them a personalized recommended list. The feasibility of proposed hotel recommendation method has been illustrated. What's more, the results in Table 6 illustrate that the proposed mechanism used for search engine can provide personalized list for users.

In the next step, we will discuss the accuracy of the proposed method. In this study, we use the index of *Precision* to measure the accuracy. *Precision* is the ratio of the items the user liked to all the recommended items in the recommended items [48]. Because in the test set, only one hotel per user has been ordered, there is a fine-tuning for the definition of *Precision*. In this study, we consider the recommendation is successful when the ranking of hotel user ordered is top- n (where n is the threshold) among all hotels. Therefore, the *Precision* is the percentage of providing successful recommendation to all users. The calculation of *Precision* is shown as:

$$Precision = \frac{N(s)}{N}, \quad (22)$$

where $N(s)$ is the number of providing successful recommendation, and N is the total number of providing recommendation.

We calculate the *Precision* of the proposed method (model 1) and search engine currently used in Tripadvisor.com (model 2). Figure 5 exhibits the *Precisions* with the change of n for two methods.

From Fig. 5, it is obvious that the *Precisions* of the proposed method are always greater than that of model 2. That is to say, the accuracy of the proposed method is improved comparing to the search engine currently used in Tripadvisor.com.




Fig. 6. The *precision* after eliminating the users who ordered the top- α hotels.

The hotel's ranking in search engine will remain the same for a long period. For the user we collected, the accuracy of model 1 for users who booked top hotels is always higher than that for the user who booked bottom hotels. For instance, for users who booked hotel 1, the *Precision* of model 2 is equal to 1, while the *Precision* of model 2 for users who booked hotel 10 is equal to 0. The *Precision* is extremely unstable for users with different preferences on booking hotels. Therefore, we analyze the *Precision* for different users with different preferences. Figure 6 shows the *Precision* after eliminating the users who ordered the top- α hotels (where α is a threshold). For example, when $\alpha = 1$, it means that we just calculate the *Precisions* for users who booked hotels 2 to hotel 10. The results of Model 1(a) and model 2(a) show the *Precisions* for model 1 and model 2 respectively when the value of n is 5. The results of Model 1(b) and model 2(b) show the *Precisions* for model 1 and model 2 respectively when the value of n is 3. The results of model 1(c) and model 2(c) show the *Precisions* for model 1 and model 2 respectively when the value of n is 1. Consistent with the results in Fig. 5, the *Precisions* of the proposed method are always greater than those of search engine used in Tripadvisor.com whatever the value of n or α is. In Fig. 6, we can observe that the *precisions* are zero for the users who prefer the bottom-5 hotel whatever the value of n is. However, the proposed method has stable performance. The result further proves the deficiency of the hotel recommended list generated by search engine, and indicates that the proposed method can provide users accurate and personalized hotel recommended list.

To go a step further, we discuss the accuracy for cold start users. The *Precisions* are presented as (in

Table 7
The precision for cold start users

Number of historical record	model 1	model 2
0	0.39	0.25
1	0.67	0.43
2	0.51	0.39
3	0.51	0.35

this part, $n=5$). In the same way, the *Precisions* of model 1 are greater than those of model 2, and when user has one historical record, the *Precision* of model 1 is significantly greater than that of model 2. The results in Table 7 prove that the accuracy of the proposed method is improved for cold start users, too.

5. Conclusion and future works

This study proposed a comprehensive method for hotel recommendation to modify the performance of search engine to deal with the problem that search engine cannot provide personalized hotel recommended list. The proposed method considered users' individualized preferences from the aspects of user interest, user trust and user consumption capacity and divided users into three groups. Besides, compared to traditional method, in this paper, we evaluated hotel in the criteria price rating and online reviews, which can provide a more precise recommendation than using a single criterion. For the criteria of rating and online reviews, we gave different weights to different groups. For the criterion of price, we considered user's consumption capacity for hotel. In order to ensure the accuracy of the proposed mechanism, we proposed the methods to quantify user attribute and hotel evaluation criteria by using fuzzy theory to express information more efficient. What's more, we utilized TOPSIS method to solve the problem. A case study based on Tripadvisor.com was conducted to verify the feasibility and efficiency of the proposed method. The results of the case study illustrated the proposed method can achieve personalized recommendations, and improve the accuracy of search engine.

There are also some limitations in this study. For instance, in the actual decision-making process, there are many factors affect decision of different consumers, and here we only consider three most important ones. Besides, because in the section of quantifying trust, we just give the method for the e-commerce platforms that have the trust evaluation

system, the application of the proposed method is limited.

In future research, we will explore some other factors that affect decision-making to different users in different cases to improve the accuracy of recommendation. In addition, the quantification methods of user attributes and hotel evaluation criteria also need to be further improved. Finally, we will apply this method in practice in various fields such as movie recommendation.

Acknowledgments

This work was supported by the National Natural Science Foundation of China (No. 71501192).

References

- [1] T. Chen, Ubiquitous hotel recommendation using a fuzzy-weighted-average and backpropagation-network approach, *International Journal of Intelligent Systems* **32**(4) (2017), 316–341.
- [2] Y. Zhang, T. Lei and Z. Qin, A service recommendation algorithm based on modeling of dynamic and diverse demands, *International Journal of Web Services Research* **15**(1) (2018), 47–70.
- [3] C.M. Barbu and J. Ziegler, Co-Staying: A social network for increasing the trustworthiness of hotel recommendations, *Rec Tour* **2017** (2017), 35–39.
- [4] H.-G. Peng, H.-Y. Zhang and J.-Q. Wang, Cloud decision support model for selecting hotels on TripAdvisor.com with probabilistic linguistic information, *International Journal of Hospitality Management* **68** (2018), 124–138.
- [5] K. Takuma, J. Yamamoto, S. Kamei and S. Fujita, A hotel recommendation system based on reviews: What do you attach importance to? In: *Fourth International Symposium on Computing and Networking*, 2016, pp. 710–712.
- [6] J.-Q. Wang, X. Zhang and H.-Y. Zhang, Hotel recommendation approach based on the online consumer reviews using interval neutrosophic linguistic numbers, *Journal of Intelligent & Fuzzy Systems* **34**(1) (2018), 381–394.
- [7] W.-T. Chu and W.-H. Huang, Cultural difference and visual information on hotel rating prediction, *World Wide Web* **20**(4) (2017), 595–619.
- [8] S. Senecal, P.J. Kalczynski and J. Nantel, Consumers' decision-making process and their online shopping behavior: A clickstream analysis, *Journal of Business Research* **58**(11) (2005), 1599–1608.
- [9] K.Z. Zhang, S.J. Zhao, C.M. Cheung and M.K. Lee, Examining the influence of online reviews on consumers' decision-making: A heuristic-systematic model, *Decision Support Systems* **67** (2014), 78–89.
- [10] R. Filieri and F. McLeay, E-WOM and accommodation: An analysis of the factors that influence travelers' adoption of information from online reviews, *Journal of Travel Research* **53**(1) (2014), 44–57.
- [11] M. Wang, Q. Lu, R.T. Chi and W. Shi, How word-of-mouth moderates room price and hotel stars for online hotel book-

- ing an empirical investigation with Expedia data, *Journal of Electronic Commerce Research* **16**(1) (2015), 72–80.
- [12] H. Yin, B. Cui, L. Chen, Z. Hu and C. Zhang, Modeling location-based user rating profiles for personalized recommendation, *ACM Transactions on Knowledge Discovery from Data* **9**(3) (2015), 19.
- [13] G. Adomavicius and A. Tuzhilin, *Context-aware recommender systems, Recommender systems handbook*, Springer, 2015, pp. 191–226.
- [14] Q. Shambour, M.a. Hourani and S. Fraihat, An item-based multi-criteria collaborative filtering algorithm for personalized recommender systems, *International Journal of Advanced Computer Science and Applications* **7**(8) (2016), 274–279.
- [15] R.N. Laveti, J. Ch, S.N. Pal and N.S.C. Babu, A hybrid recommender system using weighted ensemble similarity metrics and digital filters, In: *IEEE 23rd International Conference on High Performance Computing Workshops*, 2016, pp. 32–38.
- [16] D. Gavilan, M. Avello and G. Martinez-Navarro, The influence of online ratings and reviews on hotel booking consideration, *Tourism Management* **66** (2018), 53–61.
- [17] K. Zhang, K. Wang, X. Wang, C. Jin and A. Zhou, Hotel recommendation based on user preference analysis, In: *31st IEEE International Conference on Data Engineering Workshops*, 2015, pp. 134–138.
- [18] Y. Liu, Y. Liu, Y. Shen and K. Li, Recommendation in a changing world: Exploiting temporal dynamics in ratings and reviews, *ACM Transactions on the Web* **12**(1) (2017).
- [19] K. Bauman, B. Liu and A. Tuzhilin, Aspect based recommendations: Recommending items with the most valuable aspects based on user reviews, In: *Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 2017, pp. 717–725.
- [20] X. Xu, K. Dutta, A. Datta and C. Ge, Identifying functional aspects from user reviews for functionality-based mobile app recommendation, *Journal of the Association for Information Science and Technology* **69**(2) (2018), 242–255.
- [21] M.-X. Wang, J.-Q. Wang and L. Li, New online personalized recommendation approach based on the perceived value of consumer characteristics, *Journal of Intelligent & Fuzzy Systems* **33**(3) (2017), 1953–1968.
- [22] N. Jing, T. Jiang, J. Du and V. Sugumaran, Personalized recommendation based on customer preference mining and sentiment assessment from a Chinese e-commerce website, *Electronic Commerce Research* **18**(1) (2017), 159–179.
- [23] Y.-H. Hu, P.-J. Lee, K. Chen, J.M. Tarn and D.-V. Dang, Hotel recommendation system based on review and context information: A collaborative filtering approach, In: *PACIS*, 2016, pp. 221.
- [24] Y. Sharma, J. Bhatt and R. Magon, A multi-criteria review-based hotel recommendation system, In: *IEEE International Conference on Computer and Information Technology; Ubiquitous Computing and Communications; Dependable, Autonomic and Secure Computing; Pervasive Intelligence and Computing*, 2015, pp. 687–691.
- [25] H.-Y. Zhang, P. Ji, J.-Q. Wang and X.-H. Chen, A novel decision support model for satisfactory restaurants utilizing social information: A case study of TripAdvisor.com, *Tourism Management* **59** (2017), 281–297.
- [26] N. Sirohi, E.W. McLaughlin and D.R. Wittink, A model of consumer perceptions and store loyalty intentions for a supermarket retailer, *Journal of Retailing* **74**(2) (1998), 223–245.
- [27] H.-W. Kim, Y. Xu and S. Gupta, Which is more important in internet shopping, perceived price or trust, *Electronic Commerce Research and Applications* **11**(3) (2012), 241–252.
- [28] J. Beneke, R. Flynn, T. Greig and M. Mukaiwa, The influence of perceived product quality, relative price and risk on customer value and willingness to buy: A study of private label merchandise, *Journal of Product & Brand Management* **22**(3) (2013), 218–228.
- [29] D. Palma, J. de Dios Ortúzar, L.I. Rizzi, C.A. Guevara, G. Casaubon and H. Ma, Modelling choice when price is a cue for quality a case study with Chinese wine consumers, *Journal of Choice Modelling* **19** (2016), 24–39.
- [30] N. Walia, M. Srite and W. Huddleston, Eyeing the web interface: The influence of price, product, and personal involvement, *Electronic Commerce Research* **16**(3) (2016), 297–333.
- [31] C.-C. Yu and H.-P. Chang, Personalized location-based recommendation services for tour planning in mobile tourism applications, In: *International Conference on Electronic Commerce and Web Technologies*, 2009, pp. 38–49.
- [32] A. Levi, O. Mokryn, C. Diot and N. Taft, Finding a needle in a haystack of reviews: Cold start context-based hotel recommender system, In: *Proceedings of the sixth ACM conference on Recommender systems*, 2012, pp. 115–122.
- [33] K.-P. Lin, C.-Y. Lai, P.-C. Chen and S.-Y. Hwang, Personalized hotel recommendation using text mining and mobile browsing tracking, In: *IEEE International Conference on Systems, Man, and Cybernetics*, 2015, pp. 191–196.
- [34] T. Chen and Y.H. Chuang, Fuzzy and nonlinear programming approach for optimizing the performance of ubiquitous hotel recommendation, *Journal of Ambient Intelligence and Humanized Computing* **9**(2) (2018), 275–284.
- [35] R. Year and L. Martinez, Fuzzy tools in recommender systems: A survey, *International Journal of Computational Intelligence Systems* **10**(1) (2017), 776–803.
- [36] D. Joshi and S. Kumar, Intuitionistic fuzzy entropy and distance measure based TOPSIS method for multi-criteria decision making, *Egyptian Informatics Journal* **15**(2) (2014), 97–104.
- [37] S. Broumi, J. Ye and F. Smarandache, An extended TOPSIS method for multiple attribute decision making based on interval neutrosophic uncertain linguistic variables, *Neutrosophic Sets & Systems* **8** (2015), 22–31.
- [38] A.A. Ameri, H.R. Pourghasemi and A. Cerda, Erodibility prioritization of sub-watersheds using morphometric parameters analysis and its mapping: A comparison among TOPSIS, VIKOR, SAW, and CF multi-criteria decision making models, *Science of The Total Environment* **613** (2018), 1385–1400.
- [39] A. Joshi, V. Deshpande and P. Pawar, An application of TOPSIS for selection of appropriate e-Governance practices to improve customer satisfaction, *Journal of Project Management* **2**(3) (2017), 93–106.
- [40] K.T. Atanassov, Intuitionistic fuzzy sets, *Fuzzy sets and Systems* **20**(1) (1986), 87–96.
- [41] E. Szmidt and J. Kacprzyk, Distances between intuitionistic fuzzy sets, *Fuzzy sets and systems* **114**(3) (2000), 505–518.
- [42] H. Wang, F. Smarandache, Y. Zhang and R. Sunderraman, Single valued neutrosophic sets, *Review of the Air Force Academy* **17**(1) (2010), 10–15.
- [43] J. Ye, A multicriteria decision-making method using aggregation operators for simplified neutrosophic sets, *Journal of Intelligent & Fuzzy Systems: Applications in Engineering and Technology* **26**(5) (2014), 2459–2466.

- [44] P. Majumdar and S.K. Samanta, On similarity and entropy of neutrosophic sets, *Journal of Intelligent and Fuzzy Systems* **26**(3) (2014), 1245–1252.
- [45] Z. Xu, Deviation measures of linguistic preference relations in group decision making, *Omega* **33**(3) (2005), 249–254.
- [46] R.M. Rodriguez, L. Martinez and F. Herrera, Hesitant fuzzy linguistic term sets for decision making, *IEEE Transactions on Fuzzy Systems* **20**(1) (2012), 109–119.
- [47] H. Liao, Z. Xu and X.-J. Zeng, Distance and similarity measures for hesitant fuzzy linguistic term sets and their application in multi-criteria decision making, *Information Sciences* **271** (2014), 125–142.
- [48] Y.-X. Zhu and L.-Y. Lu, Evaluation metrics for recommender systems, *Journal of University of Electronic Science and Technology of China* **41**(2) (2012), 163–175.

AUTHOR COPY