2014 IEEE 13th International Workshop on Advanced Motion Control

(AMC 2014)

Yokohama, Japan
14-16 March 2014

IEEE

IEEE Catalog Number: CFP14403-POD
ISBN: 978-1-4799-5763-7

TABLE OF CONTENTS

System Identification In A Real World 1
J. Schoukens, A. Marconato, R. Pintelon, Y. Rolain, M. Schoukens, K. Tiels, L. Vanbeylen, G. Vandersteen, A. Mulders
Haptics For Industries 11
K. Ohnishi, T. Nozaki, T. Mizoguchi
Dynamic Modeling Of Floating Systems: Application To Eel-Like Robot And Rowing System 21
W. Khalil, F. Rongere
On The Robustness Of Disturbance Observer 31
E. Sariyildiz, K. Ohnishi
Minimum Tracking & Focusing Trajectory Control Based On Two-Dimensional Equivalent PTC For Optical Disk 37
T. Ohashi, N. Sakimura, K. Ohishi, T. Miyazaki
Robust Sensorless Pressure Control Of Electric Injection Molding Machine Using Friction-Free Force Observer 43
K. Iwazaki, K. Ohishi, Y. Yokokura, K. Kageyama, M. Takatsu, S. Urushihara
Integrated Servo-Mechanical Design Of Robust Mechatronics Based On Low-Order Moments And Support 49
Y. Tan, C. Pang, T. Ng, T. Lee
Simultaneous Estimation Of Sample Surface Topography ANd Elasticity Utilizing Contact-Mode AFM 55
S. Watanabe, H. Fujimoto
Force-Sensorless Bilateral Control Using Piezoelectric Cantilever With Nonlinearity Compensation 61
Y. Matsumi, K. Yu, K. Ohnishi
Integrated Design Method Of Force And Current Control Systems 67
Y. Yokokura, K. Ohishi
An Analysis On Bilateral Control System With Quantization By Multi-Level Delta-Sigma Modulation 73
Y. Kawamura, S. Katsura
Multi-Sensor Fusion Observer Based Multilatral Control Of Haptic Devices Without Force Sensor 79
C. Mitsantisuk, K. Ohishi
Bilateral Control For Different-Sized Master And Slave Devices Using Position And Force Scaling 85
K. Mizuki, S. Matsubara, K. Tanaka, J. Ishikawa
Experimental Evaluation Of Motion Reproduction System With Selected Information 92
S. Kyo, T. Nozaki, T. Mizoguchi, K. Ohnishi
Filter Design Of Multilateral Control Under Time Delay For Tele-Teaching By Hand 98
H. Morimitsu, S. Katsura
Stabilization Of Systems With Time-Varying Delay Based On Complete Quadratic Lyapunov-Krasovskii Functional 104
D. Minagawa, Y. Uchimura
Model Following Output Feedback Controller Synthesis For Discrete-Valued Input Systems 110
K. Sawada, S. Shin
Optimal Quantization Feedback Control With Variable Discrete Quantizer 116
T. Shiratori, T. Zanma, K. Liu
Model-Error Feedback For Time-Delay Systems With Communication Disturbance Observer 122
N. Uematsu, Y. Uchimura
Per Hop Data Encryption Protocol For Transmission Of Motion Control Data Over Public Networks 128
R. Tennekoon, J. Wijekoon, E. Harahap, H. Nishi, E. Saito, S. Katsura
A Reference Governor For Reducing Path Tracking Error Of Mobile Platform 134
K. Kawabata, J. Xue, L. Ma, N. Zheng
FPGA Based Control Of A Walking Piezo Motor 138
T. Uzunovic, E. Golubovic, A. Sabanovic
A New Foot Structure With Springs And Flat Soles For Biped Robot Walking 144
S. Mamiya, S. Sano, N. Uchiyama
Visual Feedback Control Method Of A Wheeled Mobile Robot Using A Pan Camera Preferentially 149
T. Ebata, M. Ito, M. Shibata
Finite-State Control Of A Robotic Transtibial Prosthesis With Motor-Driven Nonlinear Damping Behaviors For Level Ground Walking 155
Q. Wang, K. Yuan, J. Zhu, L. Wang

Robust Control Of An Ultracapacitor-Based Hybrid Energy Storage System For Electric Vehicles 161
R. Dhaouadi, Y. Hori, H. Xiaoliang
Step Climbing Control Of Wheeled Robot Based On Slip Ratio Taking Account Of Work Load Shift By Anti-Drive Force Of Suspensions And Acceleration 167
M. Higashino, H. Fujimoto, Y. Takase, H. Nakamura
Range Extension Control System For Electric Vehicles Based On Optimal-Deceleration Trajectory And Front-Rear Driving-Braking Force Distribution Considering Maximization Of Energy Regeneration 173
S. Harada, H. Fujimoto
Development Of A Ceiling-Robots System And Its Motion Control 179
S. Takahiro, T. Suzuki, M. Torikawa, S. Suzuki
An Application Of State Feedback Control To Actual Vehicle Vibration Suppression 185
H. Tokoro, M. Kawafuku, M. Iwasaki
Suggestive Evidence For A Forward Model Of The Arm In The Monkey Motor Cortex 191
E. Miyashita, Y. Sakaguchi
A Motion Phase-Based Hybrid Assistive Controller For Lower Limb Exoskeletons 197
E. Baek, S. Song, S. Mohammed, D. Jeon, K. Kong
Quantitative Analysis Of Tennis Experts' Eye Movement Tkill 203
S. Shimizu, T. Kadogawa, S. Kikuchi, T. Hashizume
Estimation Method Of Arm Stiffness For Evaluation Of Physicality In Arm Self-Rehabilitation 208
C. Morito, T. Shimono
Visual Control Of Musculoskeletal ArmUsing Multiple Reference Frame Including Simple Coordinate Transformation 214
K. Hashimoto, S. Komada, D. Yashiro, J. Hirai
Study On Control Method Using Automatic Differentation With Application To Monowheel Robot 219
B. Dinh, Y. Fujimoto
Stabilization Control Of A 2-Mass Resonant System Based On Energy Control Theory 225
Y. Abe, S. Katsura
EKF Localization With Variable Covariance For LRS And Odometry: Experimental Verification 231
Y. Hiromachi, K. Nonaka, K. Sekiguchi
Experimental Verification Of Effectiveness On Driving Force Assist Control Based On Repetitive Control For Electrically-Assisted Bicycles 237
R. Hatano, D. Namikawa, R> Minagawa, M. Iwase
Motion Education System Using Impedance Control Based On Spatial Information 242
H. Nagashima, S. Katsura
Spatially Scaled Motion-Reproduction Control Using Modified Motion Data 248
K. Miura, S. Katsura
Compliant Velocity Based Force Coordinate Transformation Control For Gait Rehabilitation 254
M. Sasayama, T. Murakami
Electro-Hydraulic Force Transmission For Rehabilitation Exoskeleton Robot 260
F. bechet, K. Ohnishi
Vision-Based Human-Following Control Using Optical Flow Field For Power Assisted Wheelchair 266
T. Motokucho, N. Oda
Non-Linear Adaptive Impedance Controller For Rehabilitation Purposes 272
R. Oboe, D. Pilastro
Validation Of SLAM Without Odometry In Outdoor Environment 278
Y. Nakamura, Y. Fujimoto
A Structure Of Bilateral Control System With Time Delay Considering Improvement Stability 284
S. Hyodo, K. Ohnishi
Bilateral Control For 4-DOF Manipulator With A Tendon-Drive Spherical Joint Mechanism 290
K. Shimamoto, D. Suzuki, K. Ohnishi
Bilateral Control Using Compression Type Mechanical Gravity Canceller 296
S. Iwata, K. Tanida, K. Shimamoto, K. Ohnishi, Y. Yamada
Band Eliminate Filter Design For Bilateral Control System Under Time Delay 302
R. Kozuki, Y. Ohno, D. Suzuki, K. Ohnishi
Analysis Of Operational Force Under Non-Ideal Condition For Bilateral Control 308
K. Tanida, K. Ohnishi
Stability And Transparency Of Adaptive Controller Based Four-Channel Bilateral Control System With Communication Delay 314
T. Hieno, D. Yashiro, S. Komada, J. Hirai
A Prediction Method Considering Object Motion For Humanoid Robot With Visual Sensor 320
K. Baba, A. Kawamura, N. Motoi, Y. Asano

A Study Of Leg-Extender Exoskeleton 326
H. minakata, S. Tateno
A Control Method Of Low Speed Wheeled Locomotion For A Wheel-Legged Mobile Robot 332
K. Nagano, Y. Fujimoto
Experimental Study On Climbinb Up And Down The Step For A Biped Robot 338
Y. Takahashi, M. Shibata
Vision-Based Control Evaluation With Estimating Foot Sole Floating Angle For Biped Walking Robot 344
N. Oda, K. Kushida, M. Yamazaki
Gaze Detection Based Driver Modelization In An Electric Vehicle Using Virtual Force Field And Steer By Wire System 350
B. Rouzier, T. Murakami
Development Of The Experiment Platform For Electric Vehicles By Using Motor Test Bench With The Same Environment As The Actual Vehicle 356
M. Takeda, Y. Hosoyamada, N. Motoi, A. Kawamura
Four Wheel Optimal Autonomous Steering For Improving Safety In Emergency Collision Avoidance Manoeuvres 362
M. Galvani, F. Biral, B. Nguyen, H. Fujimoto
Proposal Of A Range Extension Control System With Arbitrary Steering For In-Wheel Motor Electric Vehicle With Four Wheel Steering 368
T. Yone, H. Fujimoto
Curvature-Continuous Sharp Corner Smoothing Scheme For Cartesian Motion Systems 374
B. Sencer, E. Shamoto
Triangular Geometry Based Optimal Motion Planning Using RRT* - Motion Planner 380
A. Qureshi, S. Mumtaz, K. Iqbal, Y. Ayaz, M. Muhammad, O. Hasan, W. Kim, M. Ra
SLAM Problem Via H ∞ Filter With Compensation For Intermittent Observation 386
Y. Okawa, T. Namerikawa
Time-Optimal Tube Following For Robotic Manipulators 392
F. Debrouwere, W. Loock, G. Pipeleers, J. Swevers
A Router-Based Management System For Prediction Of Network Congestion 398
E. Harahap, J. Wijekoon, R. Tennekoon, F. Yamaguchi, S. Ishida, H. Nishi
Analysis Of Force Transmission Ability By Variation Of Thrust Wire Posture 404
K. Ogawa, R. Kozuki, K. Ohnishi
Remarks On Robot Controller Application Of Clifford Multi-Layer Neural Networks 410
Y. Cui, K. Takahashi, M. Hashimoto
Impedance Correction In Time Delayed Teleoperation System 416
T. Mizoguchi, T. Nozaki, K. Ohnishi
An Analysis On Force Data During Biopsy Insertion 422
D. Suzuki, Y. Matsumi, K. Ohnishi
Development Of A Water Ski Simulator For Indoor Training With Proprioceptive And Visual Feedback 428
R. Oboe, R. Antonello, F. Biral
The HCI Method For Upper Limb Disabilities Based On EMG And Gyros 434
Z. Tengyu, L. Lifeng, Y. Heping
An Assist Control Of Step Climbing Motion In Two-Wheel Electric Powered Wheelchair With Controlled Casters 440
K. Hirata, T. Murakami
Power Assistance Of An Omnidirectional Hybrid Walker And Wheelchair With Admittance Model And Iterative Learning Control 446
T. Suzuki, C. Zhu, T. Sakai, Y. Okada, Y. Yoshikawa, M. Yoshioka, Y. Yan, H. Yu, F. Duan
Motion Reproduction System Considering Control Bandwidth In Force Transmission 452
T. Miyagi, S. Katsura
Design Of A Novel Robotic Over-Ground Walking Device For Gait Rehabilitation 458
K. Mun, C. Zhu, H. Yu, M. Cruz
A Combination Of Particle Swarm Optimization And Model Predictive Control On Graphics Hardware For Real-Time Trajectory Planning Of The Under-Actuated Nonlinear Acrobot 464
K. Heerden, Y. Fujimoto, A. Kawamura
Motion Control Of Tendon-Driven Rotary Actuator Using Twist Drive System 470
S. Ouzumi, K. Yu, N. Yoshimura, K. Ohnishi
Verification Of Compliance Control For A Soft Robot 476
N. Yoshimura, K. Ogawa, K. Ohnishi

Modeling Of Propeller Electric Airplane And Thrust Control Using Advantage Of Electric Motor 482
K. Takahashi, H. Fujimoto, Y. Hori, H. Kobayashi, A. Nishizawa
Compensation Of Out-Of-Order Delivery Using Kalman Filter For Teleoperation System 488
Y. Ohno, S. Ouzumi, K. Ohnishi
Dual Rate Kalman Filter Considering Delayed Measurement And Its Application In Visual Servo 494
B. Nguyen, W. Ohnishi, Y. Wang, H. Fujimoto, Y. Hori, K. Ito, M. Odai, H. Ogawa, E. Takano, T. Inoue, M. Koyama
Combined Luenberger State And Disturbance Observer For Semi-Dual Loop Control Of Two-Mass Actuator System 500
M. Ruderman, M. Iwasaki
Altitude Control Using Limited Pole Placement On Coaxial-Helicopter 506
Y. Sugawara, A. Shimada
High-Speed Position Control Of SPMSM Using Rapid Current Profiling Technique Based On Angular Impulse 512
Y. Seki, K. Ohishi, Y. Yokokura, M. Matsuhashi, T. Mashimo
Adaptive Robust Control Of Wheeled Mobile Robot With Uncertainties 518
D. Li, J. Ye
Feedforward Tracking Control For Lower-Limb Robot With Antagonistic Driven Mechanism 524
T. Komatsu, A. Okuyama, T. Nakamura
Sport Motion Picture Analysis As Time Series Data 530
T. Maeda, M. Fujii, I. Hayashi
Proposed Blink Artifacts Rejection Method Mixing With Electroencephalographic Recordings Using Single-Channel Electroencephalographic Recordings And Non-Negative Matrix Factorization 536
S. Kanoga, Y. Mitsukura
Motion Canceling Bilateral Control With Image-Space Observer In Free-Motion 542
K. Okiyama, T. Murakami
Generation Method Of Marine Tag For Robot Of Oceanographic Observation 548
Y. Nota, S. Takahashi, K. Kawabata, S. Kaneko, F. Takemura, T. Suzuki
Development Of Wide Angle Fovea Telescope 552
S. Shimizu, T. Hashizume, Y. Tanzawa
An Approach To High Operational Control Of A Slave Mobile Robot By Master Touch Manipulation 557
H. Nagayama, T. Murakami
Adaptive Reaction Torque/Force Observer Design I 563
E. Sariyildiz, K. Ohnishi
Rate Control Based On Queuing State Observer For Visual-Haptic Communication 569
S. Yamamoto, D. Yashiro, K. Yubai, S. Komada
Global Sliding Mode Control Of MEMS Gyroscope Based On Neural Network 575
Y. Chu, J. Fei
Estimation Method For Sway Angle Of Payload With Reaction Force Observer 581
S. Ohtomo, T. Murakami
Robust Double Feedforward Tracking Control System Using Error Based Disturbance Observer For Optical Disk Systems 586
N. Sakimura, T. Ohashi, K. Ohishi, T. Miyazaki
Control Of Pre-Sliding Friction Using Nonlinear State Observer 592
M. Ruderman, M. Iwasaki
A Comparison Study Between A Resonant Filter And An Adaptive Feed-Forward Cancellation For Implementation Of A Control System 598
S. Yabui, I. Kajiwara
Proposal Of Fast And High-Precision Control For Ball-Screw-Driven Stage By Explicitly Considering Elastic Deformation 604
H. Zhu, H. Fujimoto
Position Convergance And Sway Suppress Method Of Overhead Crane By Emulating Natural Damping 610
T. Kurabayashi, T. Murakami
A Turning Control Of Electric Wheeled Walker Device By PSD Camera Information 616
D. Saito, T. Murakami
Design Of Cervical Spine Mechanical Emulator For Rotation-Traction Manipulation Drills 621
Y. Huang, L. Yao, M. Feng, L. Zhu, J. Li
Reproducibility And Operationability Of Motion-Copying System For Education 627
H. Onoyama, S. Katsura
One-Handed Propulsion Control Of Power-Assisted Wheelchair With Advanced Turning Mode 633
K. Kim, K. Payne, S. Oh, Y. Hori

2-Norm, Infinity-Norm Continuous Switching Resolution In Biarticularly Actualted Robot Arms 639
T. Baratcart, V. Salvucci, T. Koseki
Consideration Of Tension Limits In Joint Space For 3 Pairs Of 6 Tendon Arms With Nonlinear Spings 645
M. Oishi, S. Komada, D. Yashiro, J. Hirai
Feedback Gain Indicates The Preferred Direction In Optimal Feedback Control Theory 651
Y. Ueyama
Haptic Data Compression For Rehabilitation Databases 657
T. Kaneko, S. Ito, S. Sakaino, T. Tsuji
Proposal Of Current Integral Zero Power Control With Force Feedforward For Helical Motor 663
M. Koyama, Y. Fujimoto
Experimental Comparison Of Design Methods For Equivalent Mass Matrix In Motion Control System Based On Workspace Observer 669
N. Togashi, N. Motoi, T. Shimono, N. Oda
Link-Coupled Vibration Suppression Control Considering Product Of Inertia For Industrial Robots 675
T. Yoshioka, N. Shimada, K. Ohishi, T. Miyazaki, Y. Yokokura
Proposal Of Updating Final-State Control And Its Application To A Connection Control Problem 681
T. Yoshiura, S. Hara
Modeling And Compensation For Hysteresis Properties In Piezoelectric Actuators 687
K. Seki, M. Ruderman, M. Iwasaki
Macro-Micro Bilateral Control System Without Position Limitation 693
Y. Mizutani, S. Katsura
Frequency Separation Actuation Resonance Cancellation For Vibration Suppression Control Of Two-Inertia System Using Double Motors 699
K. Inukai, H. Fujimoto, T. Takahashi
Extraction And Realization Of Human Actions 705
T. Nozaki, K. Tanida, T. Mizoguchi, T. Nakano, Y. Saito, K. Ohnishi
Modeling And Experimentation Of Drilling Vibration For Implant Cutting Force Presenting System 711
K. Yu, S. Iwata, K. Ohnishi, S. Usuda, T. Nakagawa, H. Kawana
Position/Force Decoupled Bilateral Communication Without Force Controller In Slave Side By Using Multirate Control 717
S. Sakaino, T. Tsuji
An Integration Method Between Vision-Based Disturbance Observer And Bilateral Haptic System For Robust Tracking Of Target Object 723
M. Jamaluddin, T. Shimono, N. Motoi
Reproduction Of 2-DOF Motion Adapting To Environmental Angle Change 729
N. Tsunashima, H. Morimitsu, S. Katsura
Performance Enhancement Of Bilateral Control Under Time Delay Using Nonlinear Filter 735
H. Morimitsu, S. Katsura, K. Ohnishi
Self-Triggered Optimal Control Of Linear Systems Using Convex Quadratic Programming 741
K. Kobayashi, K. Hiraishi
State Estimation In Quantized Feedback Control System 746
T. Ohtsuka, T. Zanma, K. Liu
Compensation Of Networked Control Systems With Time-Delay 752
T. Mori, Y. Kawamura, T. Zanma, K. Liu
Link Scheduling For Distributed Control Over Synchronous TDMA Network 758
D. Yashiro
Mechanical Power Factor As Performance Index Of Bilateral Teleoperation Systems 764
K. Natori
Realization Of Simultaneity In Bilateral Teleoperation System Under Time Delay 770
S. Nishimura, S. Katsura
Author Index