data ↓↓↓↓↓ amplified[™]

2016 | the future of business reporting

The evolution of requirements on XBRL - a shift from data exchange to data integration ... to data usage?

singapore 8-10 NOVEMBER 2016

SPEAKER:

Carsten Felden

Technische Universität Bergakademie Freiberg Germany

Claudia Koschtial


Technische Universität Bergakademie Freiberg Germany

Research Objective

- 1) What have been the original requirements and expectations towards XBRL?
- 2) What has XBRL become (instead)?
- 3) What is actually done with XBRL in practice (for analytical purposes)?

Research goal: Utilization of the full potential of XBRL in analytical purposes!

Grand challenge: Getting a concept down to earth!



Existing discussions

- XBRL to harmonize language.
- Task | process automization because of XBRL.
- XBRL just for data transmission.
- XBRL for data modelling.
- XBRL for analytical purposes.
- Regulatory reporting architecture (chicken) and Business
 Intelligence architecture (egg) vice versa ...



What have been the original requirements and expectations towards XBRL?

- Charles Hoffman wanted computer applications to be able to effectively exchange information between each other (Karen Kernan 2009, p. 3)
- This implies:
 - Seamless and quick electronic exchange of business information.
 - No need for re-keying information from one format to another.
 - Enhancing reusability (Pinsker, Li 2008, pp. 47-48).


What has XBRL become (instead)?

- XBRL 2.1 base specification for **creation**, **exchange and comparison** of business reporting information:
 - includes meta-data for hierarchical representation and arithmetic expressions.

VS

- Further specifications and **additional meta-data**:
 - XBRL Dimension 1.0 for multi-dimensional definition of concepts.
 - Formula 1.0 for validation and transformation of XBRL instance facts.
 - Table Linkbase 1.0 for tabular layouts of facts.
- Allow for more **flexible navigation** through information, to **assure data quality** and to **enable rendering** (XII 2016a),
- but work on single, isolated XBRL instance files.

- XBRL-formatted information has to be **pre-processed for deeper analyses**.
- "The main limitation of XBRL tools is their limited support for cross analysis of financial information [...] inherited from [...] from XML." (Garcia, Gil 2010, p. 3)
- Information that cannot be connected with other current information or information stored in the past is useless for their consumers (North 2010, p. 37).



Relationship between Information, Knowledge and Action based on North (North 2010, p. 36)

- Pre-procession includes **ETL and shredding** of XBRL instance files:
 - "In many or most use cases XBRL instance documents will be loaded into a BI data warehouse." (Alles, Debreceny 2012, p. 88).
 - "ETL will have normalized-away the semantic uniqueness that its DTS had in the original form." (XII 2016c)
 - "**Shredding** generally fails to preserve some of the XMLcentric aspects of stored data." (Rys et al. 2005, p. 946)
 - XML/XBRL vs. SQL/MDX: Divergent technologies as "integration barrier" (Spies 2010, p. 405).

- **Consequences** of ETL and shredding:
- Derive warehouse data models from XBRL taxonomies (based on concepts, labels, and dimensions).
- ✓ ETL processes for facts.
- Possible, but bespoke/proprietary solutions.
- × Preserve **rendering metadata** (table linkbase).
- × Preserve assurance metadata (formula linkbase).



- Reasons:
 - "Integration barrier": Source (= taxonomy) and target (= warehouse) do not match.
 - Where to store rendering and formulae information?
 - **How** to store this information (format)?
 - Relevant use / problem cases for preserving considered meta-data:
 - application of formulae to integrated data pool, e.g. across periods and entities.
 - **avoid changeovers** between applications for tabular views, standard reports, and OLAP.

From XML to JSON ... any benefit for the users?

- JSON is used to transmit and store structured data; it is a data format to support serialization. Especially web applications and mobile apps in relation with JavaScript, Ajax, or WebSockets are using this format to transfer data between clients and servers.
- Instead, XML is a structure describing language; JSON is a syntax convention and not declarative. There are neither information regarding the size of the object structure nor the validity of the instance. Therefore, JSON has benefits at rigid interfaces, XML at flexible interfaces.
- JSON is reducing overhead compared to XML, because the construction is more simple and due to this reason easier readable.

Example – back to the roots?

{ "Issuer": "Xema", "Number": "1234-5678-9012-3456", "Covering": 2e+6, "Currency": "EURO", "Owner": { "Surname": "Mustermann", ", First Name": "Max", "male": true, "Hobbies": ["Horseback riding", "Golf", "Reading"], "Age": 42, "Kids": [], "Partner": null } }

JSON: 226 Byte

<Credit Card Issuer="Xema" Number="1234-5678-9012-3456" Covering="2e+6" Currency="EURO"> < Owner Surname="Mustermann" First_Name="Max" male="true" Age="42" Partner="null"> <Hobbies> < Horseback riding </Hobby> <Hobby>Golf</Hobby> <Reading</Hobby> </Hobbies> <Kids/> </Owner> </Credit Card>

XML: 279 Byte

Potential contributions to the XBRL community!

- Analytical (importance of integration) as well as a constructive (enabling integration) approach.
- Question no. 3 will point out the **need for data integration and related weaknesses** of XBRL.
 - Functionalities like rendering (table linkbase) and validation/assurance (formula linkbase) are restricted to processing single files and ETL leads to a potential meta-data loss.
- Exploring a way to preserve XBRL-specific meta-data through ETL and making it accessible in an integrated data store.
- Upcoming ideas: changing the basis of XBRL from XML to more ontology-oriented and therefore better database-compatible semantic-web languages like OWL, RDF or data formats like JSON.
- Expand the process in scope "by which users receive, find, compare and analyze information" (and not just shorten it) (Alles, Debreceny 2012, p. 88).

Publication bibliography

Alles, Michael; Debreceny, Roger (2012): The evolution and future of XBRL research. In XBRL: Research Implications and Future Directions 13 (2), pp. 83–90.

Garcia, Roberto; Gil, Rosa (2010): Triplificating and linking XBRL financial data. In : Proceedings of the 6th International Conference on Semantic Systems. Graz, Austria: ACM, pp. 1–8.

Karen Kernan (2009): The story of our new language. Personalities, cultures, and politics combine to create a common, global language for business. Edited by AICPA. Available online at http://www.aicpa.org/InterestAreas/FRC/AccountingFinancialReporting/XBRL/DownloadableDocuments/XBRL_09_web_final.pdf, checked on 30/04/2016.

North, Klaus (2010): Wissensorientierte Unternehmensführung: Wertschöpfung Durch Wissen: Springer-Verlag.

Pinsker, Robert; Li, Shaomin (2008): Costs and benefits of XBRL adoption: early evidence. Communications of the ACM, March 2008, Vol.51(3), pp.47-50.

Rys, Michael; Chamberlin, Don; Florescu, Daniela (2005): XML and relational database management systems: the inside story. In : Proceedings of the 2005 ACM SIGMOD international conference on Management of data. Baltimore, Maryland: ACM, pp. 945–947.

Spies, Marcus (2010): An ontology modelling perspective on business reporting. Information Systems, 2010, Vol.35(4), pp.404-416.

XII 2016a: Specifications. Available online at http://specifications.xbrl.org/, checked on 30/04/2016.

XII 2016c: Formula Overview. Available online at http://www.xbrl.org/WGN/XBRL-formulaoverview/PWD-2011-12-21/XBRL-formula-overview-WGN-PWD-2011-12-21.html, checked on 30/04/2016.